



**SURFACEWORKS**

**DEWEY**  
**SPECIFICATION**  
**& PRICING GUIDE**

**FEB. 2019**

version 1.3

**GSA CONTRACT #GS-27F-0050W\***  
**SIN 337127TL.SB Tables & Lecterns**

**CATALOG AT LIST PRICES - GSA DISCOUNTING APPLIES**

*\*small business set aside*





## TABLE OF CONTENTS

<b>DEWEY OVERVIEW</b>	3
<b>DEWEY STATEMENT OF LINE</b>	4-11
<b>Training Tables</b>	4-5
<b>X-Base Companion Table</b>	6
<b>6-Top Collaborative Table</b>	6
<b>Connection Cart</b>	7
<b>Helpdesk, Lectern &amp; Buddy</b>	8
<b>Bookshelf, Media Cabinet</b>	9
<b>Table Power</b>	10-11
<b>TRAINING TABLES</b>	13-25
<b>Specifications</b>	14-18
Standards, Top Construction, Edge Options	14
Leg Construction & Leg Options	15
Grommets, Power, Glides/Casters	16
Flip-Top	17
Leg Dimensions & Clearance	18
Height Adjustment, Finish Selection, Shipping	18
<b>Pricing</b>	19-25
Fixed Height T-Leg & C-Leg	19-20
Pin-Height Adjustable T-Leg & C-Leg	21-22
Crank Height Adjustable C-Leg	23
Flip-Top T-Leg & C-Leg	24-25
<b>6-TOP COLLABORATIVE TABLE</b>	27-32
<b>Specifications</b>	28-31
Standards, Top Construction, Edge Options, Dimensions	28
Leg Construction, Height Options	29
Glides & Casters, Floor Mounting Kit	29
Grommets, Power Modules	30
Finish Selection, Shipping & Assembly	31
<b>Pricing</b>	32
<b>X-BASE COMPANION TABLE</b>	33-36
<b>Specifications</b>	34-35
Standards, Top Construction, Edge & Height Options	34
Base Construction, Glides, Floor Mounting Kit	35
Base Dimension, Finish Selection, Shipping & Assembly	35
<b>Pricing</b>	36
<b>TABLE OPTIONS &amp; ACCESSORIES</b>	37-43
<b>Specifications</b>	38-40
Modesty Panels	38
Ganging Brackets & Wire Management	39
Grommets, Casters, Glides, Floor Mounting Kit	40
<b>Pricing</b>	41-43
Floor Mounting Kit, Ganging Brackets, Wire Management	41
Worksurface-Mount Modesty Panel	42
Aluminum Frame Modesty Panel	43
<b>TABLE POWER</b>	45-52
<b>Overview</b>	46
<b>Power Modules Specifications</b>	47
<b>On the Fly (corded power modules)</b>	48-49
Specifications	48
Pricing	49
<b>Move About (Interlink IQ®)</b>	50-53
Specifications	50-51
Pricing	52-53

<b>TABLE POWER (cont.)</b>	45-59
<b>Stay Put (hardwired power/data troughs)</b>	54-57
Specifications	54-55
Pricing	56-57
<b>Stay Put NYC (hardwired power modules)</b>	58-59
Specifications	58
Pricing	59
<b>HELPPDESK</b>	61-73
<b>Specifications</b>	62-65
Standards, Top Construction, Edges, Grommets	62
Leg Construction, Glides/Casters/Mounting Kit	63
Power Modules, Height Adjustment, Modesty Panel	63
Storage Configurations	64
Technology Storage, Finish Options, Shipping	65
<b>Pricing</b>	66-73
Model GM: Large Cabinet-L, Small Cabinet-R	66
Model MG: Small Cabinet-L, Large Cabinet-R	67
Model MM: Small Cabinet-L, Small Cabinet-R	68
Model GX: Large Cabinet-L	68
Model XG: Large Cabinet-R	70
Model MX: Small Cabinet-L	71
Model XM: Small Cabinet-R	72
Model XX: No Storage	73
<b>CONNECTION CART</b>	75-82
<b>Specifications</b>	76-78
Standards, Frame Construction, Casters, Accessories	76
Full Length, Half Length, Tech Supporting, Storage	77
Finish Selection, Shipping	78
<b>Pricing</b>	79-82
Full Length	79
Half Length	80
Technology Supporting - Open Storage	81
Technology Supporting - Closed Storage	82
<b>LECTERN &amp; BUDDY</b>	83-87
<b>Specifications</b>	84-86
Standards, Top Construction, Edges, Grommet	84
Frame Construction, Glides/Casters/Floor Mounting Kit	85
Height Adjustment, Modesty Panel	85
Lectern with Storage, Finish Selection, Shipping	86
<b>Pricing</b>	87
<b>MEDIA CABINET</b>	89-92
<b>Specifications</b>	90-91
Standards, Frame Construction	90
Glides, Floor Mounting Kit, Storage Details & Options	90
Finish Selection, Shipping	91
<b>Pricing</b>	92
<b>BOOKSHELF</b>	93-95
<b>Specifications</b>	94
Standards, Construction, Glides, Floor Mounting Kit	94
Finish Selection, Shipping	94
<b>Pricing</b>	95
<b>DOCUMENT UPDATES</b>	96



Dewey inspires better approaches to teaching and learning, wherever they take place. Sure, learning happens in classrooms. It also happens in offices, homes and in-between spaces. Four key factors in learning dynamics are constantly shifting and interacting: students, technology, space, and pedagogy. Dewey leverages great design to create as much synergy as possible among them.



Dewey offers a collection of products that's ready to support a variety of needs and solutions in your classroom, training room, office, and in-between spaces.

- **Training Tables:** rectangular fixed or flip-top, in multiple fixed-heights, pin and crank-height adjustable with C-legs or T-Legs
- **6-Top Collaborative Tables:** exclusive 6-Top shape with C-legs, available in multiple heights
- **X-Base Companion Tables:** round and square with X-base available in multiple heights.
- **Connection Carts:** highly mobile half or full-length markerboard and tackable surfaces; technology-supporting carts with storage cabinet
- **Presentation Desk & Podiums:**

**Helpdesk:** seated-height or standing-height versions, with pin-height, crank-height or electric-height adjustment options. Multiple pre-configured storage options. Rack unit storage keeps technology organized and accessible with locking back panel and vent/fan options

**Lectern:** mobile, height-adjustable lectern with or without storage; rack unit storage and vent/fan available

**Buddy:** mobile, height-adjustable cart

- **Media Cabinet:** high-capacity storage with locks keeps items stored, secure, and out of the way
- **Bookshelf:** free-standing or wall-mounted storage and space definer

Dewey was designed to earn top marks in four critical areas:

**Flexibility:** Today's varied teaching and learning styles call for furniture that can quickly and easily shift into different configurations, whether the focus is on the instructor, on student collaboration, or on a distance learning screen.

**Durability:** To withstand the rigors of frequent rearranging and constant use, Dewey was designed with long-lasting materials and components, from cast and extruded aluminum bases to urethane edges.

**Technology Supporting:** Products are designed to support changing technology for long-term relevancy.

**Timeless Design:** Furniture this flexible, durable, and technology-friendly calls for a clean design that will continue looking relevant throughout its long life.




## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3


## STATEMENT OF LINE

## T-Leg Training Tables


## Fixed



## Pin-Height Adjustable



## Flip-Top



			27x36	
20x36	24x36	27x48		
20x48	24x48	27x54		
20x60	24x60	27x60	30x60	
20x66	24x66	27x66	30x66	
20x72	24x72	27x72	30x72	
20x84	24x84	27x84	30x84	
18" leg depth 18", 21", 25" and 29" Table height	18" leg depth 18", 21", 25" and 29" table height	24" leg depth 18", 21", 25" and 29" table height	24" leg depth 18", 21", 25" and 29" table height	


STATEMENT OF LINE

C-Leg Training Tables


Fixed




Pin-Height Adjustable



Flip-Top







Crank-Height Adjustable



		27x36	
20x36	24x36	27x48	
20x48	24x48	27x54	
20x60	24x60	27x60	30x60
20x66	24x66	27x66	30x66
20x72	24x72	27x72	30x72
20x84	24x84	27x84	30x84
18" leg depth 18", 21", 25" and 29" Table height	18" leg depth 18", 21", 25" and 29" table height	24" leg depth 18", 21", 25" and 29" table height	24" leg depth 18", 21", 25" and 29" table height

**SPECIFICATION & PRICING GUIDE**

February 2019 v1.3



**STATEMENT OF LINE****X-Base Companion Tables, 6-Top Collaborative Table****X-Base Companion Tables****Square**18", 21", 25", 29", 36" and 42"  
table height**Round**18", 21", 25", 29", 36" and 42"  
table height**6-Top Collaborative Table**18", 21", 25", 29", 36" and 42"  
leg height

STATEMENT OF LINE  
Connection Cart



Connection Cart

Full & Half Lengths

**Half Length:**  
workable area 7-10 sq. ft.  
& starts 30" above floor





**Full Length:**  
workable area 14-17 sq. ft.  
& starts at base





Technology Supporting

**Closed Storage:**  
workable area 7-10 sq. ft.  
& starts 30" above floor







**Open Storage:**  
workable area 7-10 sq. ft.  
& starts 30" above floor














**SPECIFICATION & PRICING GUIDE**



February 2019 v1.3

**STATEMENT OF LINE**  
**Helpdesk, Lectern & Buddy****Helpdesk****Standing  
Height-Adjustable**With or Without  
CabinetsPin, Crank or Electric  
Height Adjustmentsmall & large  
cabinetlarge  
cabinetsmall  
cabinet**Seated  
Height Adjustable**With or Without  
Cabinets

Crank Height-Adjustment

**Helpdesk  
Power Options****Standard Flip-up**i30 (Mho®)  
2 power, 2 open**Optional Flip-up**i30 (Mho®)  
3 power, 1 USB**Lectern & Buddy****Lectern****Lectern with Cabinet  
left or right hinge****Buddy**

STATEMENT OF LINE  
Bookshelf, Media Cabinet, Accessories

<p>Bookshelf</p> <p>Wall-Mounted Shelf</p> <p>Wall-Mounted Add-on Shelf</p> <p>Freestanding Shelf</p> <p>Freestanding Add-on Shelf</p>	
<p>Media Cabinet</p>	

## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## STATEMENT OF LINE





## Table Power

## On the Fly




## Maximum flexibility for highly mobile applications

Electrical - Power Modules (corded)

## Training Tables



## 6-Top Collaborative Tables




## Move About

## Moderate flexibility for occasionally reconfigured applications

Electrical - Starter Box, Connector Kits, and Power Module Kits

## Starter Box &amp; Bracket




72" and 120" cord length







## Pass-Through Connector Kit\*

36", 48", 60" and 72"

## Rectangular Table Power Module Kits\*




## 6-Top Table Power Module Kits\*




## \* Flexible Ganging Bracket

(one pair included with Power Module and Pass-Through Connector Kits)



## \* Wire Management Clip

(package of 5 included with Power Module and Pass-Through Connector Kits)




## STATEMENT OF LINE Table Power


### Stay Put

#### Stationary power for fixed applications


Electrical - Power Data Trough, Power Jumpers, Infeeds, Power Module Kits




Power Data Trough Kit, Open



Power Data Trough Kit, Enclosed




Power Jumpers (18", 48", and 72")




Infeeds

20amp Hardwire Infeed (72")




20amp Corded Infeed (72")




Rectangular Table  
Power Module Kits\*


i10



i20



i30




\* **Flat Ganging Bracket**  
is required for table-to-table  
power connection and one pair  
is included with each Power Module Kit.

### Stay Put - NYC


#### New York City applications

Electrical - Power Module Kits (hardwired)




Rectangular Table  
Power Module Kits\*


i10




i20



i30




\* **Flat Ganging Bracket**  
is required for table-to-table  
power connection and one pair  
is included with each Power Module Kit.



6-Top Table  
Power Module Kits\*

i40a



i40b

**SPECIFICATION & PRICING GUIDE**February 2019 v1.3

---



## TRAINING TABLES



## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## TRAINING TABLES

## Standards, Tops, Edge Options

## SPECIFICATIONS

## Standards


Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.

## Top Construction


**Dewey Training Table Tops** are 1.2" overall thickness, constructed with high-pressure laminate, 1-1/8" particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface. 60"L and above tables have steel support channel to promote level worksurface. Training Tables are available in Rectangular shape only. Grain direction runs length of table top.

## Edge Options

## 2mm ABS Edgeband Flat Profile



## Urethane Edge Clara Profile



**2mm ABS edgeband:** (PVC-free) available on all Training Tables

**Urethane Edge:** 1.5" depth Clara reverse knife profile urethane edge available on all Training Tables.


## TRAINING TABLES

## Leg Options


## SPECIFICATIONS

## Leg Construction


## C-Legs




C-Leg: fixed



C-Leg: flip-top



C-Leg: pin-height adjustable



C-Leg: crank-height adjustable


Dewey Training Table legs are extruded aluminum with a cast aluminum foot.

**C-Legs** are available for Training Tables in four fixed heights, manual pin-height adjustable, crank-height adjustable or flip-top. The 20" and 24" deep tables have an 18" foot, and the 27"D tables have a 24" foot. The crank-height option is not available on the 20"D or the 30"D C-Leg tables. The 30" deep table bases have a 24"D foot. For crank-height adjustable tables, 12 crank revolutions yield 1" of height adjustment.


C-Leg Heights	Standard Height	Optional Heights
Fixed	29"	18", 21" & 25"
Flip-Top	29"	n/a
Crank-Height Adj.	27"-37"	n/a
Manual Pin-Height Adj.	27"-33"	18"-24"*

\* casters not available with 18"-24" pin-height range


## T-Legs



T-Leg: fixed



T-Leg: flip-top



T-Leg: pin-height adjustable

**T-Legs** are available for training tables in four fixed heights, manual pin-height adjustable or flip-top. The 20" and 24" deep tables have an 18" foot, and the 27"D and 30"D table bases have a 24" foot.

T-Leg Heights	Standard Height	Optional Heights
Fixed	29"	18", 21" & 25"
Flip-Top	29"	n/a
Manual Pin-Height Adj.	27"-33"	18"-24"*

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TRAINING TABLES

## Grommets, Power Modules, Glides &amp; Casters


## SPECIFICATIONS

## Grommets



**Grommets** are available as an option on Training Tables longer than 36". Two black rectangular grommets (3.75"L x 1.75"D) are installed at rear-left and right, 14" apart on center. Each Grommet includes a liner and cover.

## Power Modules



**Power Modules** are available as an option with all Training Tables and are centered at 5.75" from the back edge of the table top.

Available Power Modules include the following:

**i10 (Nacre®):** i10a: 4 receptacles


i10b: 3 receptacles, 1 dual USB-charging (2amp)

**i20 (Axil® Z):** 3 receptacles, 1 dual USB-charging (2amp)

**i30 (Mho®):** 3 receptacles, 1 dual USB-charging (2amp)

Please see **Table Power** section for details, configuration options and pricing.

## Glides, Casters &amp; Floor Mounting Kit



**Glides:** 3/4" leveling for uneven floors. Standard on all training tables except optional for Flip-Top.


**Floor Mounting Kit** accessory is for use with glides on any product; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.

**Casters:** Optional on all Training Tables, except standard for Flip-Top and not available with 18"-24" manual pin-height adjustable. 2.4" dia dual wheel; each model contains two locking and two non-locking. Two-tone caster: charcoal with cool-grey interior.


Glides/Casters Availability T-Leg & C-Leg	Table Height	Glides	Casters
Fixed Height	18"	standard	optional
	21"	standard	optional
	25"	standard	optional
	29"	standard	optional
Flip-Top	29"	optional	standard
Manual Pin-Height Adjustable	18"-24"	standard	n/a
	27"-33"	standard	optional
Crank-Height Adjustable	27"-37"	standard	optional

TRAINING TABLES  
Flip-Top  
SPECIFICATIONS


C-Leg Flip-Top




T-Leg Flip-Top



Nesting Depth



Nesting Width



Dewey Flip-Top Training Tables are available in C-Leg and T-Leg versions.

Dual flip-top mechanism offers intuitive design and safety feature; table flips down.

Flip-top tables are nested in a staggered manner adding 2" to the overall width of the table length for each nested table.

The 20" and 24" deep flip-top tables measure approximately 20" deep, the 27" deep flip-top tables measure approximately 25" deep when in the flipped position (including casters). Each additional nested table adds approximately 9" to the overall depth of all nested tables

Flip-Top Nesting Depth	Flipped Position Table Depth	Each Additional Table Depth
20" D & 24" D	19"	9"
27" D & 30" D	25"	




## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## TRAINING TABLES

## Leg Dimensions, Height Adjustment, Finish Selection, Shipping

## SPECIFICATIONS


Leg Dimensions  
and Clearance

Dewey Training Table legs are positioned 3.6" from the edge, with clearance between legs measuring 11" less than the table length. 24" & 24" depth tables have 18" feet; 27" & 30" depth tables have 24" feet.

Table Length:	36"	48"	54"	60"	66"	72"	84"
Leg Clearance	A	25"	37"	43"	49"	55"	61"
		73"					

Table Depth:	20"	24"	27"	30"
Foot Size	18"		24"	


## Height Adjustment



Training Tables are available in **Crank-Height adjustable** in C-Leg and **Manual Pin-Height Adjustable** in C or T-legs. Crank-Height is not available on the 20"D or the 30"D C-Leg tables. Casters are available on all height adjustable tables except 18"-24" pin-height adjustable. For crank-height adjustable tables, 12 crank revolutions yield 1" of height adjustment.

Adjustable Height Ranges	C-Leg	T-Leg
Crank-Height Adj.	27"-37"	n/a
Manual Pin-Height Adj.	27"-33"	27"-33"
	18"-24"*	18"-24"

## Finish Selection



**Training Table Finish Selection:** Depending on the configuration, there are up to four Training Table components that require finish selections. See [izzy+ color card](#) to view color choices for each component. Accessories and power option finishes are selected separately.

Training Table Finish Selection	Laminate	Frosted Acrylic (white)	Urethane	2mm ABS Edgeband	Metal
Top	●				
Edge			●	●	
Leg & Modesty Panel Frame					●
Modesty Panel Infill	●	●			●

## Shipping &amp; Assembly


Training Tables are shipped knocked down. Legs are shipped assembled. Table tops are pre-drilled for easy assembly to legs. Specifying lower height table legs, reduces overall weight by up to two pounds per table.

## TRAINING TABLES

## Fixed Height T-Leg

## PRICING

## Rectangular



						OPEN MARKET	
DEPTH	LENGTH	STD HEIGHT *	WEIGHT	MODEL #	2MM EDGE	URETHANE EDGE	LDW MARKER-BOARD **
20"	36"	29"	40 lb	RLNTR2036TB	\$810	\$940	+ \$182
20"	48"	29"	49 lb	RLNTR2048TB	\$875	\$1,005	+ \$182
20"	60"	29"	58 lb	RLNTR2060TB	\$1,002	\$1,132	+ \$182
20"	66"	29"	63 lb	RLNTR2066TB	\$1,012	n/a	+ \$220
20"	72"	29"	67 lb	RLNTR2072TB	\$1,021	\$1,151	+ \$220
20"	84"	29"	76 lb	RLNTR2084TB	\$1,040	n/a	+ \$220
24"	36"	29"	46 lb	RLNTR2436TB	\$843	\$973	+ \$182
24"	48"	29"	55 lb	RLNTR2448TB	\$910	\$1,040	+ \$182
24"	60"	29"	64 lb	RLNTR2460TB	\$1,044	\$1,174	+ \$182
24"	66"	29"	69 lb	RLNTR2466TB	\$1,054	n/a	+ \$220
24"	72"	29"	73 lb	RLNTR2472TB	\$1,062	\$1,192	+ \$220
24"	84"	29"	82 lb	RLNTR2484TB	\$1,072	n/a	+ \$220
27"	36"	29"	52 lb	RLNTR2736TB	\$876	\$1,006	+ \$182
27"	48"	29"	61 lb	RLNTR2748TB	\$947	\$1,077	+ \$182
27"	54"	29"	66 lb	RLNTR2754TB	\$1,011	\$1,141	+ \$220
27"	60"	29"	70 lb	RLNTR2760TB	\$1,022	\$1,152	+ \$182
27"	66"	29"	75 lb	RLNTR2766TB	\$1,079	n/a	+ \$220
27"	72"	29"	79 lb	RLNTR2772TB	\$1,105	\$1,235	+ \$220
27"	84"	29"	88 lb	RLNTR2784TB	\$1,145	n/a	+ \$220
30"	60"	29"	76 lb	RLNTR3060TB	\$1,099	\$1,229	+ \$220
30"	66"	29"	81 lb	RLNTR3066TB	\$1,116	n/a	+ \$220
30"	72"	29"	85 lb	RLNTR3072TB	\$1,169	\$1,299	+ \$220
30"	84"	29"	94 lb	RLNTR3084TB	\$1,183	n/a	+ \$220

\* List prices reflect tables with standard 29" table height. See below for optional heights.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

## 1. Model Number

EX: RLNTR3072TB

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate

SurfaceWorks group 1 laminate

see [izzy+ color card](#) for color selection

## LDW Markerboard

see upcharge column above

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Edge Profile/Finish

## 2mm ABS Edgeband

## Solid Urethane

see [izzy+ color card](#) for color selection

## 4. Leg Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 5. Height Options

04 29" (std) + \$0

01 18" + \$50

02 21" + \$50

03 25" + \$50

OPEN MARKET

## 6. Table Options

GL glides (std) + \$0

CS casters (opt) + \$89

GM grommets (pair) + \$59

(available on tables &gt;36")

OPEN MARKET

## 7. Table Accessories

floor mounting kit \$37

flexible ganging bracket (pair) \$54

flat ganging bracket (pair) \$54

see [Table Options & Accessories](#)

section for all available accessories

## 8. Power Options

i10 (Nacre®) flip-up

i20 (Axil® Z) flush-mount

i30 (Mho®) flip-up

see [Table Power](#) section for power  
configuration options and pricing

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TRAINING TABLES

## Fixed Height C-Leg

## PRICING

## Rectangular



DEPTH	LENGTH	STD HEIGHT *	WEIGHT	MODEL #	2MM EDGE	OPEN MARKET	
						URETHANE EDGE	LDW MARKER-BOARD **
20"	36"	29"	40 lb	RLNTR2036CB	\$850	\$980	+ \$182
20"	48"	29"	49 lb	RLNTR2048CB	\$920	\$1,050	+ \$182
20"	60"	29"	58 lb	RLNTR2060CB	\$1,052	\$1,182	+ \$182
20"	66"	29"	63 lb	RLNTR2066CB	\$1,060	n/a	+ \$220
20"	72"	29"	67 lb	RLNTR2072CB	\$1,072	\$1,202	+ \$220
20"	84"	29"	76 lb	RLNTR2084CB	\$1,088	n/a	+ \$220
24"	36"	29"	46 lb	RLNTR2436CB	\$887	\$1,017	+ \$182
24"	48"	29"	55 lb	RLNTR2448CB	\$956	\$1,086	+ \$182
24"	60"	29"	64 lb	RLNTR2460CB	\$1,096	\$1,226	+ \$182
24"	66"	29"	69 lb	RLNTR2466CB	\$1,101	n/a	+ \$220
24"	72"	29"	73 lb	RLNTR2472CB	\$1,114	\$1,244	+ \$220
24"	84"	29"	82 lb	RLNTR2484CB	\$1,120	n/a	+ \$220
27"	36"	29"	52 lb	RLNTR2736CB	\$921	\$1,051	+ \$182
27"	48"	29"	61 lb	RLNTR2748CB	\$994	\$1,124	+ \$182
27"	54"	29"	66 lb	RLNTR2754CB	\$1,059	\$1,189	+ \$182
27"	60"	29"	70 lb	RLNTR2760CB	\$1,073	\$1,203	+ \$182
27"	66"	29"	75 lb	RLNTR2766CB	\$1,126	n/a	+ \$220
27"	72"	29"	79 lb	RLNTR2772CB	\$1,159	\$1,289	+ \$220
27"	84"	29"	88 lb	RLNTR2784CB	\$1,193	n/a	+ \$220
30"	60"	29"	76 lb	RLNTR3060CB	\$1,147	\$1,277	+ \$220
30"	66"	29"	81 lb	RLNTR3066CB	\$1,164	n/a	+ \$220
30"	72"	29"	85 lb	RLNTR3072CB	\$1,223	\$1,353	+ \$220
30"	84"	29"	94 lb	RLNTR3084CB	\$1,231	n/a	+ \$220

\* List prices reflect tables with standard 29" table height. See below for optional heights.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

## 1. Model Number

EX: RLNTR3066CB

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## LDW Markerboard

see upcharge column above

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Edge Profile/Finish

## 2mm ABS Edgeband

## Solid Urethane

see **izzy+ color card** for color selection

## 4. Leg Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 5. Height Options

04	29" (std)	+ \$0
01	18"	+ \$50
02	21"	+ \$50
03	25"	+ \$50

OPEN MARKET

## 6. Table Options

GL	glides (std)	+ \$0
CS	casters (opt)	+ \$89
GM	grommets (pair)	+ \$59

(available on tables &gt; 36")

OPEN MARKET

## 7. Power Options

i10	(Nacre®) flip-up
i20	(Axil® Z) flush-mount
i30	(Mho®) flip-up

see **Table Power** section for power  
configuration options and pricing

## 8. Table Accessories

floor mounting kit	\$37
flexible ganging bracket (pair)	\$54
flat ganging bracket (pair)	\$54

see **Table Options & Accessories**  
section for all available accessories

9. Worksurface Mount  
Modesty Panels

see step 2 for laminate selection

see step 3 for 2mm ABS edge selection

## Non-Powered or w/On the Fly

RLNMODP36	36" top len.	\$235
RLNMODP48	48" top len.	\$259
RLNMODP54	54" top len.	\$271
RLNMODP60	60" top len.	\$282
RLNMODP66	66" top len.	\$295
RLNMODP72	72" top len.	\$307
RLNMODP84	84" top len.	\$332

w/Move About Consecutive Power  
(6" undersized)

RLNMODP36P	36" top len.	\$235
RLNMODP48P	48" top len.	\$259
RLNMODP54P	54" top len.	\$271
RLNMODP60P	60" top len.	\$282
RLNMODP66P	66" top len.	\$295
RLNMODP72P	72" top len.	\$307
RLNMODP84P	84" top len.	\$332

10. Aluminum Frame  
Modesty Panels\*

Laminate (matches top finish)

MPL36	36" top length	\$289
MPL48	48" top length	\$347
MPL54	54" top length	\$407
MPL60	60" top length	\$445
MPL66	66" top length	\$473
MPL72	72" top length	\$499
MPL84	84" top length	\$556

## Frosted Acrylic

MPA36	36" top length	\$369
MPA48	48" top length	\$427
MPA54	54" top length	\$487
MPA60	60" top length	\$525
MPA66	66" top length	\$553
MPA72	72" top length	\$579
MPA84	84" top length	\$636


\*note: must be ordered with table

## TRAINING TABLES

### Pin-Height Adjustable T-Leg

#### PRICING

#### Rectangular



						OPEN MARKET	
DEPTH	LENGTH	STD HEIGHT RANGE *	WEIGHT	MODEL #	2MM EDGE	URETHANE EDGE	LDW MARKER-BOARD **
20"	36"	27-33"	42 lb	RLNTR2036TP	\$1,073	\$1,203	+ \$182
20"	48"	27-33"	51 lb	RLNTR2048TP	\$1,139	\$1,269	+ \$182
20"	60"	27-33"	60 lb	RLNTR2060TP	\$1,267	\$1,397	+ \$182
20"	66"	27-33"	65 lb	RLNTR2066TP	\$1,275	n/a	+ \$220
20"	72"	27-33"	69 lb	RLNTR2072TP	\$1,286	\$1,416	+ \$220
20"	84"	27-33"	78 lb	RLNTR2084TP	\$1,304	n/a	+ \$220
24"	36"	27-33"	48 lb	RLNTR2436TP	\$1,107	\$1,237	+ \$182
24"	48"	27-33"	57 lb	RLNTR2448TP	\$1,175	\$1,305	+ \$182
24"	60"	27-33"	66 lb	RLNTR2460TP	\$1,308	\$1,438	+ \$182
24"	66"	27-33"	71 lb	RLNTR2466TP	\$1,317	n/a	+ \$220
24"	72"	27-33"	75 lb	RLNTR2472TP	\$1,327	\$1,457	+ \$220
24"	84"	27-33"	84 lb	RLNTR2484TP	\$1,336	n/a	+ \$220
27"	36"	27-33"	54 lb	RLNTR2736TP	\$1,140	\$1,270	+ \$182
27"	48"	27-33"	63 lb	RLNTR2748TP	\$1,210	\$1,340	+ \$182
27"	54"	27-33"	68 lb	RLNTR2754TP	\$1,274	\$1,404	+ \$182
27"	60"	27-33"	72 lb	RLNTR2760TP	\$1,287	\$1,417	+ \$182
27"	66"	27-33"	77 lb	RLNTR2766TP	\$1,342	n/a	+ \$220
27"	72"	27-33"	81 lb	RLNTR2772TP	\$1,368	\$1,498	+ \$220
27"	84"	27-33"	90 lb	RLNTR2784TP	\$1,409	n/a	+ \$220
30"	60"	27-33"	78 lb	RLNTR3060TP	\$1,363	\$1,493	+ \$220
30"	66"	27-33"	83 lb	RLNTR3066TP	\$1,380	n/a	+ \$220
30"	72"	27-33"	87 lb	RLNTR3072TP	\$1,433	\$1,563	+ \$220
30"	84"	27-33"	96 lb	RLNTR3084TP	\$1,446	n/a	+ \$220

\* List prices reflect tables with standard 27"-33" height range. See below for optional height ranges.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear

#### 1. Model Number

EX: RLNTR2466TP

#### 2. Top Finish

##### Standard Laminate

Izzy+ standard laminate

SurfaceWorks group 1 laminate

see [izzy+ color card](#) for color selection

##### LDW Markerboard

see upcharge column above

##### Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

#### 3. Edge Profile/Finish

##### 2mm ABS Edgeband

##### Solid Urethane

see [izzy+ color card](#) for color selection

#### 4. Leg Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

#### 5. Height Options

05	27"-33"	+ \$0
06	18"-24"	+ \$50

OPEN MARKET

#### 6. Table Options

GL	glides (std)	+ \$0
CS	casters (opt)	+ \$89
	not available with	
	18"-24" height range	
GM	grommets (pair)	+ \$59
	(available on tables >36")	

OPEN MARKET

#### 8. Power Options

i10	(Nacre®) flip-up
i20	(Axil® Z) flush-mount
i30	(Mho®) flip-up

see [Table Power](#) section for power

configuration options and pricing

#### 9. Table Accessories

floor mounting kit	\$37
flexible ganging bracket (pair)	\$54
flat ganging bracket (pair)	\$54

see [Table Options & Accessories](#)  
section for all available accessories

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TRAINING TABLES

## Pin-Height Adjustable C-Leg

## PRICING

## Rectangular



DEPTH	LENGTH	STD HEIGHT RANGE *	WEIGHT	MODEL #	2MM EDGE	OPEN MARKET	
						URETHANE EDGE	LDW MARKER-BOARD **
20"	36"	27-33"	42 lb	RLNTR2036CP	\$1,130	\$1,260	+ \$182
20"	48"	27-33"	51 lb	RLNTR2048CP	\$1,196	\$1,326	+ \$182
20"	60"	27-33"	60 lb	RLNTR2060CP	\$1,330	\$1,460	+ \$182
20"	66"	27-33"	65 lb	RLNTR2066CP	\$1,337	n/a	+ \$220
20"	72"	27-33"	69 lb	RLNTR2072CP	\$1,349	\$1,479	+ \$220
20"	84"	27-33"	78 lb	RLNTR2084CP	\$1,366	n/a	+ \$220
24"	36"	27-33"	48 lb	RLNTR2436CP	\$1,162	\$1,292	+ \$182
24"	48"	27-33"	57 lb	RLNTR2448CP	\$1,234	\$1,364	+ \$182
24"	60"	27-33"	66 lb	RLNTR2460CP	\$1,373	\$1,503	+ \$182
24"	66"	27-33"	71 lb	RLNTR2466CP	\$1,380	n/a	+ \$220
24"	72"	27-33"	75 lb	RLNTR2472CP	\$1,393	\$1,523	+ \$220
24"	84"	27-33"	84 lb	RLNTR2484CP	\$1,398	n/a	+ \$220
27"	36"	27-33"	54 lb	RLNTR2736CP	\$1,197	\$1,327	+ \$182
27"	48"	27-33"	63 lb	RLNTR2748CP	\$1,271	\$1,401	+ \$182
27"	54"	27-33"	68 lb	RLNTR2754CP	\$1,336	\$1,466	+ \$182
27"	60"	27-33"	72 lb	RLNTR2760CP	\$1,353	\$1,483	+ \$182
27"	66"	27-33"	77 lb	RLNTR2766CP	\$1,405	n/a	+ \$220
27"	72"	27-33"	81 lb	RLNTR2772CP	\$1,438	\$1,568	+ \$220
27"	84"	27-33"	90 lb	RLNTR2784CP	\$1,471	n/a	+ \$220
30"	60"	27-33"	78 lb	RLNTR3060CP	\$1,426	\$1,556	+ \$220
30"	66"	27-33"	83 lb	RLNTR3066CP	\$1,441	n/a	+ \$220
30"	72"	27-33"	87 lb	RLNTR3072CP	\$1,497	\$1,627	+ \$220
30"	84"	27-33"	96 lb	RLNTR3084CP	\$1,509	n/a	+ \$220

\* List prices reflect tables with standard 27"-33" height range. See below for optional height ranges.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

## 1. Model Number

EX: RLNTR2466CP

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## LDW Markerboard

see upcharge column above

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Edge Profile/Finish

## 2mm ABS Edgeband

## Solid Urethane

see **izzy+ color card** for color selection

## 4. Leg Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 5. Height Options

05	27"-33" (std)	+ \$0
06	18"-24"	+ \$50

OPEN MARKET

## 6. Table Options

GL	glides (std)	+ \$0
CS	casters (opt)	+ \$89
(not available with 18"-24" ht.)		
GM	grommets (pair)	+ \$59
(available on tables > 36")		

OPEN MARKET

## 7. Power Options

i10	(Nacre®) flip-up	
i20	(Axil® Z) flush-mount	
i30	(Mho®) flip-up	

see **Table Power** section for power configuration options and pricing

**8. Table Accessories**

floor mounting kit \$37  
flexible ganging bracket (pair) \$54  
flat ganging bracket (pair) \$54  
see **Table Options & Accessories** section for all available accessories

## 9. Worksurface Mount Modesty Panels

see step 2 for laminate selection

see step 3 for 2mm ABS edge selection

## Non-Powered or w/On the Fly

RLNMODP36	36" top len.	\$235
RLNMODP48	48" top len.	\$259
RLNMODP54	54" top len.	\$271
RLNMODP60	60" top len.	\$282
RLNMODP66	66" top len.	\$295
RLNMODP72	72" top len.	\$307
RLNMODP84	84" top len.	\$332

## w/Move About Consecutive Power (6" undersized)

RLNMODP36P	36" top len.	\$235
RLNMODP48P	48" top len.	\$259
RLNMODP54P	54" top len.	\$271
RLNMODP60P	60" top len.	\$282
RLNMODP66P	66" top len.	\$295
RLNMODP72P	72" top len.	\$307
RLNMODP84P	84" top len.	\$332

## 10. Aluminum Frame Modesty Panels\*

Laminate (matches top finish)

MPL36	36" top length	\$289
MPL48	48" top length	\$347
MPL54	54" top length	\$407
MPL60	60" top length	\$445
MPL66	66" top length	\$473
MPL72	72" top length	\$499
MPL84	84" top length	\$556

## Frosted Acrylic

MPA36	36" top length	\$369
MPA48	48" top length	\$427
MPA54	54" top length	\$487
MPA60	60" top length	\$525
MPA66	66" top length	\$553
MPA72	72" top length	\$579
MPA84	84" top length	\$636

\*note: must be ordered with table




## TRAINING TABLES

### Crank-Height Adjustable C-Leg

#### PRICING

#### Rectangular



						OPEN MARKET	
DEPTH	LENGTH	HEIGHT RANGE*	WEIGHT	MODEL #	2MM EDGE	URETHANE EDGE	LDW MARKER-BOARD **
24"	36"	27"-37"	48 lb	RLNTR2436CH	\$1,699	\$1,829	+ \$182
24"	48"	27"-37"	57 lb	RLNTR2448CH	\$1,827	\$1,957	+ \$182
24"	60"	27"-37"	66 lb	RLNTR2460CH	\$2,081	\$2,211	+ \$182
24"	66"	27"-37"	71 lb	RLNTR2466CH	\$2,136	n/a	+ \$220
24"	72"	27"-37"	75 lb	RLNTR2472CH	\$2,147	\$2,277	+ \$220
24"	84"	27"-37"	84 lb	RLNTR2484CH	\$2,159	n/a	+ \$220
27"	36"	27"-37"	54 lb	RLNTR2736CH	\$1,977	\$2,107	+ \$182
27"	48"	27"-37"	63 lb	RLNTR2748CH	\$2,018	\$2,148	+ \$182
27"	54"	27"-37"	68 lb	RLNTR2754CH	\$2,084	\$2,214	+ \$182
27"	60"	27"-37"	72 lb	RLNTR2760CH	\$2,101	\$2,231	+ \$182
27"	66"	27"-37"	77 lb	RLNTR2766CH	\$2,166	n/a	+ \$220
27"	72"	27"-37"	81 lb	RLNTR2772CH	\$2,196	\$2,326	+ \$220
27"	84"	27"-37"	90 lb	RLNTR2784CH	\$2,246	n/a	+ \$220

\* 12 crank revolutions yield 1" of height adjustment.

\*\* Crank Height Adjustable available in 27" - 37" overall height range only.

\*\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

#### 1. Model Number

EX: RLNTR2466CP

#### 2. Top Finish

##### Standard Laminate

Izzy+ standard laminate

SurfaceWorks group 1 laminate

see [izzy+ color card](#) for color selection

##### LDW Markerboard

see upcharge column above

##### Non-Standard Laminate

call customer service for a quote;

extended lead times may apply.

#### 3. Edge Profile/Finish

##### 2mm ABS Edgeband

##### Solid Urethane

see [izzy+ color card](#) for color selection

#### 4. Leg Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

#### 5. Table Options

GL glides (std) + \$0

CS casters (opt) + \$89

GM grommets (pair) + \$59

(available on tables &gt; 36")

OPEN MARKET

#### 6. Power Options

i10 (Nacre®) flip-up

i20 (Axil® Z) flush-mount

i30 (Mho®) flip-up

see [Table Power](#) section for power

configuration options and pricing

#### 7. Table Accessories

Floor Mounting Kit \$37

Flexible Ganging Bracket (pair) \$54

Flat Ganging Bracket (pair) \$54

see [Table Options & Accessories](#)

section for all available accessories

#### 8. Worksurface Mount Modesty Panels

see step 2 for laminate selection

see step 3 for 2mm ABS edge selection

##### Non-Powered or w/On the Fly

RLNMODP36 36" top len. \$235

RLNMODP48 48" top len. \$259

RLNMODP54 54" top len. \$271

RLNMODP60 60" top len. \$282

RLNMODP66 66" top len. \$295

RLNMODP72 72" top len. \$307

RLNMODP84 84" top len. \$332

##### w/Move About Consecutive Power

(6" undersized)

RLNMODP36P 36" top len. \$235

RLNMODP48P 48" top len. \$259

RLNMODP54P 54" top len. \$271

RLNMODP60P 60" top len. \$282

RLNMODP66P 66" top len. \$295

RLNMODP72P 72" top len. \$307

RLNMODP84P 84" top len. \$332

#### 9. Aluminum Frame Modesty Panels\*

Laminate (matches top finish)

MPL36 36" top length \$289

MPL48 48" top length \$347

MPL54 54" top length \$407

MPL60 60" top length \$445

MPL66 66" top length \$473

MPL72 72" top length \$499

MPL84 84" top length \$556

##### Frosted Acrylic

MPA36 36" top length \$369

MPA48 48" top length \$427

MPA54 54" top length \$487

MPA60 60" top length \$525

MPA66 66" top length \$553

MPA72 72" top length \$579

MPA84 84" top length \$636

\*note: must be ordered with table

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TRAINING TABLES

## Flip-Top T-Leg

## PRICING

## Rectangular



DEPTH	LENGTH	HEIGHT *	WEIGHT	MODEL #	2MM EDGE	OPEN MARKET	
						URETHANE EDGE	LDW MARKER- BOARD **
20"	36"	29"	40 lb	RLNTR2036TF	\$1,306	\$1,436	+ \$182
20"	48"	29"	49 lb	RLNTR2048TF	\$1,370	\$1,500	+ \$182
20"	60"	29"	58 lb	RLNTR2060TF	\$1,497	\$1,627	+ \$182
20"	66"	29"	63 lb	RLNTR2066TF	\$1,508	n/a	+ \$220
20"	72"	29"	67 lb	RLNTR2072TF	\$1,518	\$1,648	+ \$220
20"	84"	29"	76 lb	RLNTR2084TF	\$1,536	n/a	+ \$220
24"	36"	29"	46 lb	RLNTR2436TF	\$1,338	\$1,468	+ \$182
24"	48"	29"	55 lb	RLNTR2448TF	\$1,405	\$1,535	+ \$182
24"	60"	29"	64 lb	RLNTR2460TF	\$1,537	\$1,667	+ \$182
24"	66"	29"	69 lb	RLNTR2466TF	\$1,550	n/a	+ \$220
24"	72"	29"	73 lb	RLNTR2472TF	\$1,559	\$1,689	+ \$220
24"	84"	29"	82 lb	RLNTR2484TF	\$1,569	n/a	+ \$220
27"	36"	29"	52 lb	RLNTR2736TF	\$1,371	\$1,501	+ \$182
27"	48"	29"	61 lb	RLNTR2748TF	\$1,443	\$1,573	+ \$182
27"	54"	29"	66 lb	RLNTR2754TF	\$1,507	\$1,637	+ \$182
27"	60"	29"	70 lb	RLNTR2760TF	\$1,520	\$1,650	+ \$182
27"	66"	29"	75 lb	RLNTR2766TF	\$1,575	n/a	+ \$220
27"	72"	29"	79 lb	RLNTR2772TF	\$1,598	\$1,728	+ \$220
27"	84"	29"	88 lb	RLNTR2784TF	\$1,642	n/a	+ \$220
30"	60"	29"	76 lb	RLNTR3060TF	\$1,596	\$1,726	+ \$220
30"	66"	29"	81 lb	RLNTR3066TF	\$1,612	n/a	+ \$220
30"	72"	29"	85 lb	RLNTR3072TF	\$1,673	\$1,803	+ \$220
30"	84"	29"	94 lb	RLNTR3084TF	\$1,679	n/a	+ \$220

\* flip-top tables are available in 29" seated height only.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

## 1. Model Number

EX: RLNTR3072CF

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see [izzy+ color card](#) for color selection

## LDW Markerboard

see upcharge column above

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Edge Profile/Finish

2mm ABS Edgeband  
Solid Urethane

see [izzy+ color card](#) for color selection

## 4. Leg Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 5. Table Options

CS	casters (std)	+ \$0
GL	glides (opt)	+ \$0
GM	grommets (pair)	+ \$59
(available on tables >36")		

OPEN MARKET

## 6. Power Options

i10 (Nacre®) flip-up  
i20 (Axil® Z) flush-mount  
i30 (Mho®) flip-up  
see [Table Power](#) section for power  
configuration options and pricing

## 7. Table Accessories

Flexible Ganging Bracket (pair) \$54  
Flat Ganging Bracket (pair) \$54  
see [Table Options & Accessories](#)  
section for all available accessories


OPEN MARKET

## TRAINING TABLES

## Flip-Top C-Leg

## PRICING

## Rectangular



						OPEN MARKET	
DEPTH	LENGTH	HEIGHT *	WEIGHT	MODEL #	2MM EDGE	URETHANE EDGE	LDW MARKER-BOARD **
20"	36"	29"	40 lb	RLNTR2036CF	\$1,347	\$1,477	+ \$182
20"	48"	29"	49 lb	RLNTR2048CF	\$1,413	\$1,543	+ \$182
20"	60"	29"	58 lb	RLNTR2060CF	\$1,547	\$1,677	+ \$182
20"	66"	29"	63 lb	RLNTR2066CF	\$1,559	n/a	+ \$220
20"	72"	29"	67 lb	RLNTR2072CF	\$1,569	\$1,699	+ \$220
20"	84"	29"	76 lb	RLNTR2084CF	\$1,587	n/a	+ \$220
24"	36"	29"	46 lb	RLNTR2436CF	\$1,380	\$1,510	+ \$182
24"	48"	29"	55 lb	RLNTR2448CF	\$1,451	\$1,581	+ \$182
24"	60"	29"	64 lb	RLNTR2460CF	\$1,590	\$1,720	+ \$182
24"	66"	29"	69 lb	RLNTR2466CF	\$1,601	n/a	+ \$220
24"	72"	29"	73 lb	RLNTR2472CF	\$1,611	\$1,741	+ \$220
24"	84"	29"	82 lb	RLNTR2484CF	\$1,620	n/a	+ \$220
27"	36"	29"	52 lb	RLNTR2736CF	\$1,416	\$1,546	+ \$182
27"	48"	29"	61 lb	RLNTR2748CF	\$1,490	\$1,620	+ \$182
27"	54"	29"	66 lb	RLNTR2754CF	\$1,557	\$1,687	+ \$182
27"	60"	29"	70 lb	RLNTR2760CF	\$1,570	\$1,700	+ \$182
27"	66"	29"	75 lb	RLNTR2766CF	\$1,626	n/a	+ \$220
27"	72"	29"	79 lb	RLNTR2772CF	\$1,655	\$1,785	+ \$220
27"	84"	29"	88 lb	RLNTR2784CF	\$1,693	n/a	+ \$220
30"	60"	29"	76 lb	RLNTR3060CF	\$1,647	\$1,777	+ \$220
30"	66"	29"	81 lb	RLNTR3066CF	\$1,664	n/a	+ \$220
30"	72"	29"	85 lb	RLNTR3072CF	\$1,723	\$1,853	+ \$220
30"	84"	29"	94 lb	RLNTR3084CF	\$1,730	n/a	+ \$220

\* flip-top tables are available in 29" seated height only.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

## 1. Model Number

EX: RLNTR3072CF

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate

SurfaceWorks Group 1 Laminate

see [izzy+ color card](#) for color selection

## Non-Standard Laminate

Call customer service for a quote; extended lead times may apply.

## LDW Markerboard

see upcharge column above

## 3. Edge Profile/Finish

## 2mm ABS Edgeband

## Solid Urethane Clara Profile

see [izzy+ color card](#) for color selection

## 4. Leg Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 5. Table Options

CS	casters (std)	+ \$0
GL	glides (opt)	+ \$0
GM	grommets (pair)	+ \$59
	(available on tables >36")	

OPEN MARKET

## 6. Power Options

i10 (Nacre®) flip-up

i20 (Axil® Z) flush-mount

i30 (Mho®) flip-up

see [Table Power](#) section for power configuration options and pricing

## 7. Table Accessories\*

Flexible Ganging Bracket (pair) \$54

Flat Ganging Bracket (pair) \$54

see [Table Options & Accessories](#)

section for all available accessories

## 8. Aluminum Frame

## Modesty Panels\*

Laminate (matches top finish)

MPL36	36" top length	\$289
MPL48	48" top length	\$347
MPL54	54" top length	\$407
MPL60	60" top length	\$445
MPL66	66" top length	\$473
MPL72	72" top length	\$499
MPL84	84" top length	\$556

## Frosted Acrylic

MPA36	36" top length	\$369
MPA48	48" top length	\$427
MPA54	54" top length	\$487
MPA60	60" top length	\$525
MPA66	66" top length	\$553
MPA72	72" top length	\$579
MPA84	84" top length	\$636

\*note: must be ordered with table

SPECIFICATION & PRICING GUIDE

February 2019 v1.3

---

## 6-TOP COLLABORATIVE TABLE



## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## 6-TOP COLLABORATIVE TABLE

## Standards, Tops, Edge Options, Dimensions &amp; Leg Clearances

## SPECIFICATIONS


## Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.

## Tops

**6-Top Table Tops** are 1.2" overall thickness, constructed with high-pressure laminate, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface.


## Edge Options



**2mm ABS edgeband:** (PVC-free) available on all 6-Top Collaborative Tables

**Urethane Edge :** Available on all 6-Top Collaborative Tables as follows: 1.5" depth Clara reverse knife profile on curved sides, and 0.5" depth flat profile on straight sides.

## Dimensions &amp; Clearances



**Overall table dimension** is 69" x 60", with 43" and 26.5" sides. C-Leg placement allows for adequate knee clearance on all sides.


6-TOP COLLABORATIVE TABLE  
Leg Construction, Height Options, Glides & Casters  
SPECIFICATIONS

Leg Construction


**6-Top Collaborative Table legs** are extruded aluminum with 18" cast aluminum foot.

C-Legs/Fixed Height Options

**C-Legs** are standard for 6-Top Tables in six fixed heights: 18", 21", 25", 29", 36", and 42".



Glides Casters & Floor Mounting Kit



**Glides:** 3/4" leveling for uneven floors. Standard on all 6-Top models.

**Floor Mounting Kit** for use with glides; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.

**Casters:** 60mm dual wheel; each model contains three locking and three non-locking casters. Caster finish is two-tone: charcoal with cool-grey interior. Casters are optional on all 6-Top models except 42" Café Height.



## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## 6-TOP COLLABORATIVE TABLE

## Power &amp; Grommet Options


## SPECIFICATIONS

## Grommets



One **round black grommet** (2.4" diameter) is available as an option and is centrally placed.. Grommet includes a liner and cover. Power is not available if Grommet option is selected.

## Power Modules



**Power Modules** are available as an option with 6-Top Tables and are centrally placed. Grommet is not available if power option is selected. Available Power Modules include the following:

**i40 (Node®):** i40a: 1 receptacle, 1 dual USB-charging (2amp)  
i40b: 2 receptacles


**i50 (Eclipse™):** i50a: 2 receptacles, 1 dual USB-charging (2amp)  
i50b: 3 receptacles

**Please see [Table Power](#) section for details, configuration options and pricing.**



6-TOP COLLABORATIVE TABLE  
Finish Selection, Shipping  
SPECIFICATIONS

Finish Selection



**6-Top Collaboration Table Finish Selection:** Three 6-Top Collaboration Table components require finish selections. See [izzy+ color card](#) to view color choices for each component.

6-Top Collaboration Table Finish Selection	Laminate	Urethane	2mm ABS Edgeband	Metal
Top	•			
Edge		•	•	
Leg				•

Shipping & Assembly

**6-Top Collaborative Tables** are shipped knocked down. Legs are shipped assembled. Table tops are pre-drilled for easy assembly to legs. Specifying lower height table legs reduces overall weight by up to two pounds per table.

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## 6-TOP COLLABORATIVE TABLE

## Fixed C-Leg

## PRICING

## 6-Top



							OPEN MARKET	
A	B	C	TABLE HEIGHT	WEIGHT	MODEL #	2MM EDGE	URETHANE EDGE	LDW MARKER-BOARD *
27"	42"	60"	18"	92 lb	RLNT6TOPKH	\$2,106	\$2,236	+ \$302
27"	42"	60"	21"	94 lb	RLNT6TOPMH	\$2,106	\$2,236	+ \$302
27"	42"	60"	25"	95 lb	RLNT6TOPLH	\$2,106	\$2,236	+ \$302
27"	42"	60"	29"	96 lb	RLNT6TOPCB	\$2,056	\$2,186	+ \$302
27"	42"	60"	36"	98 lb	RLNT6TOPSH	\$2,133	\$2,263	+ \$302
27"	42"	60"	42"	99 lb	RLNT6TOPCC	\$2,188	\$2,318	+ \$302

\* When selecting markerboard, edge color will default to E37 black/U06 black bear

## 1. Model Number

EX: RLNTR2466CP

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks Group 1 Laminate  
see [izzy+ color card](#) for color selection

## Non-Standard Laminate

Call customer service for a quote;  
extended lead times may apply.

## LDW Markerboard

see upcharge column above

## 3. Edge Profile/Finish

2mm ABS Edgeband  
Solid Urethanesee [izzy+ color card](#) for color selection

## 4. Leg Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 5. Table Options

GL	glides (std)	+ \$0
CS	casters (opt)	+ \$134
	not available with 42" height	
GM	grommet	+ \$59

OPEN MARKET

## 6. Power Options

i10 (Nacre®) flip-up  
i20 (Axil® Z) flush-mount  
i30 (Mho®) flip-up  
see [Table Power](#) section for power  
configuration options and pricing  
(power not available with grommet)

## 7. Table Accessories

floor mounting kit	\$37
flexible ganging bracket (pair)	\$54
flat ganging bracket (pair)	\$54

see [Table Options & Accessories](#)  
section for all available accessories

## X-BASE COMPANION TABLE



**SPECIFICATION & PRICING GUIDE**

February 2019 v1.3

**X-BASE COMPANION TABLE**

**Standards, Tops, Edge Options, Height Options**

**SPECIFICATIONS**

**Standards**



**X-Base Companion Table** meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.

**Tops**

**X-Base Companion Table Tops** are 1.2" overall thickness, constructed with high-pressure laminate, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface.



**Edge Options**

**Urethane Edge  
Clara Profile**



Urethane Edge Plan View

**2mm Edgeband  
Flat Profile**




2mm ABS Edge Plan View

**2mm ABS Edgeband** (PVC-free) available on all X-Base Companion Tables.

**Urethane Edge** in Clara reverse knife profile is available on all X-Base Companion Tables.

**Height Options**



42" café height



29" seated height

**X-Base Companion Tables** are available in six fixed table heights: 29" (standard), 18", 25", 36", and 42" (optional).

<b>X-Base Companion Table Heights</b>	Standard Table Height	Optional Table Heights
Fixed Height	29"	18", 21", 25", 36" & 42"

X-BASE COMPANION TABLE


Base, Glides, Finish Selection, Shipping

SPECIFICATIONS

X-Base Construction

**Companion Table X-Base** is extruded aluminum with a cast aluminum foot.


Glides & Floor Mounting Kit



**Glides:** 3/4" leveling for uneven floors. Casters are not available on Companion Tables

**Floor Mounting Kit** for use with glides; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.


Base Dimensions



The 27" X-Base Companion Tables have a **foot diameter** of 26.75". The 36", 42" and 48" tables have a **foot diameter** of 35.75".

X-Base Foot Sizes					
Table Size:		27"	36"	42"	48"
Round	A	26.75"	35.75"	35.75"	35.75"
Square		26.75"	35.75"	35.75"	n/a

Finish Selection



**Companion Table Finish Selection:** Three X-Base Companion Table components require finish selections. See [izzy+ color card](#) to view color choices for each component.

Companion Table Finish Selection	Laminate	Urethane	2mm ABS Edgeband	Metal
Top	•			
Edge		•	•	
Base				•

Shipping & Assembly

X-Base Companion Tables are **shipped knocked down**. **Legs are shipped assembled**. Table tops are pre-drilled for easy assembly to legs. Specifying lower height table legs, reduces overall weight by up to two pounds per table.

## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## X-BASE COMPANION TABLE

## Round &amp; Square

## PRICING

## Round



DIAMETER	STANDARD HEIGHT *	WEIGHT	MODEL #	2MM EDGE	OPEN MARKET	
					URETHANE EDGE	LDW MARKER-BOARD **
27"	29"	42 lb	RLNTRND27XB	\$993	\$1,123	+ \$182
36"	29"	59 lb	RLNTRND36XB	\$1,073	\$1,203	+ \$182
42"	29"	71 lb	RLNTRND42XB	\$1,219	\$1,349	+ \$220
48"	29"	84 lb	RLNTRND48XB	\$1,341	\$1,471	+ \$220

\* List prices reflect tables with standard 29" height. See below for optional heights.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

## Square



SIZE	STANDARD HEIGHT *	WEIGHT	MODEL #	2MM EDGE	OPEN MARKET	
					URETHANE EDGE	LDW MARKER-BOARD **
27" x 27"	29"	47 lb	RLNTSQ27XB	\$993	\$1,123	+ \$182
36" x 36"	29"	68 lb	RLNTSQ36XB	\$1,073	\$1,203	+ \$220
42" x 42"	29"	83 lb	RLNTSQ42XB	\$1,219	\$1,349	+ \$220

\* List prices reflect tables with standard 29" height. See below for optional heights.

\*\* When selecting markerboard, edge color will default to E37 black/U06 black bear.

## 1. Model Number

EX: RLNTR2466CP

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate

SurfaceWorks Group 1 Laminate

see **izzy+ color card** for color selection

## Non-Standard Laminate

Call customer service for a quote; extended lead times may apply.

## LDW Markerboard

see upcharge column above

## 3. Edge Profile/Finish

MM 2mm ABS Edgeband

LD Solid Urethane

see **izzy+ color card** for color selection

## 4. Base Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 5. Height Options

12 29" (std) + \$0

09 18" + \$50

10 21" + \$50

11 25" + \$50

13 36" + \$50

14 42" + \$50

OPEN MARKET

## 6. Table Accessories

floor mounting kit

\$37

## TABLE OPTIONS & ACCESSORIES





## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TABLE OPTIONS &amp; ACCESSORIES

## Modesty Panels

## SPECIFICATIONS


## Aluminum Frame Modesty Panels



Factory installed, the optional **Aluminum Frame Modesty Panel** attaches to Training Table legs. Available in laminate or frosted acrylic infills. Grain direction of laminate is horizontal.

Available as an option with the following C-Leg Training Tables only: fixed 29" height, pin-height adjustable (27" - 33" range only), crank-height adjustable, and flip-top. Must be ordered with the table.

## Worksurface-Mounted Modesty Panels



**Worksurface-Mounted Modesty - Full Length**  
for non-powered or On The Fly (individually corded  
power units) tables

**Worksurface-Mounted Modesty 6" undersize**  
for Move About (consecutively powered) tables

**Worksurface-Mounted Modesty Panel** has 2mm ABS edgeband and visible steel mounting hardware that fastens to underside of worksurface.

Panel is 11" high and hangs  $\frac{3}{4}$ " below worksurface. Not available with the Stay Put Power/Data Trough.

Tables with consecutively powered (Move About) connections require a 6" gap between modesty panels.


Available as an accessory with the following C-Leg Training Tables only: fixed height, pin-height adjustable and crank-height adjustable.

Available in laminate. Grain direction is horizontal.



TABLE OPTIONS & ACCESSORIES  
Ganging Brackets & Wire Management  
SPECIFICATIONS

Ganging Brackets




Dewey Training Tables and 6-Top Collaborative Tables are pre-drilled to accept ganging brackets, either flat or flexible. Ganging brackets are required for all table-to-table power configurations (Move About and Stay Put).

**Flat ganging bracket** attaches to underside of worksurface. Tools required to detach. Black only.

**Flexible ganging bracket** attaches to underside of worksurface. No tools required to detach. Black only.

Ganging brackets are sold in sets of two, and can be ordered as an accessory separate from the table. Two ganging brackets are required for each connection.

Wire Management



**Vertical Wire Management Trough:** Available as an accessory. Extruded plastic trough routes power along table leg (18" L). Adhesive firmly secures trough to side of leg. The inside cross-sectional dimensions are 2.35"W by 1"D. Available in satin silver, or black.

**Horizontal Wire Management Trough:** Extruded plastic trough carries power and data underneath worksurface. Ships in two sections to accommodate grommets and integrated power. The inside cross-sectional dimensions are 2.35"W by 1"D. Trough is fastened with adhesive tape, and allows screws to be inserted every 12" for additional strength. Available for all rectangular table lengths.

for 36" L tables, kit includes one 14" L trough  
for 48" L and 60" L tables, kit includes two 14" L troughs  
for 72" L tables, kit includes two 26" L troughs

**Wire Management Clips:** Durable plastic clips manage power module cables underneath the worksurface. Fastened with adhesive tape (5 per package, black only).

## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3


## TABLE OPTIONS &amp; ACCESSORIES

## Grommets, Casters, Floor Mounting Kit


## SPECIFICATIONS

## Grommets

Training Table Grommet



6-Top Collaborative Table Grommet




**Grommets** are a factory installed option on all Training Tables and 6-Top Collaborative Tables.

Training Table Grommets: **Two black rectangular grommets** (3.75"L x 1.75"D) are installed at rear-left and right, 14" apart on center. Each Grommet includes a liner and cover. See [Training Table Section](#) for specifications and pricing. Must be ordered with table.


6-Top Collaborative Table Grommets: **One black round grommet** (2.4" diameter) is available as an option and is centrally placed.. Grommet includes a liner and cover. Power is not available if Grommet option is selected. See [6-Top Collaborate Table Section](#) for specifications and pricing. Must be ordered with table.

## Glides, Floor Mounting Kit &amp; Casters


Glide




Floor Mounting Kit



Casters Non-locking



Casters Locking



**Glides:**  $\frac{3}{4}$ " leveling for uneven floors. Standard all tables except optional for Flip-Top Training Table.

**Floor Mounting Kit** accessory is for use with glides on any product; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.


**Casters:** Factory installed, optional on all Training Tables and 6-Top Collaborative Tables except standard for Flip-Top Training Table. 60mm dual wheel; each Training Table model contains two locking and two non-locking; each 6-Top Table contains 3 locking and 3 non-locking. Two-tone caster: charcoal with cool-grey interior. See table pricing pages for pricing. Must be ordered with table.

## TABLE OPTIONS & ACCESSORIES


### Ganging Brackets, Floor Mounting Kit, Wire Management

#### PRICING


#### Floor Mounting Kit




#### Flat Ganging Bracket



#### Flexible Ganging Bracket




#### Wire Management Clips



#### Vertical Wire Management Trough



#### Horizontal Wire Management Trough



PRODUCT DESCRIPTION	QTY IN PACKAGE	MODEL #	LIST PRICE
floor mounting kit	4	RLNACCPMB	\$37
flat ganging bracket	2	PWRFLATG	\$54
flexible ganging bracket	2	PWRFLEXG	\$54
wire management clip	5	PWRWMCLIP	\$12
18" vertical wire management trough T95 black	1	RLNVWMT.T95	\$31
18" vertical wire management trough T96 satin silver	1	RLNVWMT.T96	\$31
horizontal wire management trough kit 34" & 36" tables	1 14" trough	RLNWMT36	\$152
horizontal wire management trough kit 48", 54" & 60" tables	2 14" troughs	RLNWMT60	\$304
horizontal wire management trough kit 66", 72" & 84" tables	2 26" troughs	RLNWMT84	\$356

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TABLE OPTIONS &amp; ACCESSORIES


## Worksurface-Mount Modesty Panels

## PRICING

Full-Length  
Non-Powered  
Modesty Panel



6" Undersized  
Consecutively Powered  
Modesty Panel



PRODUCT DESCRIPTION	TABLE LENGTH	MODESTY PANEL LENGTH	MODEL #	LIST PRICE
Worksurface-Mounted Modesty Panel <b>for non-powered or On The Fly tables</b> (modesty panels are same length as table)	36"	36"	RLNMODP36	\$235
	48"	48"	RLNMODP48	\$259
	54"	54"	RLNMODP54	\$271
	60"	60"	RLNMODP60	\$282
	66"	66"	RLNMODP66	\$295
	72"	72"	RLNMODP72	\$307
	84"	84"	RLNMODP84	\$332
Worksurface-Mounted Modesty Panel <b>for Move About consecutively powered tables</b> (requires 6" gap between modesty panels)	36"	30"	RLNMODP36P	\$235
	48"	42"	RLNMODP48P	\$259
	54"	48"	RLNMODP54P	\$271
	60"	54"	RLNMODP60P	\$282
	66"	60"	RLNMODP66P	\$295
	72"	66"	RLNMODP72P	\$307
	84"	78"	RLNMODP84P	\$332

Available as an accessory with the following rectangular C-Leg tables only:  
fixed height, pin-height adjustable and crank-height adjustable.

## 1. Model Number

EX: RLNMODP60

2. Modesty Panel  
Laminate Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks Group 1 Laminate  
see [izzy+ color card](#) for color selection

## Non-Standard Laminate

Call customer service for a quote;  
extended lead times may apply.

Note: grain direction runs horizontally.

3. Modesty Panel  
Edge Finish

## 2mm ABS Edgeband

see [izzy+ color card](#) for color selection

4. Modesty Panel  
Bracket Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86


OPEN MARKET

TABLE OPTIONS & ACCESSORIES

Aluminum Frame Modesty Panels

PRICING

Aluminum Frame  
Modesty Panel



PRODUCT DESCRIPTION	TABLE LENGTH	MODESTY PANEL LENGTH	MODEL #	LIST PRICE
Aluminum Frame Modesty Panel Laminate Infill	36"	25"	MPL36	\$289
	48"	37"	MPL48	\$347
	54"	43"	MPL54	\$407
	60"	49"	MPL60	\$445
	66"	55"	MPL66	\$473
	72"	61"	MPL72	\$499
	84"	73"	MPL84	\$556
Aluminum Frame Modesty Panel Frosted Acrylic Infill	36"	25"	MPA36	\$369
	48"	37"	MPA48	\$427
	54"	43"	MPA54	\$487
	60"	49"	MPA60	\$525
	66"	55"	MPA66	\$553
	72"	61"	MPA72	\$579
	84"	73"	MPA84	\$636

Available with the following rectangular C-Leg tables only: 29" fixed height, pin-height adjustable (27" - 33" range only), crank-height adjustable and Flip-Top.  
Factory Installed option; must be ordered with table

1. Model Number

EX: **MPA72**
2. Modesty Panel Laminate Finish

(for laminate infill models)

Laminate matches the table top

SPECIFICATION & PRICING GUIDE

February 2019 v1.3

---

## TABLE POWER



## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## TABLE POWER

## Power Solution Options


## OVERVIEW

Flexibility	On the Fly	Move About	Stay Put	Stay Put NYC
data*	N	N	Y	Y
electrician needed	N	N	Y	Y
cost	\$	\$\$	\$\$\$	\$\$

\*Stay Put Power Data Trough Kit accommodates data configurations.  
Data jack adapters included. Customer provides data jacks and cording.


**Three different types of power solutions** are available. To select the best solution for the space or application, identify how different power needs impact configuration options. **Table-to-table power** requires ganging. Adding ganging and consecutively connected power minimizes flexibility.

## On the Fly




**Highly mobile reconfigurations** provide maximum flexibility and the option to reconfigure on the fly, sometimes multiple times per day. Select furniture with more flexibility and/or space saving features that flip or nest. Solutions include surface-mounted power modules that are easily plugged in to a floor receptacle, or no power at all.

## Move About



**Moderate reconfigurations** focus on shifting teaching and learning methods with more furniture movement and moderate flexibility. The power solutions are easy and intuitive for the end user that requires minimal power and data requirements, with heavier focus on charging end user devices. Power components and ganging mechanisms are easier to disconnect (without tools) for occasional reconfiguration.

## Stay Put




**Stationary configurations** have less flexibility and often focus on traditional training applications (computer labs) with heavier technology, power, and data needs. Furniture may be moved for building maintenance. Limitations on power access locations (infeeds) may be present in the space. NYC Stay Put options also available.




**TABLE POWER**  
**Power Modules**  
**SPECIFICATIONS**


**Training Table Power Modules**




**i10a**



**i10b**



**i20**



**i30**

**i10 (Nacre®):** 4 port, flip-up module.

Bezel size: 7-1/4" L x 3-5/16" W

Finishes: AV: white, high gloss

C: black, high gloss

Configurations: i10a: 4 receptacles, only available in On the Fly

i10b: 3 receptacles, 1 dual USB-charging (2amp)

**i20 (Axil® Z):** 4 port, flush-mount module.

Bezel size: 8-1/8" L x 3" W

Finishes: Z07: White

Z06: Black

Configuration: 3 receptacles, 1 dual USB-charging (2amp)

**i30 (Mho®)** – 4 port, flip-up module.


Bezel size: 8-5/16" L x 4-7/16" W

Finish: EFA Anodized Aluminum with gray windows/USB, black simplex


Configuration: 3 receptacles, 1 dual USB-charging (2amp)

**NOTE:** On the Fly and Stay Put power modules for rectangular tables have a standard 15amp, 72" L cord.


**6-Top Table Power Modules**




**i40a**



**i40b**



**i50a**



**i50b**

**i40 (Node®):** 2 port, flush-mount module.

Bezel size: 4" diameter

Finish: DZC: Metallic Silver with black simplex and USB inserts

Configurations: i40a: 1 receptacle, 1 dual USB-charging (2amp)

i40b: 2 receptacles

**i50 (Eclipse™):** 3 port, flush-mount module.

Bezel size: 5-1/2" diameter

Finishes: Z131 white soft touch

Z130 black soft touch

Configurations: i50a: 2 receptacles, 1 dual USB-charging (2amp)

i50b: 3 receptacles


**NOTE:** On the Fly and Stay Put power modules for 6-Top tables have a standard 15amp, 120" L cord.

**SPECIFICATION & PRICING GUIDE**

February 2019 v1.3

**TABLE POWER****On The Fly****SPECIFICATIONS****Corded power modules for maximum flexibility - reconfigure multiple times per day**

Highly mobile reconfigurations provide maximum flexibility and the option to reconfigure on the fly, sometimes multiple times per day. Select furniture with more flexibility and/or space saving features that flip or nest. Solutions include surface-mounted power modules that are easily plugged in to a floor receptacle. On The Fly power modules are UL listed.



## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TABLE POWER


### On The Fly Power Modules

#### PRICING


**i10a**  
(Nacre®)




**i10b**  
(Nacre®)




**i20**  
(Axil® Z)




**i30**  
(Mho®)




**i40a**  
(Node®)




**i40b**  
(Node®)



**i50a**  
(Eclipse™)



**i50b**  
(Eclipse™)



PRODUCT DESCRIPTION	TABLE SHAPE	COLOR	MODEL #	LIST PRICE
<b>i10a (Nacre®)</b> 4 power 72" cord	rectangle	AV white high gloss	PWRi10aOF.AV	\$432
		C black high gloss	PWRi10aOF.C	\$432
<b>i10b (Nacre®)</b> 3 power, 1 dual USB 72" cord	rectangle	AV white high gloss	PWRi10bOF.AV	\$536
		C black high gloss	PWRi10bOF.C	\$536
<b>i20 (Axil® Z)</b> 3 power, 1 dual USB 72" cord	rectangle	Z07 white	PWRi20OF.Z07	\$306
		Z06 black	PWRi20OF.Z06	\$376
<b>i30 (Mho®)</b> 3 power, 1 dual USB 72" cord	rectangle	EFA anodized aluminum w/gray windows & USB black simplex	PWRi30OF.EFA	\$698
<b>i40a (Node®)</b> 1 power, 1 dual USB 120" cord	6-Top	DZC metallic silver w/black simplex & USB inserts	PWRi40aOF.DZC	\$404
<b>i40b (Node®)</b> 2 power 120" cord	6-Top	DZC metallic silver w/black simplex & USB inserts	PWRi40bOF.DZC	\$279
<b>i50a (Eclipse™)</b> 2 power, 1 dual USB 120" cord	6-Top	Z130 black soft touch	PWRi50aOF.Z130	\$514
		Z131 white soft touch	PWRi50aOF.Z131	\$514
<b>i50b (Eclipse™)</b> 3 power 120" cord	6-Top	Z130 black soft touch	PWRi50bOF.Z130	\$396
		Z131 white soft touch	PWRi50bOF.Z131	\$396

Order one On The Fly power module for each powered table.  
Available on Training or 6-Top tables only.  
On The Fly power modules are UL listed.

## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## TABLE POWER

## Move About (interlink IQ®)

## SPECIFICATIONS

## Moderate flexibility for occasionally reconfigured applications

Focus on shifting teaching and learning methods with more furniture movement and moderate flexibility. The power solutions are easy and intuitive for the end user that requires minimal power and data requirements, with heavier focus on charging end user devices. Power components and ganging mechanisms are easier to disconnect (without tools) for occasional reconfiguration. UL recognized.

**Pass-Through Connector Kit**

Use to pass power through a non-powered table that is positioned between two powered tables, or to extend power between two power modules that are greater than 60" apart (counts as one module)

**Flexible Ganging Bracket**

Pair required per table when distributing power between tables (included in Power Module and Pass-Through Connector Kits)

**Power Module Kit**

i10, i20 or i30

One per table, connects to Starter Box and consecutive table. Wire Management Clips included (5 per package)

**Starter Box**

Connect up to 8 Power Modules and/or Pass-Through Connector Kits on one Starter Box\*

**Standard 15amp Plug**

No electrician required for installation

**Vertical Wire Manager**

Optional, sold separately

\*This means you can connect up to 8 power modules on 34", 36", 48", 54", or 60" L tables; or up to 4 power modules/connectors on the 66", 72" or 84" L tables.

**Starter Box**

Connect up to 8 Power Modules and/or Pass-Through Connector Kits on one Starter Box\*

**Standard 15amp Plug**

No electrician required

**Vertical Wire Manager**

Optional, sold separately

**Flexible Ganging Bracket**

Pair required per table when distributing power between tables (included in Power Module and Pass-Through Connector Kits)


**Power Module Kit**

i40 or i50, one per table, connects to Starter Box and consecutive table. Wire Management Clips included (5 per package)

TABLE POWER

Move About (Interlink IQ®) Power Components  
SPECIFICATIONS


Starter Box  
and Bracket



**Starter Box and Bracket** brings power to tables with no electrician required. Order one starter box for each run/row of tables. Connect up to 8 Power Modules and/or Pass-Through Connectors on one Starter Box. The Starter Box replaces a traditional infeed with no electrician required. The standard 15amp plug is available in 72" and 120" cord lengths. UL recognized.

**NOTE:** The Starter Box monitors for the correct number of units. Once connected to power, the indicator light will be green. If more than 8 Power Modules or Pass-Through Connectors are plugged into the Starter Box, power will shut down and the indicator light will be red. To reset, disconnect the extra unit(s) and unplug the Starter Box from power for 15 seconds. Reconnect power to the Starter Box. The indicator light should be green. If the Starter Box is overloaded, the circuit breaker will trip and will have to be reset.

Pass-Through  
Connector Kit



**Pass-Through Connector Kit** is used to pass power through a non-powered table that is positioned between two powered tables. Available to accommodate tables from 36" to 84" in length. Includes Flexible Ganging Bracket pair. Counts as one unit towards the maximum of eight.





## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## TABLE POWER






## Move About (Interlink IQ®) Power Modules &amp; Components

## PRICING

i10b  
(Nacre®)i20  
(Axil® Z)i30  
(Mho®)Pass-Through  
Connector Kit

**NOTE:** Use to pass power through a non-powered table that is positioned between two powered tables, or when the distance between units exceeds 60". Order one for each non-powered table.

PRODUCT DESCRIPTION	TABLE LENGTH	COLOR	MODEL #	LIST PRICE
<b>i10b (Nacre®)</b> 3 power, 1 dual USB 72" cord length  + flex ganging brackets + wire management clips	36" to 60"	white high gloss	PWRi10MA60.AV	\$671
		black high gloss	PWRi10MA60.C	\$671
	66" to 84" (includes pass-through connector)	white high gloss	PWRi10MA84.AV	\$794
		black high gloss	PWRi10MA84.C	\$794
<b>i20 (Axil® Z)</b> 3 power, 1 dual USB 72" cord length  + flex ganging brackets + wire management clips	36" to 60"	white	PWRi20MA60.Z07	\$762
		black	PWRi20MA60.Z06	\$762
	66" to 84" (includes pass-through connector)	white	PWRi20MA84.Z07	\$878
		black	PWRi20MA84.Z06	\$878
<b>i30 (Mho®)</b> 3 power, 1 dual USB 72" cord length  + flex ganging brackets + wire management clips	36" to 60"	anodized aluminum	PWRi30MA60.EFA	\$781
	66" to 84" (includes pass-through connector)	anodized aluminum	PWRi30MA84.EFA	\$905
<b>Pass-Through Connector Kit</b> + flex ganging brackets + wire management clips	36"	black	PWRPASS36	\$187
	48"		PWRPASS48	\$193
	54" & 60"		PWRPASS60	\$196
	66" & 72"		PWRPASS72	\$300
	84"		PWRPASS84	\$308

**TABLE POWER**
**Move About (interlink IQ®) Power Modules & Components**
**PRICING**
**i40a  
(Node®)**

**i40b  
(Node®)**

**i50a  
(Eclipse®)**

**i50b  
(Eclipse®)**

**Starter Box  
& Bracket Kit**


PRODUCT DESCRIPTION	TABLE LENGTH	COLOR	MODEL #	LIST PRICE
<b>i40a (Node®)</b> 1 power, 1 dual USB 120" cord length + flex ganging brackets + wire management clips	6-Top	metallic silver	PWRi40aMA6T.DZC	\$590
<b>i40b (Node®)</b> 2 power 120" cord length + flex ganging brackets + wire management clips			PWRi40bMA6T.DZC	\$477
<b>i50a (Eclipse®)</b> 2 power, 1 dual USB 120" cord length + flex ganging brackets + wire management clips		black	PWRi50aMA6T.Z130	\$745
		white	PWRi50aMA6T.Z131	\$745
<b>i50b (Eclipse®)</b> 3 power 120" cord length + flex ganging brackets + wire management clips		black	PWRi50bMA6T.Z130	\$700
		white	PWRi50bMA6T.Z130	\$700
<b>Starter Box &amp; Bracket Kit</b>		72" (cord length)	PWRSTART72	\$765
		120" (cord length)	PWRSTART120	\$794

## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## TABLE POWER

## Stay Put

## SPECIFICATIONS

## Stay Put Stationary Configurations

Stationary configurations have less flexibility and often focus on traditional training applications (computer labs) with heavier technology, power, and data needs. Furniture may be moved for building maintenance. Limitations on power access locations (infeeds) may be present in the space. Available with rectangular tables only.

**Power Module Kit**

i10b, i20 or i30, one per table, connects to power data trough via standard 15amp 72" cord.

**18" Power Jumper**

connects multiple consecutive power data troughs.

**Power Data Trough Kit, Open**

for ease of managing power and data cables.

**Vertical Wire Manager**

Optional, sold separately

**Power Data Trough Kit, Enclosed**

with cut-outs for receptacle and data jack adaptors

**Flat Ganging Bracket**

Pair required per table connection when distributing power between tables (included with Stay Put power module kits)

**Rotating Power Entry Infeed**

replaces wall mounted electrical outlet. Must be installed by a licensed electrician. UL listed.

**Power Jumper**

delivers power to the table by connecting the rotating power entry to the power data trough.

**20amp Hardwire Infeed (72")**

Electrician required for installation. UL listed

**20amp Corded Infeed (72")**

20amp receptacle required. UL recognized




## TABLE POWER


### Stay Put Power Components

#### SPECIFICATIONS


Power Data  
Trough Kit, Open




Power Data  
Trough Kit, Enclosed




Power  
Jumper




20amp  
Hardwire Infeed



Rotating Power  
Entry Infeed



20amp  
Corded Infeed



#### Power Data Trough Kit

Extruded aluminum trough mounts to underside of worksurface with 2 brackets, providing integrated wire management with power and data access. Trough includes 4 power outlets, two per side, as well as data outlets with voice/data adapter kit. Trough is available on tables with Aluminum Frame Modesty Panel, but not Worksurface-Mounted Modesty Panel. Also unavailable on flip-top tables. Available finishes include P06 silver, P07 white, P09 charcoal, P10 black, P11 alloy. Order one power data trough kit per table.

- Exterior faceplate design provides clean, modernist aesthetic and is available in finishes that match the leg
- Enclosed Power Data Trough Kit fastens to trough, providing tamper-proof solution
- Non-sequential functionality
- 4-wire available in one or two circuit power
- Extends full length of table

**Power Jumpers:** Connect multiple Power Data Trough Kits. Available in 18" (for consecutive power/data trough connections), 48" and 72" lengths (for non-consecutive power/data trough connections).

#### Power Infeed Options:

Infeed brings power to the Power Data Trough for each row of tables. One circuit recommended for up to 5 tables. Two circuit recommended for up to 10 tables. Flat bracket for ganging is required for table-to-table power connection and included with the power module kit specified.

**20amp Hardwire Infeed:** For one and two circuit. Provides traditional access to the building power source at the wall or floor (72"L). Power entry must be installed by licensed electrician. UL listed.

**Rotating Power Entry Infeed:** For one and two circuit. Replaces wall mounted electrical outlet with power component. Jumper (ordered separately) delivers power to table by connecting to rotating power entry. Order one infeed for each row/run of tables. Rotating Power Entry must be installed by licensed electrician. UL listed.

**20amp Corded Infeed:** For one circuit only. Allows Power Data Trough to be connected to 20amp wall or floor-mounted plug (72"L). UL recognized.

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## TABLE POWER


## Stay Put Power/Data Trough Kit

## PRICING


Open Power Data  
Trough Kit  
(1 or 2 circuits)



Enclosed Power  
Data Trough Kit  
(1 or 2 circuits)



18" Power  
Jumper






PRODUCT DESCRIPTION	COLOR	LENGTH	MODEL # *	LIST PRICE
<b>Open Power Data Trough Kit 1 circuit</b> system (recommended for 1-5 tables)	Available in: P06 silver P07 white P09 charcoal P10 black P11 alloy	36"	RLNPWR136(.color)	\$451
		48"	RLNPWR148(.color)	\$476
		60"	RLNPWR160(.color)	\$512
		72"	RLNPWR172(.color)	\$571
36"		RLNPWR236(.color)	\$481	
48"		RLNPWR248(.color)	\$505	
60"		RLNPWR260(.color)	\$541	
72"		RLNPWR272(.color)	\$601	
<b>Enclosed Power Data Trough Kit 1 circuit</b> system (recommended for 1-5 tables)	Available in: P06 silver P07 white P09 charcoal P10 black P11 alloy	36"	RLNPWR136E(.color)	\$566
		48"	RLNPWR148E(.color)	\$590
		60"	RLNPWR160E(.color)	\$626
		72"	RLNPWR172E(.color)	\$686
36"		RLNPWR236E(.color)	\$596	
48"		RLNPWR248E(.color)	\$619	
60"		RLNPWR260E(.color)	\$655	
72"		RLNPWR272E(.color)	\$715	
<b>18" Power Jumper:</b> connects multiple consecutive Power Data Trough Kits.		18"	RLNPWRP2P	\$73

\*Append the color code to the end of the model number; i.e. "RLNPWR172E.P06"





## TABLE POWER

### Stay Put Power Modules, Power Connection & Jumpers

#### PRICING

**i10b (Nacre®)**

**i20 (Axil® Z)**

**i30 (Mho®)**


PRODUCT DESCRIPTION	COLOR	MODEL #	LIST PRICE
<b>i10b (Nacre®)</b> 3 power, 1 dual USB 72" cord length + 2 Flat Ganging Brackets	AV white high-gloss	PWRi10SP.AV	\$549
	C black high-gloss	PWRi10SP.C	\$549
<b>i20 (Axil® Z)</b> 3 power, 1 dual USB 72" cord length + 2 Flat Ganging Brackets	Z07 white	PWRi20SP.Z07	\$662
	Z06 black	PWRi20SP.Z06	\$662
<b>i30 (Mho®)</b> 3 power, 1 dual USB 72" cord length + 2 Flat Ganging Brackets	EFA anodized aluminum	PWRi30SP.EFA	\$686

**20amp  
Hardwire  
Infeed**

**Rotating Power  
Entry Infeed**

**Power  
Jumper**

**20amp  
Corded  
Infeed**


PRODUCT DESCRIPTION	LENGTH	MODEL #	LIST PRICE
<b>20amp Hardwire Infeed*</b> For one and two circuit. Order one infeed for each row/run of tables.	72"	RLNPWRBHDW	\$151
<b>Rotating Power Entry Infeed*</b> For one and two circuit.	n/a	RLNPWR1BROT	\$91
<b>Power Jumper</b> Delivers power to table by connecting to rotating power entry infeed in wall to power data trough.	48"	RLNPWRJ48	\$91
	72"	RLNPWRJ72	\$115
<b>20amp Corded Infeed*</b> For one circuit only. Allows Power Data Trough to be connected to 20amp wall or floor-mounted plug. Order one infeed for each row/run of tables.	72"	RLNPWR1BREP	\$240

\* Infeed brings power to the Power Data Trough for each row of tables. One circuit recommended for up to 5 tables. Two circuit recommended for up to 10 tables.

## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## TABLE POWER

## Stay Put - NYC

## SPECIFICATIONS

## Stationary Hardwired Power for New York City Applications

NYC Stationary hardwired power modules have less flexibility and often focus on traditional training applications (computer labs) with heavier technology, power, and data needs. Furniture may be moved for building maintenance. Limitations on power access locations (infeeds) may be present in the space. Available with rectangular or 6-top tables.

**Power Module Kit**

i10a, i20, or i30 (one per rectangular table) is hardwired via 72" 20amp infeed. Electrician required for installation. UL listed.

**Flat Ganging Bracket**

Pair required per table when distributing power between tables (included in Power Module Kits.)

**Vertical Wire Manager**

Optional, sold separately (Horizontal Wire Manager also available.)

**20amp Hardwire Infeed (72")**

Electrician required for installation. UL listed.

**Power Module Kit**


i40a or i40b (one per 6-top table) is hardwired via 72" 20amp infeed. Electrician required for installation. UL listed.

**20amp Hardwire Infeed (72")**


Electrician required for installation. UL listed.

### TABLE POWER Stay Put - NYC Power Modules PRICING


i10  
(Nacre®)




i20  
(Axil® Z)



i30  
(Mho®)



i40 (Node®)



PRODUCT DESCRIPTION*	TABLE TYPE	COLOR	MODEL #	LIST PRICE
<b>i10b (Nacre®)</b> 3 power, 1 dual USB	Training	AV white high gloss	PWRi10HW.AV	\$643
		C black high gloss	PWRi10HW.C	\$643
<b>i20 (Axil® Z)</b> 3 power, 1 dual USB	Training	AV white high gloss	PWRi20HW.Z07	\$727
		C black high gloss	PWRi20HW.Z06	\$727
<b>i30 (Mho®)</b> 3 power, 1 dual USB	Training	EFA anodized aluminum w/gray windows & USB black simplex	PWRi30HW.EFA	\$753
<b>i40a (Node®)</b> 1 power, 1 dual USB	6-Top	DZC metallic silver w/black simplex & USB inserts	PWRi40aHW.DZC	\$587
<b>i40b (Node®)</b> 2 power	6-Top	DZC metallic silver w/black simplex & USB inserts	PWRi40bHW.DZC	\$508

\* An electrician is required to install the hardwired power modules.  
Order one power module per table; available with Training and 6-Top tables only.  
Infeeds and junction boxes are provided by the electrician.

**SPECIFICATION & PRICING GUIDE**February 2019 v1.3

---



## HELPDESK



## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## HELPDESK

## Standards, Top Construction, Edges, Grommets

## SPECIFICATIONS


## Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.

## Top Construction

**Dewey Helpdesk tops** are 1.2" overall thickness, constructed with high-pressure laminate, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface. Grain direction runs length of top.

## Edges



**Urethane** is standard on all sides of Helpdesk. Dimensions and profile of the urethane vary per side.

## Grommets



Each Helpdesk includes two Integrated **urethane-molded grommets** (3"L x 1.25"D) Urethane color matches edge color.




## HELPDESK

Leg Construction, Power Modules, Height Adjustment, Modesty Panel  
SPECIFICATIONS

## Leg Construction

**Dewey Helpdesk legs** are extruded aluminum with a cast aluminum foot.

Glides, Casters &  
Floor Mounting Kit


**Casters:** (standard) 60mm dual wheel; each model comes with two locking and two non-locking casters, Two-tone caster: charcoal with cool-grey interior.

**Glides:** (optional) 3/4" leveling for uneven floors. Glides decrease height range by 2"


**Floor Mounting Kit** is an accessory for use with glides on any product; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.

## Power Modules

**PU Standard Flip-Up**  
i30 (Mho®)  
2 power, 2 open




**P3 Optional Flip-Up**  
i30 (Mho®)  
3 power/1USB




Dewey Helpdesk comes standard with **flip-up power module (Mho®)** with two power receptacles and two open (PU), or upgrade to a module with three receptacles and one dual USB (P3). Power module closes when not in use. One power module per unit. Silver anodized aluminum finish and (120"L) power cord. UL listed.


## Height Adjustment



**Pin-Height Adjustment**  
(standing)



**Electric-Height Adjustment**  
(standing)




**Crank-Height Adjustment**  
(standing or seated)

Dewey Helpdesk is available in either **Pin-height, Crank-height or Electric-height adjustments**. Electric-height adjustment with easy push button control plugs into 15amp outlet. For Crank-height Adjustable Helpdesk, 12 crank revolutions yield 1" of height adjustment.

Helpdesk Height Adjustment	Pin-Height	Electric-Height	Crank-Height
Standing	36" - 42"	39" - 46"	37" - 47"
Seated	n/a	n/a	27" - 37"

## Aluminum Frame Slide-By Modesty Panel



**Aluminum Frame Modesty Panel** is standard for all Helpdesk models and is available in high pressure laminate (horizontal grain direction) or frosted acrylic infill. Slide-by design provides rear access to storage cabinets and ships standard with a lock.

## SPECIFICATION &amp; PRICING GUIDE




February 2019 v1.3

## HELPDESK


## Storage Configurations

## SPECIFICATIONS


## Storage Cabinet Configurations

**GM Model**large-L  
small-R**MG Model**small-L  
large-R**MM Model**small-L  
small-R**XX Model**


no storage

**GX Model**


large-L

**XG Model**



large-R

**MX Model**

small-L


**XM Model**

small-R


Interior  
Cabinet View

## Cabinet Spacing

1 large &amp; 1 small cabinet

60" L Helpdesk: 21"  
72" L Helpdesk: 33"

2 small cabinets

60" L Helpdesk: 31"  
72" L Helpdesk: 43"

**Dewey Helpdesks** are available with one or two locking cabinets, in size large or small, positioned either left or right; hinged according to position. Choose your storage preference among eight different pre-configured Helpdesk models. Cabinet construction consists of 3/4" thermally-fused melamine case and door with coordinating edgeband. Doors are optionally available with high-pressure laminate and 2mm ABS edgeband. Laminate and melamine grain direction is vertical. Locked cabinets come standard with grommets for wire management and are keyed alike. Door pulls match leg finish selection.

**Small Cabinet:** Standard with two adjustable shelves. Black grommets (3.75"W x 1.75"D) installed on top and bottom and centered on the width and 1.5" from back of cabinet.

**Small Cabinet dimensions - standing height**

Exterior: 10"W x 18"D x 30"H

Interior: 8.6"W x 17.4"D x 28.75"H

**Small Cabinet dimensions - seated height**

Exterior: 10"W x 18"D x 20.5"H

Interior: 8.6"W x 17.3"D x 19.2"H

**Large Cabinet:** Standard with two adjustable shelves. Black grommets (3.75"L x 1.75"D) installed on top and bottom and centered on the width and 1.5" from back of cabinet.

**Large Cabinet dimensions - standing height**

Exterior: 20.4"W x 18"D x 30"H

Interior: 19.1"W x 17.4"D x 28.75"H

**Large Cabinet dimensions - seated height**

Exterior: 20.4"W x 18"D x 20.5"H

Interior: 19.1"W x 17.4"D x 19.2"H

**Space between 1 large & 1 small cabinet**

(MG &amp; GM Models)

60" Helpdesk: 21" opening

72" Helpdesk: 33" opening

**Space between 2 small cabinets**

(MM Model)

60" Helpdesk: 31" opening

72" Helpdesk: 43" opening


**NOTE:** 2 large cabinets cannot be configured on one Helpdesk.

HELPDESK

Technology Storage, Finish Selection, Shipping

SPECIFICATIONS

Technology Storage Options




**Technology Storage Rack:** Optional 19" wide technology storage rack (available with large cabinet only) accommodates 12 rack units (RU) on standing height models and 6 rack units (RU) on seated height models. Back side of cabinet is open to provide access to racked technology.

**Ventilation Fan:** The self-contained ventilation fan is ideal option for venting cabinets and enclosures that contain electronics, featuring a large, brushless fan for higher airflow, low noise and long life. When mounted, the fan does not vibrate. When the ambient temperature reaches 88 degrees inside the cabinet, the regulator sends a signal to turn on the fan motor. Fan speed is adjustable. Ventilation fan cover is available in white or black.

Storage Cabinet Options	Cabinet	Storage Only	Vent Fan	Tech Rack	Tech Rack & Vent Fan
Standing	small	yes	yes	n/a	n/a
	large	yes	yes	yes	yes
Seated	small	yes	yes	n/a	n/a
	large	yes	yes	yes	yes

Finish Selection



**Helpdesk Finish Selection:** Depending on the specific model and configuration, up to nine different Dewey Helpdesk components require finish selections. See [izzy+ color card](#) to view color choices for each component.

Helpdesk Finish Selection	Laminate	Melamine	Urethane	2mm ABS Edgeband	Frosted Acrylic (white)	Metal	Plastic (white or black)
Top	•						
Edge & Grommet (matching)			•				
Modesty Panel	(std)				(opt)		
Leg/Frame						•	
Cabinet Case		•					
Cabinet Door Front *	(opt)	(same as case)					
Cabinet Door Edge *				(opt)			
Door Pull						(same as leg)	
Vent Fan Cover †							•

\* select if optional laminate door is specified  
† select if optional ventilation fan is specified

Shipping

Helpdesk ships assembled on a skid with corner guards and shrink wrap. Cabinets will be individually wrapped and placed on skid between Helpdesk legs.

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## HELPDESK

## Model GM: Large Cabinet-Left / Small Cabinet-Right

## PRICING

## GM: Standing Height




PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOORS
helpdesk standing height	30"	60"	36-42"	215 lb	pin	RLND3060PHGM	\$4,365	+ \$289
			39-46"	223 lb	electric	RLND3060EHGM	\$5,742	+ \$289
			37-47"	221 lb	crank *	RLND3060CHGM	\$5,330	+ \$289
model GM large cabinet-L small cabinet-R	30"	72"	36-42"	232 lb	pin	RLND3072PHGM	\$4,827	+ \$289
			39-46"	240 lb	electric	RLND3072EHGM	\$6,202	+ \$289
			37-47"	238 lb	crank *	RLND3072CHGM	\$5,792	+ \$289

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## GM: Seated Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOORS
helpdesk seated height	30"	60"	29"	183 lb	fixed	RLSH3060FHGM	\$4,188	+ \$289
			27-37"	192 lb	crank *	RLSH3060CHGM	\$5,164	+ \$289
model GM large cabinet-L small cabinet-R	30"	72"	29"	196 lb	fixed	RLSH3072FHGM	\$4,650	+ \$289
			27-37"	209 lb	crank *	RLSH3072CHGM	\$5,612	+ \$289

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## 1. Model Number

ex: RLSH3060CHGM

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see **izzy+ color card** for color selection

## 4. Modesty Panel Finish

**Laminate** (std) see step 2**Frosted Acrylic** (opt)

A1	seated height	+ \$198
A2	standing height	+ \$377

OPEN MARKET

## 5. Leg &amp; Pull Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 6. Leg Options

CS	casters (std)	+ \$0
GL	glides (opt)	+ \$0

(height range will decrease by 2")

## 7. Cabinet Finish

**Melamine Cases & Doors** (std)see **izzy+ color card** for color selection  
(choose one melamine color)

## Laminate Doors (opt)

see upcharge column above  
see step 2 for color options  
(case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)  
see **izzy+ color card** for color selection

## 8. Large Cabinet Options

GK	technology rack	+ \$217
GB	vent fan - black	+ \$240
GW	vent fan - white	+ \$240

OPEN MARKET

## 9. Small Cabinet Options



MB	vent fan - black cover	+ \$240
MW	vent fan - white cover	+ \$240

OPEN MARKET

## 10. Power Options

PU	2-pwr/2-open (std)	+ \$0
P3	3-pwr/1 dual USB (opt)	+ \$120

OPEN MARKET


PU  
2-power/2-openP3  
3-power/2 dual USB

## HELPPDESK

## Model MG: Small Cabinet-left / Large Cabinet-Right

## PRICING


## MG: Standing Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOORS
helpdesk standing height	30"	60"	36-42"	215 lb	pin	RLND3060PHMG	\$4,365	+ \$289
			39-46"	223 lb	electric	RLND3060EHMG	\$5,742	+ \$289
			37-47"	221 lb	crank *	RLND3060CHMG	\$5,330	+ \$289
model MG small cabinet-L large cabinet-R	30"	72"	36-42"	232 lb	pin	RLND3072PHMG	\$4,827	+ \$289
			39-46"	240 lb	electric	RLND3072EHMG	\$6,202	+ \$289
			37-47"	238 lb	crank *	RLND3072CHMG	\$5,158	+ \$289

\* 12 crank revolutions yield 1" of height adjustment.

## MG: Seated Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOORS
helpdesk seated height	30"	60"	29"	183 lb	fixed	RLSH3060FHMG	\$4,188	+ \$289
			27-37"	192 lb	crank *	RLSH3060CHMG	\$5,164	+ \$289
model MG small cabinet-L large cabinet-R	30"	72"	29"	196 lb	fixed	RLSH3072FHMG	\$4,650	+ \$289
			27-37"	209 lb	crank *	RLSH3072CHMG	\$5,612	+ \$289

\* 12 crank revolutions yield 1" of height adjustment.

## 1. Model Number

ex: RLND3072PHMG

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see **izzy+ color card** for color selection

## 4. Modesty Panel Finish

**Laminate** (std) see step 2**Frosted Acrylic** (opt)

A1	seated height	+ \$198
A2	standing height	+ \$377

OPEN MARKET

## 5. Leg &amp; Pull Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 6. Leg Options

CS	casters (std)	+ \$0
GL	glides (opt)	+ \$0

(height range will decrease by 2")

## 7. Cabinet Finish

**Melamine Cases & Doors** (std)see **izzy+ color card** for color selection  
(choose one melamine color)

## Laminate Doors (opt)

see upcharge column above  
see step 2 for color options  
(case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)  
see **izzy+ color card** for color selection

## 8. Large Cabinet Options

GK	technology rack	+ \$217
GB	vent fan - black	+ \$240
GW	vent fan - white	+ \$240

OPEN MARKET

## 9. Small Cabinet Options



MB	vent fan - black cover	+ \$240
MW	vent fan - white cover	+ \$240

OPEN MARKET

## 10. Power Options

PU	2-pwr/2-open (std)	+ \$0
P3	3-pwr/1 dual USB (opt)	+ \$120

OPEN MARKET

PU  
2-power/2-openP3  
3-power/2 dual USB

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## HELPDESK

## Model MM: Small Cabinet-Left, Small Cabinet-Right

## PRICING

## MM: Standing Height




PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOORS
helpdesk standing height	30"	60"	36-42"	195 lb	pin	RLND3060PHMM	\$4,227	+ \$289
			39-46"	203 lb	electric	RLND3060EHMM	\$5,604	+ \$289
			37-47"	201 lb	crank *	RLND3060CHMM	\$5,192	+ \$289
model MM small cabinet-L small cabinet-R	30"	72"	36-42"	212 lb	pin	RLND3072PHMM	\$4,689	+ \$289
			39-46"	220 lb	electric	RLND3072EHMM	\$6,064	+ \$289
			37-47"	218 lb	crank *	RLND3072CHMM	\$5,654	+ \$289

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## MM: Seated Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOORS
helpdesk seated height	30"	60"	29"	179 lb	fixed	RLSH3060FHMM	\$3,577	+ \$289
			27-37"	188 lb	crank *	RLSH3060CHMM	\$5,032	+ \$289
model MM small cabinet-L small cabinet-R	30"	72"	29"	192 lb	fixed	RLSH3072FHMM	\$4,039	+ \$289
			27-37"	205 lb	crank *	RLSH3072CHMM	\$5,480	+ \$289

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## 1. Model Number

ex: RLSH3060CHMM

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see **izzy+ color card** for color selection

## 4. Modesty Panel Finish

Laminate (std) see step 2

Frosted Acrylic (opt)

MA1 seated height + \$198  
MA2 standing height + \$377

OPEN MARKET

## 5. Leg &amp; Pull Finish

P06 silver (std) + \$0  
P07 white + \$86  
P09 charcoal + \$86  
P10 black + \$86  
P11 alloy + \$86

OPEN MARKET

## 6. Leg Options

CS casters (std) + \$0  
GL glides (opt) + \$0  
(height range will decrease by 2")

## 7. Cabinet Finish

Melamine Case &amp; Door (std)

see **izzy+ color card** for color selection  
(choose one melamine color)

Laminate Door (opt)

see upcharge column above  
see step 2 for color options  
(case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)

see **izzy+ color card** for color selection

## 8. Small Cabinet-Left Options

MB vent fan - black cover + \$240  
MW vent fan - white cover + \$240

OPEN MARKET

## 9. Small Cabinet-Right Options



MB vent fan - black cover + \$240  
MW vent fan - white cover + \$240

OPEN MARKET

## 10. Power Options

PU 2-pwr/2-open (std) + \$0  
P3 3-pwr/1 dual USB (opt) + \$120


OPEN MARKET

PU  
2-power/2-openP3  
3-power/1 dual USB

## HELPPDESK


## Model GX: Large Cabinet-Left

## PRICING

OPEN  
MARKETGX: Standing  
Height

PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOOR
helpdesk standing height  model GX large cabinet-L	30"	60"	36-42"	175 lb	pin	RLND3060PHGX	\$3,869	+ \$203
			39-46"	183 lb	electric	RLND3060EHGX	\$5,247	+ \$203
			37-47"	181 lb	crank *	RLND3060CHGX	\$4,834	+ \$203
	30"	72"	36-42"	192 lb	pin	RLND3072PHGX	\$4,331	+ \$203
			39-46"	200 lb	electric	RLND3072EHGX	\$5,706	+ \$203
			37-47"	198 lb	crank *	RLND3072CHGX	\$5,296	+ \$203

\* 12 crank revolutions yield 1" of height adjustment.

GX: Seated  
Height

PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOOR
helpdesk seated height  model GX large cabinet-L	30"	60"	29"	151 lb	fixed	RLSH3060FHGX	\$3,709	+ \$203
			27-37"	160 lb	crank *	RLSH3060CHGX	\$4,685	+ \$203
	30"	72"	29"	164 lb	fixed	RLSH3072FHGX	\$4,171	+ \$203
			27-37"	177 lb	crank *	RLSH3072CHGX	\$5,133	+ \$203

\* 12 crank revolutions yield 1" of height adjustment.

OPEN  
MARKET

## 1. Model Number

ex: RLSH3060CHGM

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see **izzy+ color card** for color selection

## 4. Modesty Panel Finish

Laminate (std) see step 2

Frosted Acrylic (opt)

A1 seated height + \$198

A2 standing height + \$377

OPEN MARKET

## 5. Leg &amp; Pull Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 6. Leg Options

CS casters (std) + \$0

GL glides (opt) + \$0

(height range will decrease by 2")

## 7. Cabinet Finish

Melamine Case &amp; Door (std)

see **izzy+ color card** for color selection  
(choose one melamine color)

Laminate Door (opt)

see upcharge column above  
see step 2 for color options  
(case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)

see **izzy+ color card** for color selection

## 8. Large Cabinet Options

GK technology rack + \$217

GB vent fan - black + \$240

GW vent fan - white + \$240



OPEN MARKET

## 9. Power Options

PU 2-pwr/2-open (std) + \$0

P3 3-pwr/1 dual USB (opt) + \$120

OPEN MARKET

PU  
2-power/2-openP3  
3-power/2 dual USB



## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## HELPDESK

## Model XG: Large Cabinet-Right

## PRICING

## XG: Standing Height




PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOOR
helpdesk standing height model XG large cabinet-R	30"	60"	36-42"	175 lb	pin	RLND3060PHXG	\$3,869	+ \$203
			39-46"	183 lb	electric	RLND3060EHXG	\$5,247	+ \$203
			37-47"	181 lb	crank *	RLND3060CHXG	\$4,834	+ \$203
		72"	36-42"	192 lb	pin	RLND3072PHXG	\$4,331	+ \$203
			39-46"	200 lb	electric	RLND3072EHXG	\$5,706	+ \$203
			37-47"	198 lb	crank *	RLND3072CHXG	\$5,296	+ \$203

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## XG: Seated Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT	MODEL #	LIST PRICE	LAMINATE CABINET DOOR
helpdesk seated height model XG large cabinet-R	30"	60"	29"	151 lb	fixed	RLSH3060FHXG	\$3,709	+ \$203
			27-37"	160 lb	crank *	RLSH3060CHXG	\$4,685	+ \$203
		72"	29"	164 lb	fixed	RLSH3072FHXG	\$4,171	+ \$203
			27-37"	177 lb	crank *	RLSH3072CHXG	\$5,133	+ \$203

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## 1. Model Number

ex: RLSH3060CHGM

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see **izzy+ color card** for color selection

## 4. Modesty Panel Finish

**Laminate** (std) see step 2**Frosted Acrylic** (opt)

MA1 seated height + \$198

MA2 standing height + \$377

OPEN MARKET

## 5. Leg &amp; Pull Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 6. Leg Options

CS casters (std) + \$0

GL glides (opt) + \$0

(height range will decrease by 2")

## 7. Cabinet Finish

**Melamine Case & Door** (std)see **izzy+ color card** for color selection  
(choose one melamine color)**Laminate Door** (opt)see upcharge column above  
see step 2 for color options  
(case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)

see **izzy+ color card** for color selection

## 8. Large Cabinet Options

GK technology rack + \$217

GB vent fan - black + \$240

GW vent fan - white + \$240



OPEN MARKET

## 9. Power Options

PU 2-pwr/2-open (std) + \$0

P3 3-pwr/1 dual USB (opt) + \$120

OPEN MARKET

PU  
2-power/2-openP3  
3-power/1 dual USB



## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## HELPPDESK

## Model MX: Small Cabinet-Left

## PRICING

## MX: Standing Height




PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	LAMINATE CABINET DOOR
helpdesk standing height  model MX small cabinet-L	30"	60"	36-42"	155 lb	pin	RLND3060PHMX	\$3,731	+ \$203
			39-46"	163 lb	electric	RLND3060EHMX	\$5,109	+ \$203
			37-47"	161 lb	crank *	RLND3060CHMX	\$4,696	+ \$203
	30"	72"	36-42"	172 lb	pin	RLND3072PHMX	\$4,193	+ \$203
			39-46"	180 lb	electric	RLND3072EHMX	\$5,568	+ \$203
			37-47"	178 lb	crank *	RLND3072CHMX	\$5,158	+ \$203

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## MX: Seated Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT	MODEL #	LIST PRICE	LAMINATE CABINET DOOR
helpdesk seated height  model MX small cabinet-L	30"	60"	29"	131 lb	fixed	RLSH3060fHMX	\$3,230	+ \$203
			27-37"	140 lb	crank *	RLSH3060CHMX	\$4,553	+ \$203
	30"	72"	29"	144 lb	fixed	RLSH3072FHMX	\$3,692	+ \$203
			27-37"	157 lb	crank *	RLSH3072CHMX	\$5,001	+ \$203

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## 1. Model Number

ex: RLSH3060CHGM

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see **izzy+ color card** for color selection

## 4. Modesty Panel Finish

Laminate (std) see step 2

Frosted Acrylic (opt)

MA1 seated height + \$198

MA2 standing height + \$377

OPEN MARKET

## 5. Leg &amp; Pull Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 6. Leg Options

CS casters (std) + \$0

GL glides (opt) + \$0

(height range will decrease by 2")

## 7. Cabinet Finish

Melamine Case &amp; Door (std)

see **izzy+ color card** for color selection  
(choose one melamine color)

Laminate Door (opt)

see upcharge column above  
see step 2 for color options  
(case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)

see **izzy+ color card** for color selection

## 8. Small Cabinet Options

MB vent fan - black + \$240

MW vent fan - white + \$240



OPEN MARKET

## 9. Power Options

PU 2-pwr/2-open (std) + \$0

P3 3-pwr/1 dual USB (opt) + \$120

OPEN MARKET

PU  
2-power/2-openP3  
3-power/1 dual USB

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## HELPDESK

## Model XM: Small Cabinet-Right

## PRICING


## XM: Standing Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	OPEN MARKET LAMINATE CABINET DOOR
helpdesk standing height  model XM large cabinet-R	30"	60"	36-42"	155 lb	pin	RLND3060PHXM	\$3,731	+ \$203
			39-46"	163 lb	electric	RLND3060EHXM	\$5,109	+ \$203
			37-47"	161 lb	crank *	RLND3060CHXM	\$4,696	+ \$203
	30"	72"	36-42"	172 lb	pin	RLND3072PHXM	\$4,193	+ \$203
			39-46"	180 lb	electric	RLND3072EHXM	\$5,568	+ \$203
			37-47"	178 lb	crank *	RLND3072CHXM	\$5,158	+ \$203

\* 12 crank revolutions yield 1" of height adjustment.

## XM: Seated Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE	OPEN MARKET LAMINATE CABINET DOOR
helpdesk seated height  model XM large cabinet-R	30"	60"	29"	131 lb	fixed	RLSH3060FHXM	\$3,230	+ \$203
			27-37"	140 lb	crank *	RLSH3060CHXM	\$4,553	+ \$203
	30"	72"	29"	144 lb	fixed	RLSH3072FHXM	\$3,692	+ \$203
			27-37"	157 lb	crank *	RLSH3072CHXM	\$5,001	+ \$203

\* 12 crank revolutions yield 1" of height adjustment.

## 1. Model Number

ex: RLSH3060CHGM

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see **izzy+ color card** for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see **izzy+ color card** for color selection

## 4. Modesty Panel Finish

**Laminate** (std) see step 2**Frosted Acrylic** (opt)

MA1 seated height + \$198

MA2 standing height + \$377

OPEN MARKET

## 5. Leg &amp; Pull Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 6. Leg Options

CS casters (std) + \$0

GL glides (opt) + \$0

(height range will decrease by 2")

## 7. Cabinet Finish

**Melamine Case & Door** (std)see **izzy+ color card** for color selection  
(choose one melamine color)**Laminate Door** (opt)see upcharge column above  
see step 2 for color options  
(case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)

see **izzy+ color card** for color selection

## 8. Small Cabinet Options

MB vent fan - black + \$240

MW vent fan - white + \$240

OPEN MARKET

## 9. Power Options

PU 2-pwr/2-open (std) + \$0

P3 3-pwr/1 dual USB (opt) + \$120

OPEN MARKET

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## HELPDESK

## Model XX: No Storage

## PRICING

## XX: Standing Height




PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE
helpdesk standing height model XX no storage	30"	60"	36-42"	115 lb	pin	RLND3060PHXX	\$3,236
			39-46"	123 lb	electric	RLND3060EHXX	\$4,613
			37-47"	121 lb	crank *	RLND3060CHXX	\$4,200
		72"	36-42"	132 lb	pin	RLND3072PHXX	\$3,698
			39-46"	140 lb	electric	RLND3072EHXX	\$5,073
			37-47"	138 lb	crank *	RLND3072CHXX	\$4,662

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## XX: Seated Height



PRODUCT DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	HEIGHT ADJUSTMENT TYPE	MODEL #	LIST PRICE
helpdesk seated height model XX no storage	30"	60"	29"	99 lb	fixed	RLSH3060FHXX	\$3,098
			27-37"	108 lb	crank *	RLSH3060CHXX	\$4,074
		72"	29"	112 lb	fixed	RLSH3072FHXX	\$3,098
			27-37"	125 lb	crank *	RLSH3072CHXX	\$4,522

OPEN MARKET

\* 12 crank revolutions yield 1" of height adjustment.

## 1. Model Number

ex: RLSH3060CHXX

## 2. Top Finish

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see [izzy+ color card](#) for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet  
are the same color)  
see [izzy+ color card](#) for color selection

## 4. Modesty Panel Finish

**Laminate** (std) see step 2**Frosted Acrylic** (opt)A1 seated height + \$198  
A2 standing height + \$377

OPEN MARKET

## 5. Leg Finish

P06 silver (std) + \$0  
P07 white + \$86  
P09 charcoal + \$86  
P10 black + \$86  
P11 alloy + \$86

OPEN MARKET



## 6. Leg Options

CS casters (std) + \$0  
GL glides (opt) + \$0  
(height range will decrease by 2")

## 7. Power Options

PU 2-pwr/2-open (std) + \$0  
P3 3-pwr/1 dual USB (opt) + \$120

OPEN MARKET

PU  
2-power/2-openP3  
3-power/2 dual USB

**SPECIFICATION & PRICING GUIDE**February 2019 v1.3

---

## CONNECTION CART



## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## CONNECTION CART

## Standards, Frame Construction, Accessories

## SPECIFICATIONS


## Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.

## Frame Construction


**Dewey Connection Cart Frame** is extruded aluminum with an 18" cast aluminum foot with non-technology supporting units, and a 30" foot with the technology supporting units.

## Casters



**Casters:** 60mm dual wheel; each unit comes standard with two locking and two non-locking, Two-tone caster: charcoal with cool-grey interior.

## Side Mounted Container





**Side-Mounted Container** is a recommended accessory for storing markers, erasers, pushpins and more. Steel container mounts to the outside of the frame on all configurations. Recommended for all full length configurations or when additional storage is necessary on the half length configurations. Available in finishes to match frame. Dimensions: 3"W x 2"D x 5"H.







## CONNECTION CART

Full Length, Half Length, Tech Supporting  
SPECIFICATIONS

## Full Length

63" height  
36"w x 58"h workable area75" height  
36"w x 70"h workable area

## Half Length

63" height  
36"w x 29"h workable area75" height  
36"w x 41"h workable areaTechnology Supporting  
Closed Storage63" height  
36"w x 29"h workable area75" height  
36"w x 41"h workable areaTechnology Supporting  
Open Storage63" height  
36"w x 29"h workable area75" height  
36"w x 41"h workable area

**Full Length:** Workable area is 14-17 sq. ft. & starts at base. Two full length units nest approximately 23" deep; add 3.2" for each additional unit.

**Half Length:** Includes a two-sided shelf design to reduce nesting footprint and provide marker storage, or a place to support flip charts and storyboards. Workable area is 7-10 sq. ft. & starts 30" above floor. Side one has a 2.6" deep angled shelf and side two has a 1.6" deep square shelf. Two half length units nest approximately 24.3" deep; add 4.4" for each additional unit.

**Technology Supporting:** Install your own technology on side one and select a laminate background (vertical grain direction). Select from magnetic porcelain markerboard, LDW laminate markerboard or tackable fabric options for side two. Open or closed storage cabinets are included with the Technology Supporting unit.

The Technology Supporting Connection Cart has been tested to accommodate standard technology requirements including a flush-mounted 42" flat screen and web camera (45 lbs total weight - not included). For applications that require heavier technology, please contact your Customer Service Representative to discuss a custom product solution.

**Power:** Two simplex receptacles (15amp) are included under the shelf (120" cord).

**Panel Grommet:** opening dimension for technology panel: 2.4" diameter and centered 9.6" from top edge.

**Two Black Grommets** are installed on the top of the cabinet centered on right and left.

**Closed Storage:** Cam and dowel construction; 3/4" thermally-fused melamine case and doors. Doors are optionally available in 3/4" particle board core with high-pressure laminate and 2mm ABS edgeband. Door front has vertical grain direction. Stationary center divider and adjustable center shelf has a 14" depth providing 2.5" of clearance in the back. Four compartments provide storage (17.1"W x 14" D x 6.3"H). Exterior dimensions: 36"W x 17.9"D x 14.5"H. Interior dimensions: 34.75"W x 16.6"D x 13.25"H. Door pulls match leg finish selection. Wire management Included.

**Open Storage:** Cam and dowel construction; 3/4" thermally-fused melamine case with coordinating edgeband. Stationary center divider and adjustable center shelf has a 14" depth providing 2.5" of clearance in the back. Four compartments provide storage (17.1"W x 14" D x 6.3"H). Exterior dimensions: 36"W x 17.25"D x 14.5"H. Interior dimensions: 34.75"W x 16"D x 13.25"H. Wire management included.

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## CONNECTION CART

## Finish Selection, Shipping

## SPECIFICATIONS

## Finish Selection



**Connection Cart Finish Selection:** Depending on the specific Connection Cart model and configuration, finishes must be selected for up to seven different Dewey Connection Cart components. See [izzy+ color card](#) to view color choices for each component.

Connection Cart Finish Selection		Tackable Fabric	LDW Markerboard Laminate	Porcelain Magnetic Markerboard	2mm ABS Edgeband	Melamine	Laminate	Metal
Side 1 Infill		•	•	•			•†	
Side 2 Infill		•	•	•				
Frame								•
Technology Supporting Only	Door Pulls							• (same as leg)
	Cabinet Case					•		
	Cabinet Door Front*					• (same as case)	• (opt)	
	Cabinet Door Edge*				• (opt)			

\* select if optional laminate door is specified

† laminate infill available with technology supporting models only

## Shipping

Connection Cart ships assembled with corner guards and shrink wrap. Cabinets will be individually wrapped and placed on skid between Connection Cart legs.




## CONNECTION CART

Full Length

PRICING


## 63" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE
20"	40"	63"	200 lb	<b>MM</b> infill side 1: LDW markerboard laminate infill side 2: LDW markerboard laminate	n/a	RLNCF4063MM	\$3,234
				<b>MT</b> infill side 1: LDW markerboard laminate infill side 2: tackable fabric*	1.8 yds	RLNCF4063MT	\$3,220
				<b>TT</b> infill side 1: tackable fabric* infill side 2: tackable fabric*	3.6 yds	RLNCF4063TT	\$2,958
				<b>PP</b> infill side 1: magnetic porcelain markerboard infill side 2: magnetic porcelain markerboard	n/a	RLNCF4063PP	\$4,074
				<b>PT</b> infill side 1: magnetic porcelain markerboard infill side 2: tackable fabric*	1.8 yds	RLNCF4063PT	\$3,615

\* see fabric grade information below

## 75" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE
20"	40"	75"	210 lb	<b>MM</b> infill side 1: LDW markerboard laminate infill side 2: LDW markerboard laminate	n/a	RLNCF4075MM	\$3,358
				<b>MT</b> infill side 1: LDW markerboard laminate infill side 2: tackable fabric*	2.2 yds	RLNCF4075MT	\$3,348
				<b>TT</b> infill side 1: tackable fabric* infill side 2: tackable fabric*	4.4 yds	RLNCF4075TT	\$3,089
				<b>PP</b> infill side 1: magnetic porcelain markerboard infill side 2: magnetic porcelain markerboard	n/a	RLNCF4075PP	\$4,666
				<b>PT</b> infill side 1: magnetic porcelain markerboard infill side 2: tackable fabric*	2.2 yds	RLNCF4075PT	\$4,009

\* see fabric grade information below

## 1. Model Number

ex: RLNCF4075PT

## 2. Fabric Infill

(for **MT**, **TT**, **PT** tackable fabric models)

G1 Grade 1/COM (std) + \$0

G2 Grade 2 + \$55

G3 Grade 3 + \$250

Other/CSM call for a quote  
(customer specified material)

OPEN MARKET

note: upcharge is applied per side  
see **izzy+ color card** for fabric  
selection and COM fabric instructions.

## 3. Frame Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 4. Accessories

Side-Mounted  
Container


RLNMC.P06 silver \$197

RLNMC.P07 white \$283

RLNMC.P09 charcoal \$283

RLNMC.P10 black \$283

RLNMC.P11 alloy \$283

Side Mounted  
Container

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## CONNECTION CART

## Half Length

## PRICING


## 63" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE
20"	40"	63"	200 lb	<b>MM</b> infill side 1: LDW markerboard laminate infill side 2: LDW markerboard laminate	n/a	RLNCH4063MM	\$2,551
20"	40"	63"	200 lb	<b>MT</b> infill side 1: LDW markerboard laminate infill side 2: tackable fabric*	1.0 yds	RLNCH4063MT	\$2,827
20"	40"	63"	200 lb	<b>TT</b> infill side 1: tackable fabric* infill side 2: tackable fabric*	2.0 yds	RLNCH4063TT	\$2,958
20"	40"	63"	200 lb	<b>PP</b> infill side 1: magnetic porcelain markerboard infill side 2: magnetic porcelain markerboard	n/a	RLNCH4063PP	\$3,548
20"	40"	63"	200 lb	<b>PT</b> infill side 1: magnetic porcelain markerboard infill side 2: tackable fabric*	1.0 yds	RLNCH4063PT	\$3,417

\* see fabric grade information below

## 75" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE
20"	40"	75"	210 lb	<b>MM</b> infill side 1: LDW markerboard laminate infill side 2: LDW markerboard laminate	n/a	RLNCH4075MM	\$3,250
20"	40"	75"	210 lb	<b>MT</b> infill side 1: LDW markerboard laminate infill side 2: tackable fabric*	1.4 yds	RLNCH4075MT	\$2,958
20"	40"	75"	210 lb	<b>TT</b> infill side 1: tackable fabric* infill side 2: tackable fabric*	2.8 yds	RLNCH4075TT	\$3,089
20"	40"	75"	210 lb	<b>PP</b> infill side 1: magnetic porcelain markerboard infill side 2: magnetic porcelain markerboard	n/a	RLNCH4075PP	\$3,680
20"	40"	75"	210 lb	<b>PT</b> infill side 1: magnetic porcelain markerboard infill side 2: tackable fabric*	1.4 yds	RLNCH4075PT	\$3,548

\* see fabric grade information below

## 1. Model Number

ex: RLNCF4075PT

## 2. Fabric Infill

(for **MT**, **TT**, **PT** tackable fabric models)

G1 Grade 1/COM (std) + \$0

G2 Grade 2 + \$55\*

G3 Grade 3 + \$250\*

Other/CSM call for a quote  
(customer specified material)

OPEN MARKET

\*note: upcharge is applied per side  
see izzy+ color card for fabric selection  
and COM fabric instructions.

## 3. Frame Finish

P06 silver (std) + \$0

P07 white + \$86

P09 charcoal + \$86

P10 black + \$86

P11 alloy + \$86

OPEN MARKET

## 4. Accessories

Side-Mounted  
Container


RLNMC.P06 silver \$197

RLNMC.P07 white \$283

RLNMC.P09 charcoal \$283

RLNMC.P10 black \$283

RLNMC.P11 alloy \$283


Side Mounted  
Container

## CONNECTION CART

### Technology Supporting - Open Storage

### PRICING


#### 63" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE
20"	40"	63"	240 lb	<b>XM</b> infill side 1: laminate infill side 2: LDW markerboard laminate	n/a	RLNCH4063XMSO	\$3,794
20"	40"	63"	240 lb	<b>XT</b> infill side 1: laminate infill side 2: tackable fabric *	1.0 yds	RLNCH4063XTSO	\$4,337
20"	40"	63"	240 lb	<b>XP</b> infill side 1: laminate infill side 2: magnetic porcelain markerboard	n/a	RLNCH4063XPSO	\$4,074

\* see fabric grade information below

#### 75" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE
20"	40"	75"	250 lb	<b>XM</b> infill side 1: laminate infill side 2: LDW markerboard laminate	n/a	RLNCH4075XMSO	\$3,919
20"	40"	75"	250 lb	<b>XT</b> infill side 1: laminate infill side 2: tackable fabric *	1.0 yds	RLNCH4075XTSO	\$4,468
20"	40"	75"	250 lb	<b>XP</b> infill side 1: laminate infill side 2: magnetic porcelain markerboard	n/a	RLNCH4075XPSO	\$4,271

\* see fabric grade information below

#### 1. Model Number

EX: RLNCH4075XTSO

#### 2. Side 1 Laminate Infill

##### Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 Laminate  
see [izzy+ color card](#) for color selection

##### Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

#### 3. Side 2 Fabric Infill

(for **XT** tackable fabric model only)

G1	Grade 1/COM (std)	+ \$0
G2	Grade 2	+ \$33*
G3	Grade 3	+ \$125*
Other/CSM	call for a quote (customer specified material)	

**OPEN MARKET**

note: upcharge is applied per side  
see [izzy+ color card](#) for fabric  
selection and COM fabric instructions.

#### 4. Frame Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

**OPEN MARKET**

#### 5. Cabinet Finish

**Melamine** (standard)

see [izzy+ color card](#) for color selection  
(choose one melamine color)

#### 6. Accessories

##### Side-Mounted Container

RLNMC.P06	silver	\$197
RLNMC.P07	white	\$283
RLNMC.P09	charcoal	\$283
RLNMC.P10	black	\$283
RLNMC.P11	alloy	\$283



Side Mounted Container

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## CONNECTION CART

## Technology Supporting - Closed Storage

## PRICING


## 63" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE	OPEN MARKET LAMINATE CABINET DOORS
20"	40"	63"	246 lb	<b>XM</b> infill side 1: laminate infill side 2: LDW laminate markerboard	n/a	RLNCH4063XMSC	\$4,043	+ \$289
20"	40"	63"	246 lb	<b>XT</b> infill side 1: laminate infill side 2: tackable fabric *	1.0 yds	RLNCH4063XTSC	\$4,666	+ \$289
20"	40"	63"	246 lb	<b>XP</b> infill side 1: laminate infill side 2: magnetic porcelain markerboard	n/a	RLNCH4063XPSC	\$4,405	+ \$289

\* see fabric grade information below

## 75" Height



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	INFILL CONFIGURATION	COM FABRIC YARDAGE	MODEL #	LIST PRICE	OPEN MARKET LAMINATE CABINET DOORS
20"	40"	75"	256 lb	<b>XM</b> infill side 1: laminate infill side 2: LDW laminate markerboard	n/a	RLNCH4075XMSC	\$4,229	+ \$289
20"	40"	75"	256 lb	<b>XT</b> infill side 1: laminate infill side 2: tackable fabric *	1.4 yds	RLNCH4075XTSC	\$4,797	+ \$289
20"	40"	75"	256 lb	<b>XP</b> infill side 1: laminate infill side 2: magnetic porcelain markerboard	n/a	RLNCH4075XPSC	\$4,535	+ \$289

\* see fabric grade information below

## 1. Model Number

ex: RLNCH4075XPSC

## 2. Side 1 Laminate Infill

## Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 Laminate  
see [izzy+ color card](#) for color selection

## Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

## 3. Side 2 Fabric Infill

(for XT tackable fabric model only)

<b>G1</b>	Grade 1/COM (std)	+ \$0
<b>G2</b>	Grade 2	+ \$33*
<b>G3</b>	Grade 3	+ \$125*
	Other/CSM	call for a quote (customer specified material)

OPEN MARKET

note: upcharge is applied per side  
see izzy+ color card for fabric selection  
and COM fabric instructions.

## 4. Frame &amp; Pull Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 5. Cabinet Finish

## Melamine case &amp; door fronts (std)

see izzy+ color card for color selection  
(choose one melamine color.)

## Laminate door fronts

optional, see upcharge column above  
see step 2 (case is melamine)

## 2mm ABS Edgeband

(available with laminate door only)  
see izzy+ color card for color selection.

## 6. Accessories

## Side-Mounted Container

RLNMC.P06	silver	\$197
RLNMC.P07	white	\$283
RLNMC.P09	charcoal	\$283
RLNMC.P10	black	\$283
RLNMC.P11	alloy	\$283



Side Mounted Container

## LECTERN & BUDDY



## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## LECTERN &amp; BUDDY

## Standards, Tops, Edges, Grommet

## SPECIFICATIONS

## Standards


Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.

## Tops


**Dewey Lectern & Buddy tops** are 1.2" overall thickness, constructed with high-pressure laminate, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface. Grain direction runs length of top.

## Edges

**Urethane** is standard edge material on all sides of Lectern and Buddy. Dimensions and profile of the urethane vary on all sides.



## Grommet











**Molded Urethane Grommet:** Integrated urethane-molded grommets (3"L x 1.25"D) are standard with Lectern and Buddy tops. Urethane matches edge selection.



LECTERN & BUDDY

Frame, Glides & Casters, Height Adjustment, Modesty Panel

SPECIFICATIONS

<h2>Frame Construction</h2>	<p><b>Dewey Lectern Frames</b> are Extruded aluminum with a cast aluminum foot.</p>								
<h2>Glides, Casters &amp; Floor Mounting Kit</h2> <div><div><p>Glide</p></div><div><p>Floor Mounting Kit</p></div><div><p>Caster Non-locking</p></div><div><p>Caster Locking</p></div></div>	<p><b>Casters (standard):</b> 60mm dual wheel; each model contains two locking and two non-locking, Two-tone caster: charcoal with cool-grey interior.</p> <p><b>Glides (optional):</b> ¾" leveling for uneven floors. (reduces overall height by 2"</p> <p><b>Floor Mounting Kit</b> accessory is for use with glides on any product; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.</p>								
<h2>Height Adjustment</h2> <div><div><p>Buddy Height Range: 29" - 43"</p></div><div><p>Lectern/Lectern with Storage Height Range: 37" - 44"</p></div></div>	<p><b>Height Adjustment:</b> Pneumatic-activation lever for continuous height adjustment is located under the worksurface.</p> <table><tr><th>Lectern Height Adjustment</th><th>Pneumatic Height Range</th></tr><tr><td>Lectern</td><td>37" - 44"</td></tr><tr><td>Lectern with Storage</td><td>37" - 44"</td></tr><tr><td>Buddy</td><td>29" - 43"</td></tr></table>	Lectern Height Adjustment	Pneumatic Height Range	Lectern	37" - 44"	Lectern with Storage	37" - 44"	Buddy	29" - 43"
Lectern Height Adjustment	Pneumatic Height Range								
Lectern	37" - 44"								
Lectern with Storage	37" - 44"								
Buddy	29" - 43"								
<h2>Modesty Panel</h2> <div><div><p>Buddy Modesty Panel</p></div><div><p>Lectern Modesty Panel</p></div></div>	<p><b>Modesty Panel:</b> Standard for Lectern, Buddy &amp; Lectern with Storage, Modesty Panel is constructed with extruded aluminum frame with standard laminate infill (horizontal grain direction), or optional frosted acrylic infill.</p>								

## SPECIFICATION &amp; PRICING GUIDE



February 2019 v1.3

## LECTERN &amp; BUDDY

## Storage, Finish Selection, Shipping

## SPECIFICATIONS

## Lectern with Storage



**Storage Cabinet:** Lectern is available with a locking cabinet for storage and technology. Door pull matches leg finish selection. Black grommets (3.75"L x 1.75"D) installed on top and bottom of cabinet. Cabinet construction consists of 3/4" thermally-fused melamine case and door with coordinating edgeband. Doors are optionally available in 3/4" particle board core with high-pressure laminate and 2mm ABS edgeband. Grain direction is vertical. Standard with top grommets for wire management. Door hinges can be specified on either the left or right side. Storage cabinet comes standard with a lock. Buddy not available with storage.

**Technology Storage Rack:** Optional 19" wide technology storage rack accommodates 12 rack units (RU).


**Cabinet dimensions:**

Exterior: 20.4"W x 16"D x 30"H

Interior: 19.1"W x 15.4"D x 28.9"H

**Ventilation Fan:** Optional on Lectern with Storage cabinet. Ideal for venting cabinets and enclosures that contain electronics. Self-contained fan features a large, brushless fan for higher airflow, low noise and durability. When mounted, fan does not vibrate. Fan speed is adjustable. Ventilation fan cover available in white or black.

## Finish Selection



**Lectern Finish Selection:** Finishes must be selected for up to 9 different components for Lectern, Buddy, and Lectern with Storage. See [izzy+ color card](#) to view color choices for each component.

Lectern & Buddy Finish Selection	Laminate	Melamine	Urethane	2mm ABS Edgeband	Frosted Acrylic (white)	Metal	Plastic (white or black)
Top	•						
Edge & Grommet (matching)			•				
Modesty Panel	• (std)				• (opt)		
Leg/Frame						•	
Cabinet Case *		•					
Cabinet Door Front *	• (opt)	• (std, same as case)					
Cabinet Door Edge * †				• (opt)			
Door Pull *						• (same as leg)	
Vent Fan Cover * ‡							•

\* Lectern with Storage only

† select with optional laminate door only

‡ select with optional ventilation fan only

## Shipping

Lectern & Buddy ship assembled. Lectern with Storage ships assembled on a skid with corner guards and shrink wrap. Cabinet will be individually wrapped and placed on skid between Lectern legs.




## LECTERN & BUDDY

### Buddy, Lectern, Lectern w/Storage


#### PRICING

#### Buddy




DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	MODEL #	LIST PRICE
20"	27"	29"-43"	51 lb	RLNLECT2027	\$2,300

#### Lectern



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	MODEL #	LIST PRICE
27"	30"	37"-44"	65 lb	RLNLECT2730	\$2,419

#### Lectern with Storage



DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	CABINET HINGE	MODEL #	LIST PRICE	LAMINATE CABINET DOOR
27"	30"	37"-44"	98 lb	left hinge	RLNLECT2730SL	\$3,719	+ \$203
	30"	37"-44"	98 lb	right hinge	RLNLECT2730SR	\$3,719	+ \$203

#### 1. Model Number

ex: RLSH3060CHGM

#### 2. Top Finish

##### Standard Laminate

Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see [izzy+ color card](#) for color selection

##### Non-Standard Laminate

call customer service for a quote;  
extended lead times may apply.

#### 3. Top Edge/Grommet Finish

**Solid Urethane** (edge and grommet are the same color)  
see [izzy+ color card](#) for color selection

#### 4. Modesty Panel Finish

**Laminate** (std) see step 2

**MA Frosted Acrylic** (opt) + \$100  
**OPEN MARKET**

#### 5. Leg/Frame & Pull Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86
<b>OPEN MARKET</b>		

#### 6. Leg Options

CS	casters (std)	+ \$0
GL	glides (opt)	+ \$0
(height range will decrease by 2")		

#### 7. Cabinet Finish

(for lectern with storage)

**Melamine Case & Door** (std)

see [izzy+ color card](#) for color selection  
(choose one melamine color)

##### Laminate Door

optional, see upcharge column above  
see step 2 for color options  
(case is melamine)

##### 2mm ABS Edgeband

(available with laminate door only)

see [izzy+ color card](#) for color selection

#### 8. Cabinet Options


(for Lectern with Storage)

RK	rack mount rails	+ \$217
for technology storage		
LB	vent/fan left, black	+ \$240
RB	vent/fan right, black	+ \$240
LW	vent/fan left, white	+ \$240
RW	vent/fan right, white	+ \$240
<b>OPEN MARKET</b>		

**SPECIFICATION & PRICING GUIDE**February 2019 v1.3

---

## MEDIA CABINET



## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## MEDIA CABINET

## Standards, Glides, Floor Mounting Kit, Technology Storage

## SPECIFICATIONS


## Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.

## Construction

**Dewey Media Cabinet** is constructed with 3/4" thermally-fused melamine case and door with coordinating edgeband. are optionally available in 3/4" particle board core with high-pressure laminate and 2mm ABS edgeband. Grain direction is vertical. Frame is extruded aluminum with a cast aluminum foot. Drawer and door pulls match leg finish selection.


## Glides &amp; Floor Mounting Kit




**Glides:** 3/4" leveling for uneven floors.

**Floor Mounting Kit:** Optional for use with glides on any product; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.


## Storage Details &amp; Options




Exterior  
Cabinet View



Interior  
Cabinet View  
Standard Storage



Interior  
Cabinet View  
Optional  
Technology  
Storage Rack



Ventilation  
Fan & Cover

**Upper Cabinet:** Standard with two adjustable shelves, includes a hinged, locked rear access panel.

**Lower Drawer:** Lateral file accommodates horizontal filing.

**Grommets:** Four black grommets (3.75"L x 1.75"D); two on rear of cabinet, top right and left; one on top of bottom drawer; one on underside/bottom of cabinet.

**Locks** on Media cabinets are keyed alike – upper cabinet, lateral drawer, and rear access panel.

**Cabinet dimensions:**

Exterior: 20"W x 18.75"D x 60"H

Interior Cabinet: 19.1"W x 17.4"D x 39"H

Interior Lateral File Drawer 16.5"W x 11.5"D x 10"H

**Technology Storage Rack:** 19"W x 36.75"H; is optional, and accommodates 21 rack units (RU). Included with technology storage option is a back hinged door to provide access to racked technology.

**Ventilation Fan:** ideal for venting cabinets and enclosures, optional self-contained fan features a large, brushless fan for higher airflow, low noise and long life. When mounted, fan does not vibrate. Fan speed is adjustable. Ventilation fan cover available in white or black.


Media Cabinet Storage Options	Storage Only	Vent/Fan	Tech Rack	Tech Rack & Vent/Fan
	yes	left or right, black or white	yes	left or right

MEDIA CABINET

Finish Selection, Shipping

SPECIFICATIONS

Finish Selection



**Media Cabinet Finish Selection:** Finishes must be selected for up to 5 different Media Cabinet components. See [izzy+ color card](#) to view color choices for each component.

Media Cabinet Finish Selection	Laminate	Melamine	2mm ABS Edgeband	Metal	Plastic (white or black)
Case		●			
Door & Drawer Fronts*	● (opt)	● (std - same as case)			
Door & Drawer Edges*			● (opt)		
Legs & Door/DrawerPulls (matching)				●	
Vent Fan Cover †					●

\* select with optional laminate door/drawer fronts only  
† select with optional ventilation fan only

Shipping

Dewey Media Cabinet ships assembled.

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## MEDIA CABINET

Upper Cabinet, Lower Lateral

## PRICING

Media Cabinet



DEPTH	WIDTH	OVERALL HEIGHT	WEIGHT	HINGE	MODEL #	LIST PRICE	LAMINATE FRONT
18.75"	20"	60"	189 lb	left hinge	RLNCAB60L	\$1,641	+ \$330
	20"	60"	189 lb	right hinge	RLNCAB60R	\$1,641	+ \$330

OPEN  
MARKET

## 1. Model Number

ex: RLNCAB60R

## 2. Cabinet Finish

**Melamine Case & Front** (std)see [izzy+ color card](#) for color selection  
(choose one melamine color)**Laminate Door & Drawer Fronts**optional, see upcharge column above  
Izzy+ standard laminate  
SurfaceWorks group 1 laminate  
see [izzy+ color card](#) for color selection  
case is melamine**2mm ABS Edgeband**(available with laminate door only)  
see [izzy+ color card](#) for color selection

## 3. Base &amp; Pull Finish

P06	silver (std)	+ \$0
P07	white	+ \$86
P09	charcoal	+ \$86
P10	black	+ \$86
P11	alloy	+ \$86

OPEN MARKET

## 4. Base Accessories

floor mounting kit	\$37
--------------------	------

## 5. Cabinet Options

RK	rack mount rails for technology storage	+ \$217
LB	vent/fan left, black	+ \$240
RB	vent/fan right, black	+ \$240
LW	vent/fan left, white	+ \$240
RW	vent/fan right, white	+ \$240

OPEN MARKET



## BOOKSHELF





## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

## BOOKSHELF


## Frame, Glides, Floor Mounting Kit, Finish Selection, Shipping

## SPECIFICATIONS


## Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold and BIFMA level® 2 certified.


## Construction




Wall-Mounted Shelf  
14"D x 40"L x 81.25"H



Wall-Mounted Add-on Shelf  
14"D x 38"L x 81.25"H



Freestanding Shelf  
18"D x 40"L x 83.5"H



Freestanding Add-on Shelf  
18"D x 38"L x 83.5"H


Available as a freestanding or wall-mounted unit. **Dewey Bookshelf** dimensions are 36"L x 12.5"H with 6 total display surfaces. Extruded aluminum frame supports three C-shaped shelves. Free-standing frame includes 18" cast aluminum feet with adjustable glides, and Wall mounted frame includes adjustable glides and hardware for mounting to wall.

Shelves are 1" thick. Shelf units can be mounted in 6" increments facing either direction on frame to allow for dual-sided use. High pressure laminate construction with horizontal grain direction.


**Shelf Edges:** 2mm ABS edgeband (PVC-free).

**Add-On Bookshelf:** Attaches to a freestanding or wall-mounted bookshelf, or another add-on unit. Consists of additional shelving and one support leg.

## Glides &amp; Floor Mounting Kit



Glide




Floor Mounting Kit

**Adjustable Glides:** 3/4" leveling for uneven floors.

**Floor Mounting Kit:** Optional for use with glides on any product; allows permanent floor mounting without damage. Use for tiered floor environments or to keep furniture stationary. Includes 4 brackets and hardware to mount to concrete using 1/4" drill bit.

## Finish Selection



**Bookshelf Finish Selection:** Each of the three Dewey Bookshelf components require a finish selection. See [izzy+ color card](#) to view color choices for each component.

Bookshelf Finish Selection	Laminate	2mm ABS Edgeband	Metal
Shelf	•		
Shelf Edge		•	
Frame/Leg			•

## Shipping

Dewey Bookshelf ships knocked down.

## SPECIFICATION &amp; PRICING GUIDE


February 2019 v1.3

## BOOKSHELF


## Wall Mounted &amp; Free Standing

## PRICING

## Wall-Mounted




stand-alone




add-on

DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	MODEL #	LIST PRICE
Wall-Mounted stand-alone shelf	14"	40"	81.25"	135 lb	RLNBOK36WH	\$2,390
Wall-Mounted add-on shelf	14"	38"	81.25"	125 lb	RLNBOK36WAH	\$2,074

## Freestanding



stand-alone



add-on

DESCRIPTION	DEPTH	LENGTH	OVERALL HEIGHT	WEIGHT	MODEL #	LIST PRICE
Freestanding stand-alone shelf	18"	40"	83.5"	140 lb	RLNBOK36FH	\$2,390
Freestanding add-on shelf	18"	38"	83.5"	126 lb	RLNBOK36FAH	\$2,074

## 1. Model Number

ex: RLNBOK36FAH

## 2. Shelf Finish

**Standard Laminate**

Izzy+ standard laminate  
 SurfaceWorks group 1 laminate  
 see [izzy+ color card](#) for color selection

**Non-Standard Laminate**

call customer service for a quote;  
 extended lead times may apply.

## 3. Shelf Edge Finish

**2mm ABS Edgeband**see [izzy+ color card](#) for color selection

## 4. Frame/Leg Finish

P06	silver (std)	+\$0
P07	white	+\$86
P09	charcoal	+\$86
P10	black	+\$86
P11	alloy	+\$86

OPEN MARKET

## SPECIFICATION &amp; PRICING GUIDE

February 2019 v1.3

---

DOCUMENT UPDATES

---

## Version 1.1 Updates (published April 5, 2019)

**Pricing:**

- Price correction for Connection Cart Side Mounted Container
- Price correction for Helpdesk model MM, standing height, 30x60, pin-height adjustable

**Product:**

- COM fabric yardage column added to Connection Cart pricing charts
- i10 power/data unit color correction (AV=White, C=Black)
- Finish selection charts added to specification pages for all products
- Media Cabinet panel thickness corrected to 1"
- Stay Put - Chicago/NYC is now NYC, as Chicago's power restrictions have been lifted
- Floor Mounting Kit added to Media Cabinet pricing page

**General:**

- Various typo corrections and clarifications throughout document
- Product Thought-Starters section removed
- Table of Contents added

## Version 1.2 Updates (published May 21, 2020)

**Product:**

- i50 (Eclipse) power/data color correction (Z130=black, Z131=white)
- Illustration modifications for Tech Supporting Connection Cart
- Tech Supporting Connection Cart pricing now includes wire manager (no longer separate accessory)
- Helpdesk pricing typo corrected
- Fixed height Helpdesk added
- Helpdesk weights corrected

## Version 1.3 Updates (published October 21, 2020)

**Product:**

- Helpdesk GX Seated Height: part numbers corrected (crank and fixed heights were interchanged)





SurfaceWorks Inc.  
7821 S. 10th Street | Oak Creek, WI 53154  
[www.surfaceworks.us](http://www.surfaceworks.us)

414.570.2677

---