



SURFACEWORKS

NEMO

SPECIFICATION & PRICING GUIDE

JULY 2019

**GSA CONTRACT #GS-27F-0050W*
SIN 337127TL.SB Tables & Lecterns**

CATALOG AT LIST PRICES - GSA DISCOUNTING APPLIES

**small business set aside*



NEMO BAR



SPECIFICATION & PRICING GUIDE

July 2019

NEMO BAR

Standards, Tops, Bases, Edges, Glides, Coat Hooks

SPECIFICATIONS

Standards

Nemo Bar meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified.

Top Construction

Nemo Bar Tops are 1.2" overall thickness, constructed with high-pressure laminate, particle board core, edged and backed with moisture-resistant coverings to form a completely sealed outside surface.

Base Construction


Nemo Bar Base is constructed with 14 gauge HRPO steel with powdercoat finish.

Top Edge




2mm ABS Edgeband (PVC-free) in knife profile is standard with all Nemo Bar Tops. Undercut is painted black.

Glides



Glides: $\frac{3}{4}$ " leveling for uneven floors. Casters are not available with Nemo Bar; this baby is too big to move around all the time.

Coat Hooks




Nemo Bar comes standard with 1.5" coat hooks; 3 per side on the 96" length, and 4 per side on the 120" and 144" lengths.

Nemo Bar Coat Hooks			
bar length:	96"	120"	144"
hook quantity:	3 per side, 6 total	4 per side, 8 total	4 per side, 8 total

NEMO BAR

Dimensions, Seating, Power Options
SPECIFICATIONS


Dimensions, Seating &
Leg Clearance



Nemo Bar is 30" wide and available in 8', 10' and 12' lengths to seat 6, 8, and 10 people. Counter and standing heights available.

Nemo Bar Dimensions						
Height:	Counter Height			Standing Height		
A	34.2"			42.2"		
B	18.2"			19.2"		
C	27"			35"		
Length:	96"	120"	144"	96"	120"	144"
D	63"	87"	111"	63"	87"	111"
E	42.6"	66.6"	90.6"	42.6"	66.6"	90.6"
F	46"	70"	94"	46.8"	70.8"	94.8"
G	66.4"	90.4"	114.4"	67.2"	91.2"	115.2"
Seating:	6	8	10	6	8	10

Power Options



Nemo Bar is optionally equipped with **Axil® Z power modules** on the sides, ends, or both (see chart below). All power modules are interconnected, resulting in one 10' corded infeed. Each power module is configured with 2 power, 1 dual USB, and 1 open data window (other configurations are available, call for a quote). Hardwired power is also available. Power faceplates/bezels match base paint finish selection.

Nemo Bar Power Units			
bar length:	96"	120"	144"
side power:	2 per side, 4 total	3 per side, 6 total	3 per side, 6 total
end power:	1 per end, 2 total		

SPECIFICATION & PRICING GUIDE


July 2019

NEMO BAR

Finishes, Infill Options

SPECIFICATIONS


Finish Selection



Nemo Bar Finish Selection: There are four Nemo Bar components that require finish selections. See [izzy+ color card](#) to view color choices for each component. Power module faceplates and coat hooks are the same finish as the base.

Nemo Bar Finish Selection				
	Laminate	2mm ABS Edgeband	Metal Powdercoat	Fabric
Top	•			
Edge		•		
Base			•	
Base Infill	•		(no infill, same as base)	•
Coat Hooks			(same as base)	
Power Modules			(same as base)	

Base Infill Options




Base infill options include laminate, fabric or no infill.

NEMO BAR

Counter/Standing Heights

PRICING

34" Counter Height




NEMO BAR 34" COUNTER HEIGHT											
DEPTH	LENGTH	HEIGHT	MODEL #	LIST PRICE	NO POWER	POWER OPTIONS					
						CORDED			HARDWIRED		
						SIDES ONLY	ENDS ONLY	SIDES & ENDS	SIDES ONLY	ENDS ONLY	SIDES & ENDS
30"	96"	34"	NEM3096CH	7,246	+0	+2,987	+1,751	+4,429	+3,090	+1,854	+4,532
30"	120"	34"	NEM30120CH	8,003	+0	+4,429	+1,751	+5,871	+4,532	+1,854	+5,974
30"	144"	34"	NEM30144CH	8,976	+0	+4,429	+1,751	+5,871	+4,532	+1,854	+5,974

OPEN MARKET

OPEN MARKET

42" Standing Height




NEMO BAR 42" STANDING HEIGHT											
DEPTH	LENGTH	HEIGHT	MODEL #	LIST PRICE	NO POWER	POWER OPTIONS					
						CORDED			HARDWIRED		
						SIDES ONLY	ENDS ONLY	SIDES & ENDS	SIDES ONLY	ENDS ONLY	SIDES & ENDS
30"	96"	42"	NEM3096BH	7,354	+0	+2,987	+1,751	+4,429	+3,090	+1,854	+4,532
30"	120"	42"	NEM30120BH	8,111	+0	+4,429	+1,751	+5,871	+4,532	+1,854	+5,974
30"	144"	42"	NEM30144BH	9,085	+0	+4,429	+1,751	+5,871	+4,532	+1,854	+5,974

OPEN MARKET

OPEN MARKET

Base Infill Options



no infill

laminate

fabric

NEMO BAR BASE INFILL OPTIONS						
HEIGHT	NO INFILL	LAMINATE	FABRIC			
			GRADE 1 /COM	GRADE 2	GRADE 3	COM FABRIC ALLOWANCE
34" COUNTER HEIGHT	+0	+721	+515	+567	+618	1.5 yards
42" STANDING HEIGHT	+0	+824	+567	+618	+670	1.5 yards

OPEN MARKET

1. Model Number

EX: NEM3096CH

2. Top Finish

Standard Laminate

Izzy+ standard laminate
SurfaceWorks group 1 laminate
see [izzy+ color card](#) for color selection

Non-Standard Laminate

call customer service for a quote;
extended lead times may apply.

3. Edge Finish

2mm ABS Edgeband

see [izzy+ color card](#) for color selection

4. Base Finish

P06 silver
P07 white
P09 charcoal
P10 black
P11 alloy

5. Base Infill

(see upcharge columns above)

No Infill

metal matches base selection

Laminate Infill

see step 2 for laminate selection

Fabric Infill


(see upcharge columns above)
grades 1, 2 & 3 or COM
see [izzy+ color card](#) for fabric
selection and COM fabric instructions.

COM (customer's own material)
requirements: vertical grade, 66"
standard roll width. fabric must be
backed. fabric allowance is 1.5 yards
per bar. if COM fabrics do not meet
the noted requirements, the order will
be processed as a custom request.

6. Power

Axil® Z power modules

(see upcharge columns above)
side power, end power or both
faceplate finish matches base
2 power/1 dual USB/1 open



SPECIFICATION & PRICING GUIDEJuly 2019

NEMO TRELLIS



SPECIFICATION & PRICING GUIDE

July 2019

NEMO TRELLIS

Standards, Frame Construction, Glides, Configurations

SPECIFICATIONS


Standards

Nemo Trellis is SCS Indoor Advantage Gold™ certified.

Frame Construction







Nemo Trellis Frames are constructed with powder coated extruded aluminum.

Glides



Glides: ¾" leveling for uneven floors. Casters are not available with Nemo Trellis.




Configurations

Lattice
Upper Panel3Form Varia Ecoresin
Upper Panel1-Sided
Wall Mounted2-Sided
Free Standing3-Sided
Free Standing

Nemo Trellis is available in 3 different configurations that offer flexibility to create spaces unique to your requirements.

NEMO TRELLIS
Dimensions
SPECIFICATIONS

Dimensions



Nemo Trellis is available in several different size and configuration options as follows:

1-Sided, Wall Mounted			
Model#	A (depth)	B (width)	C
NEMWM4884	48"	84"	40"
NEMWM48108	48"	108"	40"
NEMWM6084	60"	84"	52"
NEMWM60108	60"	108"	52"

2-Sided, Freestanding			
Model#	A (depth)	B (width)	C
NEMFS48120	48"	120"	40"
NEMFS60120	60"	120"	52"

3-Sided, Freestanding						
Model#	A (depth)	B (width)	C	D	E	F
NEM3S48144	85"	144"	48"	96"	40"	41"
NEM3348168	85"	168"	48"	96"	40"	48"
NEM3S48192	85"	192"	48"	120"	40"	48"
NEM3S60144	96"	144"	60"	96"	52"	40"
NEM3360168	96"	168"	60"	96"	52"	48"
NEM3S60192	96"	192"	60"	120"	52"	47"

SPECIFICATION & PRICING GUIDE


July 2019

NEMO TRELLIS

Finishes, Materials, Shipping

SPECIFICATIONS

Finish Selection



Nemo Bar Finish Selection: Depending on your configuration, there are up to five Nemo Trellis components that require finish selections. See [izzy+ color card](#) to view color choices for each component.


Nemo Trellis Finish Selection					
	Metal Powdercoat	3Form Varia Ecoresin	Laminate	LDW Markerboard	Fabric
Frame	•				
Upper Panel	(lattice, same as frame)	•			
Lower Panel Interior Infill			•	•	•
Lower Panel Exterior Infill			•	•	•
Back Lower Panels Interior Infill (3-sided only)			•	•	•

Lower Panel Infill Options



Lower Panel Infill options include laminate (std), LDW Markerboard, or fabric. Specify both interior and exterior infill (for 3-sided Trellis, also specify back interior panel infill).

Upper Panel Material Options




Upper Panel is available in either metal lattice (constructed with 14 gauge CRS) which is powder coated to match the frame, or 3Form Varia Ecoresin.

NEMO TRELLIS

with Metal Lattice Upper Panel

PRICING

1-Sided Wall-Mounted 48" Depth




NEMO TRELLIS, 1-SIDED WALL-MOUNTED, 48" DEPTH METAL LATTICE UPPER PANEL				
PANEL DEPTH	WIDTH (FROM WALL)	HEIGHT	MODEL #	LIST PRICE
48"	84"	81"	NEMWM4884LAT	7,010
48"	108"	81"	NEMWM48108LAT	7,118

48" PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	167	814	968	1,277	2 yds
EXTERIOR:	+0	167	814	968	1,277	2 yds

OPEN MARKET

1-Sided Wall-Mounted 60" Depth



NEMO TRELLIS, 1-SIDED WALL-MOUNTED, 60" DEPTH METAL LATTICE UPPER PANEL				
PANEL DEPTH	WIDTH (FROM WALL)	HEIGHT	MODEL #	LIST PRICE
60"	84"	81"	NEMWM6084LAT	7,567
60"	108"	81"	NEMWM60108LAT	7,675

60" PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	+182	+814	+968	+1,277	2 yds
EXTERIOR:	+0	+182	+814	+968	+1,277	2 yds

OPEN MARKET

1. Model Number EX: NEMWM4884LAT

2. Frame & Lattice Finish

P06 silver
P07 white
P09 charcoal
P10 black
P11 alloy

3. Lower Panel Infill (select 2 infills as per above charts)

Standard laminate Infill
Izzy+ standard laminate
see [izzy+ color card](#) for color selection
SurfaceWorks group 1 laminate

Non-Standard laminate Infill
call customer service for a quote
extended lead times may apply

LDW Markerboard Infill
(see upcharge columns above)

Fabric Infill

(see upcharge columns above)
grades 1, 2 & 3 or COM
see [izzy+ color card](#) for fabric selection
and COM fabric instructions.

COM (customer's own material) requirements:
vertical grade, 66" standard roll width. fabric must be backed. see above charts for fabric allowance per configuration. if COM fabrics do not meet the noted requirements, the order will be processed as a custom request.


SPECIFICATION & PRICING GUIDE

July 2019

NEMO TRELLIS

with Metal Lattice Upper Panel

PRICING


2-Sided Freestanding
48" Depth

NEMO TRELLIS, 2-SIDED FREESTANDING, 48" DEPTH METAL LATTICE UPPER PANEL				
DEPTH	WIDTH	HEIGHT	MODEL #	LIST PRICE
48"	120"	81"	NEMFS48120LAT	11,393

48" PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)*						
	LAMINATE (STD)	LDW MARKER- BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	+334	+1,628	+1,936	+2,554	4 yds
EXTERIOR:	+0	+334	+1,628	+1,936	+2,554	4 yds

*infill pricing includes both panels

OPEN MARKET

2-Sided Freestanding
60" Depth

NEMO TRELLIS, 2-SIDED FREESTANDING, 60" DEPTH METAL LATTICE UPPER PANEL				
DEPTH	WIDTH	HEIGHT	MODEL #	LIST PRICE
60"	120"	81"	NEMFS60120LAT	12,582

60" PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)*						
	LAMINATE (STD)	LDW MARKER- BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	+364	+1,628	+1,936	+2,554	4 yds
EXTERIOR:	+0	+364	+1,628	+1,936	+2,554	4 yds

*infill pricing includes both panels

OPEN MARKET

1. Model Number

EX: NEMFS60120LAT

2. Frame & Lattice Finish

P06 silver
P07 white
P09 charcoal
P10 black
P11 alloy

3. Lower Panel Infill

(select 2 infills as per above charts)

Standard laminate Infill

Izzy+ standard laminate
see [izzy+ color card](#) for color selection
SurfaceWorks group 1 laminate

Non-Standard laminate Infill

call customer service for a quote
extended lead times may apply

LDW Markerboard Infill

(see upcharge columns above)

Fabric Infill

(see upcharge columns above)
grades 1, 2 & 3 or COM
see [izzy+ color card](#) for fabric selection
and COM fabric instructions.


COM (customer's own material) requirements:
vertical grade, 66" standard roll width. fabric must
be backed. see above charts for fabric allowance
per configuration. if COM fabrics do not meet the
noted requirements, the order will be processed as
a custom request.

NEMO TRELLIS

with Metal Lattice Upper Panel

PRICING

3-Sided Freestanding 85" Depth




NEMO TRELLIS, 3-SIDED FREESTANDING, 85" DEPTH METAL LATTICE UPPER PANEL						
OVERALL DEPTH	OVERALL WIDTH	HEIGHT	L & R PANEL WIDTH	BACK PANEL WIDTH	MODEL #	LIST PRICE
85"	144"	81"	48"	96"	NEM3S48144LAT	29,041
85"	168"	81"	48"	96"	NEM3S48168LAT	29,149
85"	192"	81"	48"	120"	NEM3S48192LAT	29,970

48" LOWER PANEL INFILL OPTIONS (3 SELECTIONS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR L & R PANELS:	+0	+334	+1,628	+1,936	+2,554	4 yds
INTERIOR BACK PANEL:	+0	+364	+1,628	+1,936	+2,554	4 yds
EXTERIOR ALL PANELS:	+0	+698	+3,256	+3,872	+5108	8 yds

OPEN MARKET

3-Sided Freestanding 96" Depth



NEMO TRELLIS, 3-SIDED FREESTANDING, 96" DEPTH METAL LATTICE UPPER PANEL						
OVERALL DEPTH	OVERALL WIDTH	HEIGHT	L & R PANEL WIDTH	BACK PANEL WIDTH	MODEL #	LIST PRICE
96"	144"	81"	60"	96"	NEM3S60144LAT	30,348
96"	168"	81"	60"	96"	NEM3S60168LAT	30,513
96"	192"	81"	60"	120"	NEM3S60192LAT	31,165

60" LOWER PANEL INFILL OPTIONS (3 SELECTIONS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR L & R PANELS:	+0	+364	+1,628	+1,936	+2,554	4 yds
INTERIOR BACK PANEL:	+0	+364	+1,628	+1,936	+2,554	4 yds
EXTERIOR ALL PANELS:	+0	+728	+3,256	+3,872	+5108	8 yds

OPEN MARKET

1. Model Number

EX: **NEM3S60144LAT**

2. Frame & Lattice Finish

P06 silver
P07 white
P09 charcoal
P10 black
P11 alloy

3. Lower Panel Infill

(select 3 infills as per above charts)

Standard laminate Infill

Izzy+ standard laminate
see [izzy+ color card](#) for color selection
SurfaceWorks group 1 laminate

Non-Standard laminate Infill

call customer service for a quote
extended lead times may apply

LDW Markerboard Infill

(see upcharge columns above)

Fabric Infill

(see upcharge columns above)
grades 1, 2 & 3 or COM
see [izzy+ color card](#) for fabric selection
and COM fabric instructions.

COM (customer's own material) requirements:
vertical grade, 66" standard roll width. fabric must be backed. see above charts for fabric allowance per configuration. if COM fabrics do not meet the noted requirements, the order will be processed as a custom request.


SPECIFICATION & PRICING GUIDE

July 2019

NEMO TRELLIS

with 3Form Varia Ecoresin Upper Panel


PRICING

1-Sided Wall-Mounted
48" Depth

NEMO TRELLIS, 1-SIDED WALL-MOUNTED, 48" DEPTH 3FORM VARIA ECORESIN UPPER PANEL				
PANEL DEPTH	WIDTH (FROM WALL)	HEIGHT	MODEL #	LIST PRICE
48"	84"	81"	NEMWM48843F	11,877
48"	108"	81"	NEMWM481083F	11,985

48" LOWER PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	+167	+814	+968	+1277	2 yds
EXTERIOR:	+0	+167	+814	+968	+1277	2 yds

OPEN MARKET

1-Sided Wall-Mounted
60" Depth

NEMO TRELLIS, 1-SIDED WALL-MOUNTED, 60" DEPTH 3FORM VARIA ECORESIN UPPER PANEL				
PANEL DEPTH	WIDTH (FROM WALL)	HEIGHT	MODEL #	LIST PRICE
60"	84"	81"	NEMWM60843F	12,941
60"	108"	81"	NEMWM601083F	13,049

60" LOWER PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	+182	+814	+968	+1277	2 yds
EXTERIOR:	+0	+182	+814	+968	+1277	2 yds

OPEN MARKET

1. Model Number
EX: NEMWM601083F

2. Frame Finish

P06 silver
P07 white
P09 charcoal
P10 black
P11 alloy

3. Upper Panel Finish

3Form Varia Ecoresin
see [izzy+ color card](#) for color selection

4. Lower Panel Infill
(select 2 infills as per above charts)

Standard laminate Infill

Izzy+ standard laminate
see [izzy+ color card](#) for color selection
SurfaceWorks group 1 laminate

Non-Standard laminate Infill

call customer service for a quote
extended lead times may apply

LDW Markerboard Infill

(see upcharge columns above)

Fabric Infill

(see upcharge columns above)
grades 1, 2 & 3 or COM
see [izzy+ color card](#) for fabric selection
and COM fabric instructions.


COM (customer's own material) requirements:
vertical grade, 66" standard roll width. fabric must be backed. see above charts for fabric allowance per configuration. if COM fabrics do not meet the noted requirements, the order will be processed as a custom request.

NEMO TRELLIS

with 3Form Varia Ecoresin Upper Panel

PRICING

2-Sided Freestanding 48" Depth




NEMO TRELLIS, 2-SIDED FREESTANDING, 48" DEPTH 3FORM VARIA ECORESIN UPPER PANEL				
DEPTH	WIDTH	HEIGHT	MODEL #	LIST PRICE
48"	120"	81"	NEMFS481203F	17,883

48" PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	+334	+1,628	+1,936	+2,554	4 yds
EXTERIOR:	+0	+334	+1,628	+1,936	+2,554	4 yds

*infill pricing includes both panels

OPEN MARKET

2-Sided Freestanding 60" Depth



NEMO TRELLIS, 2-SIDED FREESTANDING, 60" DEPTH 3FORM VARIA ECORESIN UPPER PANEL				
DEPTH	WIDTH	HEIGHT	MODEL #	LIST PRICE
60"	120"	81"	NEMFS601203F	19,747

60" PANEL INFILL OPTIONS (SELECT INTERIOR & EXTERIOR INFILLS)*						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR:	+0	+364	+1,628	+1,936	+2,554	4 yds
EXTERIOR:	+0	+364	+1,628	+1,936	+2,554	4 yds

*infill pricing includes both panels

OPEN MARKET

1. Model Number

EX: **NEMFS481203F**

2. Frame Finish

P06 silver
P07 white
P09 charcoal
P10 black
P11 alloy

3. Upper Panel Finish

3Form Varia Ecoresin

see **izzy+ color card** for color selection

4. Lower Panel Infill

(select 2 infills as per above charts)

Standard laminate Infill

Izzy+ standard laminate
see **izzy+ color card** for color selection
SurfaceWorks group 1 laminate

Non-Standard laminate Infill

call customer service for a quote
extended lead times may apply

LDW Markerboard Infill

(see upcharge columns above)

Fabric Infill

(see upcharge columns above)
grades 1, 2 & 3 or COM
see **izzy+ color card** for fabric selection
and COM fabric instructions.

COM (customer's own material) requirements:
vertical grade, 66" standard roll width. fabric must be backed. see above charts for fabric allowance per configuration. if COM fabrics do not meet the noted requirements, the order will be processed as a custom request.


SPECIFICATION & PRICING GUIDE

July 2019

NEMO TRELLIS

with 3Form Varia Ecoresin Upper Panel


PRICING

3-Sided Freestanding
85" Depth

NEMO TRELLIS, 3-SIDED FREESTANDING, 85" DEPTH 3FORM VARIA ECORESIN UPPER PANEL						
OVERALL DEPTH	OVERALL WIDTH	HEIGHT	L & R PANEL WIDTH	BACK PANEL WIDTH	MODEL #	LIST PRICE
85"	144"	81"	48"	96"	NEM3S481443F	42,020
85"	168"	81"	48"	96"	NEM3S481683F	42,128
85"	192"	81"	48"	120"	NEM3S481923F	43,625

48" LOWER PANEL INFILL OPTIONS (3 SELECTIONS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR L & R PANELS:	+0	+334	+1,628	+1,936	+2,554	4 yds
INTERIOR BACK PANEL:	+0	+364	+1,628	+1,936	+2,554	4 yds
EXTERIOR ALL PANELS:	+0	+698	+3,256	+3,872	+5108	8 yds

OPEN MARKET

3-Sided Freestanding
96" Depth

NEMO TRELLIS, 3-SIDED FREESTANDING, 96" DEPTH 3FORM VARIA ECORESIN UPPER PANEL						
OVERALL DEPTH	OVERALL WIDTH	HEIGHT	L & R PANEL WIDTH	BACK PANEL WIDTH	MODEL #	LIST PRICE
96"	144"	81"	60"	96"	NEM3S601443F	44,003
96"	168"	81"	60"	96"	NEM3S601683F	44,168
96"	192"	81"	60"	120"	NEM3S601923F	45,495

48" LOWER PANEL INFILL OPTIONS (3 SELECTIONS)						
	LAMINATE (STD)	LDW MARKER-BOARD	FABRIC GRADE 1 /COM	FABRIC GRADE 2	FABRIC GRADE 3	COM FABRIC ALLOWANCE
INTERIOR L & R PANELS:	+0	+364	+1,628	+1,936	+2,554	4 yds
INTERIOR BACK PANEL:	+0	+364	+1,628	+1,936	+2,554	4 yds
EXTERIOR ALL PANELS:	+0	+728	+3,256	+3,872	+5108	8 yds

OPEN MARKET

1. Model Number
EX: NEM3S481443F

2. Frame Finish

P06 silver
P07 white
P09 charcoal
P10 black
P11 alloy

3. Upper Panel Finish

3Form Varia Ecoresin

see [izzy+ color card](#) for color selection

4. Lower Panel Infill

(select 3 infills as per above charts)

Standard laminate Infill

Izzy+ standard laminate
see [izzy+ color card](#) for color selection
SurfaceWorks group 1 laminate

Non-Standard laminate Infill

call customer service for a quote
extended lead times may apply

LDW Markerboard Infill

(see upcharge columns above)

Fabric Infill

(see upcharge columns above)
grades 1, 2 & 3 or COM
see [izzy+ color card](#) for fabric selection
and COM fabric instructions.

COM (customer's own material) requirements:
vertical grade, 66" standard roll width. fabric must be backed. see above charts for fabric allowance per configuration. if COM fabrics do not meet the noted requirements, the order will be processed as a custom request.



SurfaceWorks Inc.
7821 S. 10th Street | Oak Creek, WI 53154
www.surfaceworks.us

414.570.2677
