



SURFACEWORKS

NEWTON

SPECIFICATION & PRICING GUIDE

JULY 2026





NEWTON IS DESIGNED FOR SPACES THAT TRANSITION NATURALLY BETWEEN INSTRUCTION, COLLABORATION, AND EVERYDAY USE, PAIRING ADAPTABLE FUNCTIONALITY AND DURABLE MATERIALS WITHIN A WARM, INVITING DESIGN LANGUAGE.



Student Table

Seated-height tables available in Rectangle and Soft Rectangle shapes, with T-Leg or Post Leg base styles.



Teacher Table

Seated-height table with a optional reversible PET shroud, available in Rectangle and Soft Rectangle shapes. Offered with a T-Leg base style.



Lectern

Height-adjustable lectern with integrated casters, optional PET shroud, and optional in-surface urethane features. Available in Rectangle and Soft Rectangle shapes.



Collaborative Table

Counter- and standing-height tables with footer bar, available in Rectangle and Soft Rectangle shapes. Offered with glides or casters.



Accent Table

Seated, standing, and height-adjustable X-base tables available in Round, Square, and Soft Square shapes.



Bench

19"H benches with removable fabric cushions, available in three- to six-cubby configurations.



Storage

Credenzas, consoles, and towers available in 19"H, 36"H, and 75"H storage configurations, with multiple compartments, adjustable shelves, and lock options.



Locker

75"H locker with 10 compartments, available with pulls or integrated locks.



Connection Cart

74" H mobile upright cart with casters and writable laminate panels on both sides. Optional removable tackable PET panels are available.



Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified

Shapes & Sizes


Rectangle




Soft Rectangle




Square



Soft Square



Soft Triangle



Newton Student Table size availability is as per chart below:

Newton Student Table Sizes			
Shape	Leg Style	Depth	Width
Rectangle, Soft Rectangle	Post Leg	18"	32", 60"
		24"	42", 48", 60"
		30"	60"
	T-Leg	18"	32", 60", 72"
		24"	42", 48", 60", 72"
		30"	60", 72", 84", 96"
	T-Leg Flip Top	18"	60", 72"
		24"	48", 60", 72"
		30"	60", 72"
Square, Soft Square	Post Leg	42" x 42", 48" x 48"	
Soft Triangle	Post Leg	42" x 42"	

Heights



Newton Student Tables are available in 29" Seated Height. Other heights are available through quote.

NEWTON STUDENT TABLE

SPECIFICATIONS

Base Availability, Base Construction

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Base Availability

Post Legs



T-Legs



Newton Student Tables are available in Post Legs, T-Legs, or Flip-Top T-Legs. Post Legs and T-Legs are available in casters or glides.

Base Construction

T-Leg Construction



Post Leg Construction



Newton Student Tables with T-Legs feature 2" diameter columns for 18" and 24" deep tops and 2.75" diameter columns for 30" deep tops. Constructed of powder-coated steel, each column is bolted to a 3.25" or 4" wide foot made of powder-coated steel. The foot length is sized 1" shorter than the table depth. Legs attach to the tabletop with either a mounting plate or a flip-top mechanism mount.

Newton Student Tables with Post Legs feature 2" diameter posts constructed of powder-coated steel. Legs attach to the tabletop

Newton Student Table T-Leg Dimensions			
Table Top Depth	Base Foot Spread	Base Column Width	Base Foot Width
18"	17"	2"	3.25"
24"	23"	2"	3.25"
30"	29"	2.75"	4"

Casters & Glides




Newton Student Tables are offered in either 1.4" adjustable Glides or 2" locking casters. Glides have 0.25" of height adjustability. Glides and casters are black.

T-Leg Flip-Top



Newton Student Tables with T-Legs are available in Flip-Top configurations. Flip-top table releases are installed underneath the tabletop on the user side and fold away from the user. Flip-Top tables lock in both the up and down position. Flip-Top tables have 2" locking casters as standard.

Nesting Dimensions




Newton Flip Top Student Tables nest in a staggered formation for easy storage, adding 4" to the overall footprint dimension of the table width

When in the flipped position, flip-top tables have the depth of their corresponding leg assembly. Each additional nested table adds approximately 9" to the overall depth of all nested tables


Newton Student Table Nesting Dimensions		
Base Leg	Table Top Depth	Base Foot Spread
T-Leg	18"	17"
	24"	23"
	30"	29"

Top & Edge Construction


Edge Model BP2: Flat Profile Baltic Birch Plywood



Edge Models AB, EB, EB9: Flat Profile Edgeband



Edge Model MA7: Medium Eased Profile Urethane




Edge Models BP2: constructed with high-pressure laminate, birch plywood core with a coated reveal and backed with phenolic to form a sealed outside surface. Actual table dimensions for BP2 may be slightly less than nominal

Edge Models AB, EB: constructed with high-pressure laminate, particleboard core, edged with edgeband, backed with phenolic to form a sealed outside surface.

Edge Model MA7: constructed with high-pressure laminate, particle board core with a medium eased urethane profile and backed with phenolic to form a sealed outside surface.


Newton Student Table Standard Edge Models		
Edge Material	Edge Model	Description
Baltic Birch Plywood	BP2	Plywood Flat Profile w/Laminate overlay
Edgeband	AB	2mm ABS or Polypropylene, Flat Profile
	EB	2mm or 3mm ABS, PVC or Polypropylene, Flat Profile
Urethane	MA7	Medium Eased Profile, PURTech Urethane Edge

Power: Mini-Tap®



The recommended power accessory is the Mini-Tap® Power unit. Sized at 3W"× 1.5H"× 3.25D", the unit is field-mounted under the Newton Student Table. Configured with one power and one USB A+C charging, and a 120" cord with a straight plug. Available in black.

Wire Management



Tables with T-Leg bases are also available with mouseholes for cable and wire management. Mouseholes are available in one leg and are located at the top and bottom of the column.

NEWTON STUDENT TABLE


SPECIFICATIONS

Featured Power, Modesty Panels, Bag Hooks

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Featured Power: Thesis



The featured power accessory is the mobile Thesis Power unit allowing for cordless power. The unit measures 7" W x 2.4" H x 5.3" D and can be mounted below the worksurface using the metal bracket accessory.

With up to 216Wh of power and multiple USB-A and USB-C ports, it supports charging for a range of devices, including laptops. Multiple units can stack to recharge simultaneously. A hidden compartment allows for anti-theft tracking devices to be discretely installed. Available in Black, White, and Folkstone as standard.

Modesty Panels




Newton Student Desks with T-Legs, in either fixed-base or flip-top styles, can accommodate PET modesty panels. Modesty panels for Flip-Top tables are undermounted with hinges that freely swing as the table is folded for flat storage. Fixed top table modesty panels are mounted with a fixed bracket.

Modesty panels are constructed of 100% PET material. PET material is dark grey in color.

PET modesty panels are sold separately as an accessory. See the Accessories pages for more details.

Bag Hooks Option



Newton Student Tables are available with Bag Hooks. Bag Hooks are made of powder-coated steel and are strong enough to hold up to 100 pounds of weight.

When ordered as an **option** of the Newton Student Table, Bag Hooks will be **powder-coated to match the base column**.

When ordered as a **separate accessory**, Bag Hooks are available in kits of 4, in P300 Black only (see Accessories section).

All Newton Student Tables are available with up to 3 bag hooks, but pilot holes will only be pre-drilled for bag hooks according to the table below.

Bag Hook Pre-Drill Locations			
Table Width	Short Side Quantity	Long Side Quantity	Placement
36"	1	0	Centered on Edge
42" – 48"	2	0	
60" - 96"	2	1	
Triangle 42"	3	0	

Finish Selection



There are up to **four Newton Student Table components that require finish selections**—top surface, top edge, base foot, and base column (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Student Table Finish Selection					
Finish Type	HPL / Fenix* / Forbo Linoleum*	Metal Powdercoat	Edge Models		
			BP2	AB, EB	MA7
Top Surface Color:	•				
Base Color:		•			
Base Foot Color:†		•			
Plywood Edge Finish:			W791 Baltic Birch		
Edgeband Color:				•	
Urethane Color:					•

*Quote Required for Fenix and Forbo
†T-Leg base only

Shipping & Assembly

Newton Student Tables are shipped knocked down. Table tops are pre-drilled for easy assembly.

Model Number

Example: NWTRAR.3060

Colors & Finishes

Click here to review all currently available product finishes.

Top Edge Treatment

Standard Edge Treatmentsee pricing pages
 Other Edge Treatment..... quote required

Top Edge Finish

Standard Edge Color std
 Non-Standard Edge Color..... quote required

Top Surface Finish

Group 1 Laminate std
 Group 2 Laminate std
 FENIX® Super Matte Laminate quote required
 Forbo Funiture Linoleum quote required
 Other Laminate/Material quote required

Base Finish

P048 Anchor Gray std
 P300 Black std
 P348 Designer White std
 P354 HM Medium Tone std
 P378 Sand std
 P387 HM Innertone Light std
 P406 Black Wrinkle std
 P431 Metallic Silver std
 P466 Champagne Metallic std
 P690 Aegean std
 P691 Red Rock std
 P692 Toasted Ivory std
 P693 Sangria std
 P694 Parsley std
 P695 Fern Green std
 P696 Glacier Blue std
 Other Base Finish quote required

Base Foot Option

Student tables are available in locking casters or glides.

Casters or Glides



Pricing: Fixed Top Post Leg or T Leg

G Glides n/c
 C Locking Casters + \$135

Pricing: Flip Top T-Leg


C Locking Casters n/c

Featured Power: Thesis Cordless

The Thesis power unit is a mobile battery pack configured with one 100W USB-C, two 30W USB-C, and one 10W USB-A.

Thesis power is an accessory to be ordered as a separate line item and field installed. An accessory mounting bracket allows for undermounting on most worksurfaces.

Thesis Power Unit + Mounting Bracket



Pricing

PTH.0.G1 Thesis Power Unit + \$3080
 AXW.THB.0648 Undermount Bracket + \$105

Power: MiniTap

The Minitap undermount power unit is configured with 2 power or 1 power & 1 USB A+C, with a 10' cord. Tamper resistant versions are available.

MiniTap Power is an accessory to be ordered as a separate line item and field installed.

Mini-Tap Power Unit



Pricing

PMT.1C.B.300 Minitap, 1 TR power, 1 USBA+C \$403
 PMT.1C.B.300 Minitap, 1 power, 1 USBA+C ... \$401
 PMT.2.B.300 Minitap, 2 power \$191
 Other Power. quote required

T-Leg Wire Management Option

Cables and wires are routed through optional mouseholes at the top and bottom of the student table T-leg.

T-Leg Mouseholes



Pricing

MH1 Student Table Leg with mouseholes n/c

Bag Hooks Option

Student tables are available with bag hooks. Bag hooks can support up to 100lbs.

Bag Hooks



Pricing

BH1 1 Bag Hook + \$40
 BH2 2 Bag Hook + \$80
 BH3 3 Bag Hook + \$120


NEWTON STUDENT TABLE

PRICING

Post Leg Seated Height - 29"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

		A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
				

	DIMENSIONS	MODEL NUMBER	A	B	C
	18D x 32W x 29H	NW TORR.1832	\$918	\$1,249	\$1,324
	18D x 60W x 29H	NW TORR.1860	\$1,026	n/a	\$1,510
	24D x 42W x 29H	NW TORR.2442	\$983	\$1,221	\$1,384
	24D x 48W x 29H	NW TORR.2448	\$989	\$1,231	\$1,399
	24D x 60W x 29H	NW TORR.2460	\$1,062	\$1,326	\$1,541
	30D x 60W x 29H	NW TORR.3060	\$1,137	\$1,422	\$1,739

	DIMENSIONS	MODEL NUMBER	A	B	C
	18D x 60W x 29H	NW TORJ.1860	\$1,091	\$1,287	\$1,522
	24D x 42W x 29H	NW TORJ.2442	\$1,048	n/a	\$1,396
	24D x 48W x 29H	NW TORJ.2448	\$1,053	\$1,243	\$1,411
	24D x 60W x 29H	NW TORJ.2460	\$1,126	\$1,338	\$1,553
	30D x 60W x 29H	NW TORJ.3060	\$1,202	\$1,434	\$1,751

	DIMENSIONS	MODEL NUMBER	A	B	C
	42D x 42W x 29H	NW TORE.4242	\$1,045	\$1,305	\$1,443

	DIMENSIONS	MODEL NUMBER	A	B	C
	42D x 42W x 29H	NW TORQ.4242	\$1,208	n/a	\$1,586
	48D x 48W x 29H	NW TORQ.4848	\$1,219	n/a	\$1,617

NEWTON STUDENT TABLE

PRICING

Post Leg Seated Height - 29"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BALTIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2
	DIMENSIONS	MODEL NUMBER	A	B	C
	42D x 42W x 29H	NWTORS.4242	\$1,144	\$1,447	\$1,574
	48D x 48W x 29H	NWTORS.4848	\$1,155	\$1,467	\$1,605

NEWTON STUDENT TABLE

PRICING

T Leg Seated Height - 29"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2
Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	18D x 32W x 29H	NWTRAR.1832	\$812	\$1,143	\$1,218
	18D x 60W x 29H	NWTRAR.1860	\$920	n/a	\$1,404
	18D x 72W x 29H	NWTRAR.1872	\$966	n/a	\$1,455
	24D x 42W x 29H	NWTRAR.2442	\$945	\$1,183	\$1,346
	24D x 48W x 29H	NWTRAR.2448	\$951	\$1,193	\$1,361
	24D x 60W x 29H	NWTRAR.2460	\$1,024	\$1,288	\$1,503
	24D x 72W x 29H	NWTRAR.2472	\$1,077	\$1,363	\$1,559
	30D x 60W x 29H	NWTRAR.3060	\$1,290	\$1,575	\$1,892
	30D x 72W x 29H	NWTRAR.3072	\$1,326	\$1,636	\$1,927
	30D x 84W x 29H	NWTRAR.3084	\$1,564	n/a	\$2,103
	30D x 96W x 29H	NWTRAR.3096	\$1,586	n/a	\$2,144

			A	B	C
Soft Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	18D x 32W x 29H	NWTRAJ.1832	\$877	\$1,033	\$1,230
	18D x 60W x 29H	NWTRAJ.1860	\$985	\$1,181	\$1,416
	18D x 72W x 29H	NWTRAJ.1872	\$1,031	\$1,247	\$1,467
	24D x 42W x 29H	NWTRAJ.2442	\$1,010	n/a	\$1,358
	24D x 48W x 29H	NWTRAJ.2448	\$1,015	\$1,205	\$1,373
	24D x 60W x 29H	NWTRAJ.2460	\$1,088	\$1,300	\$1,515
	24D x 72W x 29H	NWTRAJ.2472	\$1,141	\$1,375	\$1,571
	30D x 60W x 29H	NWTRAJ.3060	\$1,329	\$1,561	\$1,878
	30D x 72W x 29H	NWTRAJ.3072	\$1,390	\$1,648	\$1,939
	30D x 84W x 29H	NWTRAJ.3084	\$1,629	n/a	\$2,115
	30D x 96W x 29H	NWTRAJ.3096	\$1,651	\$2,034	\$2,156

NEWTON STUDENT TABLE

PRICING

T Leg Flip Top Seated Height - 29"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2
Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	18D x 60W x 29H	NWTFAR.1860	\$1,370	n/a	\$1,854
	18D x 72W x 29H	NWTFAR.1872	\$1,416	n/a	\$1,905
	24D x 48W x 29H	NWTFAR.2448	\$1,371	\$1,613	\$1,781
	24D x 60W x 29H	NWTFAR.2460	\$1,443	\$1,707	\$1,922
	24D x 72W x 29H	NWTFAR.2472	\$1,496	\$1,782	\$1,978
	30D x 60W x 29H	NWTFAR.3060	\$1,722	\$2,007	\$2,324
	30D x 72W x 29H	NWTFAR.3072	\$1,784	\$2,094	\$2,385

Soft Rectangle



DIMENSIONS	MODEL NUMBER	A	B	C
18D x 60W x 29H	NWTFAJ.1860	\$1,435	\$1,631	\$1,866
18D x 72W x 29H	NWTFAJ.1872	\$1,481	\$1,697	\$1,917
24D x 48W x 29H	NWTFAJ.2448	\$1,435	\$1,625	\$1,793
24D x 60W x 29H	NWTFAJ.2460	\$1,507	\$1,719	\$1,934
24D x 72W x 29H	NWTFAJ.2472	\$1,560	\$1,794	\$1,990
30D x 60W x 29H	NWTFAJ.3060	\$1,787	\$2,019	\$2,336
30D x 72W x 29H	NWTFAJ.3072	\$1,848	\$2,106	\$2,397



Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified

Shapes & Sizes

Newton Teacher Table size availability is as per chart below:

Rectangle

Smallest
24" x 48"

Largest
24" x 60"

Soft Rectangle

Smallest
24" x 48"

Largest
24" x 60"

R9 R9

Newton Teacher Table Sizes		
Shape	Depth	Width
Rectangle	24"	48", 60"
Soft Rectangle	24"	48", 60"



Newton Teacher Tables are available in 29" Seated Height.



Newton Teacher Tables are available in T-Legs with casters or glides.

NEWTON TEACHER TABLE


SPECIFICATIONS

Base Construction, Glides, Urethane Features

SURFACEWORKS PRICING GUIDE


ORIGINAL LINES

Base Construction




Newton Teacher Tables feature 2" diameter columns. Constructed of powder-coated steel, each column is bolted to a 3.25" wide foot made of powder-coated steel. The foot length is 23". Legs attach to the tabletop with a mounting plate .

Casters & Glides



Newton Teacher Tables are offered in either 1.4" adjustable Glides or 2" locking casters. Glides have 0.25" of height adjustability. Glides and casters are black.

In-Surface Urethane Features



Newton Teacher Desks offer two in-surface urethane options. The 10.75"W × 3.25"D two-tiered pen tray provides storage for writing utensils and incorporates an angled slot that supports tablets and phones in an upright, viewable position.

The 3" diameter urethane cupholder can fit most waterbottles and tumblers. Urethane features are sealed to the surface for a spill-proof top.

NEWTON TEACHER TABLE


SPECIFICATIONS

Book Tray, PET Shroud

SURFACEWORKS PRICING GUIDE


ORIGINAL LINES

Book Tray



Newton Teacher Tables feature an optional undermounted Book Tray for additional storage. Book Tray placement is on the right side of the table. The booktray measures approximately 16"W x 11.8"D x 3"H. Constructed of Powder Coated Steel. Available in Black.

PET Shroud




Newton Teacher Tables feature a 12" Tall PET Shroud. Made from 100% recycled PET, the shroud attaches to the tabletop with discreet undermounted brackets. PET is dark grey in color.

Shrouds are available for both Soft Rectangle and Rectangle Shapes. Shrouds are reversible using the existing hardware, acting as either a taller modesty panel or a taller shroud depending on user preference.


Mounting brackets are constructed of powder coated steel, and are black.

Top & Edge Construction


Edge Model BP2: Flat Profile Baltic Birch Plywood



Edge Models AB, EB: Flat Profile Edgeband



Edge Model MA7: Medium Eased Profile Urethane




Edge Models BP2: constructed with high-pressure laminate, birch plywood core with a coated reveal and backed with phenolic to form a sealed outside surface. Actual table dimensions for BP2 may be slightly less than nominal

Edge Models AB, EB: constructed with high-pressure laminate, particleboard core, edged with edgeband, backed with phenolic to form a sealed outside surface.

Edge Model MA7: constructed with high-pressure laminate, particle board core with a medium eased urethane profile and backed with phenolic to form a sealed outside surface.


Newton Teacher Table Standard Edge Models		
Edge Material	Edge Model	Description
Baltic Birch Plywood	BP2	Plywood Flat Profile w/Laminate overlay
Edgeband	AB	2mm ABS or Polypropylene, Flat Profile
	EB	2mm or 3mm ABS, PVC or Polypropylene, Flat Profile
Urethane	MA7	Medium Eased Profile, PURTech Urethane Edge

Power: Mini-Tap®



The recommended power accessory is the Mini-Tap® Power unit. Sized at 3W"× 1.5H"× 3.25D", the unit is field-mounted under the Newton Teacher Table. Configured with one power and one USB A+C charging, and a 120" cord with a straight plug. Available in black.

Wire Management



Newton Teacher Tables are available with mouseholes for cable and wire management. Mouseholes are available in one legs and are located at the top and bottom of the column.

NEWTON TEACHER TABLE


SPECIFICATIONS

Featured Power, Bag Hooks, Grommets

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Featured Power: Thesis



The featured power accessory is the mobile Thesis Power unit allowing for cordless power. The unit measures 7" W x 2.4" H x 5.3" D and can be mounted below the worksurface using the metal bracket accessory.

With up to 216Wh of power and multiple USB-A and USB-C ports, it supports charging for a range of devices, including laptops. Multiple units can stack to recharge simultaneously. A hidden compartment allows for anti-theft tracking devices to be discretely installed. Available in Black, White, and Folkstone as standard.

Bag Hooks Option



Newton Teacher Tables are available with Bag Hooks. Bag Hooks are made with powder coated steel and are strong enough to hold up to 100 pounds of weight.

When ordered as an **option** of the Newton Teacher Table, Bag Hooks will be **powder-coated to match the base column**.

When ordered as a **separate accessory**, Bag Hooks are available in kits of 4, in P300 Black only (see Accessories section).


Bag Hook is placed next to the undermounted book tray. Newton Student Tables are **pre-drilled for bag hooks**.

Grommets



Newton Teacher Tables are available with optional grommets. Grommets are centered according to the width of the table, placed 3" from the front of the table, and 19" apart.

Finish Selection



There are up to **five Newton Teacher Table components that require finish selections**—top surface, top edge, in-surface urethane, base column, and base plate (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Teacher Table Finish Selection						
Finish Type	HPL / Fenix* / Forbo Linoleum*	In-Surface Urethane	Metal Powdercoat	Edge Models		
				BP2	AB, EB	MA7
Top Surface Color:	•					
Base Column Color:			•			
Base Foot Color:			•			
Plywood Edge Finish:				W791 Baltic Birch		
Edgeband Color:					•	
Urethane Color:		•				•

**Quote Required for Fenix and Forbo*

Shipping & Assembly

Newton Teacher Tables are shipped knocked down. Table tops are pre-drilled for easy assembly.

Model Number

Example: NWERBJ.2448

Colors & Finishes

Click here to review all currently available product finishes.

Top Edge Treatment

Standard Edge Treatment see pricing pages
Other Edge Treatment quote required

Top Edge Finish

Standard Edge Color std
Non-Standard Edge Color quote required

Top Surface Finish

Group 1 Laminate std
Group 2 Laminate std
FENIX® Super Matte Laminate quote required
Forbo Funture Linoleum quote required
Other Laminate/Material quote required

Base Finish

P048 Anchor Gray std
P300 Black std
P348 Designer White std
P354 HM Medium Tone std
P378 Sand std
P387 HM Innertone Light std
P406 Black Wrinkle std
P431 Metallic Silver std
P466 Champagne Metallic std
P690 Aegean std
P691 Red Rock std
P692 Toasted Ivory std
P693 Sangria std
P694 Parsley std
P695 Fern Green std
P696 Glacier Blue std
Other Base Finish quote required

Base Foot Option

Teachers tables are available in locking casters or glides.




Pricing: Fixed Top T Leg

G Glides n/c
C Locking Casters + \$135

In-Surface Urethane

Newton Teacher Tables are available with an in-surface urethane cupholder and pencil/device tray.



Pricing

NCH Cupholder + \$115
NPT Pencil Tray + \$115

PET Shroud

Newton Teacher Tables are available with a PET shroud that attaches to the table top.




Pricing

NPS PET Shroud + \$625

Featured Power: Thesis Cordless

The Thesis power unit is a mobile battery pack configured with one 100W USB-C, two 30W USB-C, and one 10W USB-A.

Thesis power is an accessory to be ordered as a separate line item and field installed. An accessory mounting bracket allows for undermounting on most worksurfaces.




Pricing

PTH.0.G1 Thesis Power Unit + \$3080
AXW.THB.0648 Undermount Bracket + \$105

Power: MiniTap

The Minitap undermount power unit is configured with 2 power or 1 power & 1 USB A+C, with a 10' cord.

MiniTap Power is an accessory to be ordered as a separate line item and field installed.





Pricing

PMT.1C.B.300 Minitap, 1 TR power, 1 USB+A+C \$403
PMT.1C.B.300 Minitap, 1 power, 1 USB+A+C . . . \$401
PMT.2.B.300 Minitap, 2 power \$191
Other Power quote required

Grommet Option: G23

Featured (default) Grommet option includes two 2" x 3.5" G23 Rectangular Grommets with cover, placed 19" apart on center along the back edge of the Table Top. Available in 300 Black only.



Pricing

TG2 Two G23 Rectangular Grommets + \$72
Other Grommet(s) quote required
Non-Standard Placement quote required

T-Leg Wire Management Option

Cables and wires are routed through optional mouseholes at the top and bottom of the collaborative table T-leg.




Pricing

MH1 Teacher Table Leg with mouseholes n/c

Bag Hook Option


Teacher tables are available with bag hooks. Placement is on the right side. Bag hooks can support up to 100lbs.



Pricing
 BH1 1 Bag Hook + \$40

Book Tray Option

Teacher tables are available with undermount book trays. Book trays are black. Placement is on the right side.



Pricing
 NBT Book Tray + \$95

NEWTON TEACHER TABLE

PRICING

T Leg Seated Height - 29"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2
			A	B	C
	DIMENSIONS	MODEL NUMBER			
	24D x 48W x 29H	NWERBR.2448	\$951	\$1,193	\$1,361
	24D x 60W x 29H	NWERBR.2460	\$1,024	\$1,288	\$1,503

			A	B	C
			A	B	C
			A	B	C
	DIMENSIONS	MODEL NUMBER			
	24D x 48W x 29H	NWERBJ.2448	\$1,015	\$1,205	\$1,373
	24D x 60W x 29H	NWERBJ.2460	\$1,088	\$1,300	\$1,515




Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified

Shapes & Sizes

Newton Lecterns are available in Rectangle and Soft Rectangle with a 6" corner radius.



Newton Lectern Size Availability Chart		
Shape	Depth	Width
Rectangle	18"	32"
Soft Rectangle	18"	32"


Height Adjustability

Newton Lecterns are height adjustable ranging from 27" minimum height to 44" maximum height. Newton Lecterns feature a constant force spring mechanism that includes a safety break with integrated locking that enables smooth and safe adjustment of tabletop height.



Lift Lever

Newton Lecterns feature an undermounted adjustment lever to control the height of the lectern.



NEWTON LECTERN


SPECIFICATIONS

Base Construction, Glides, Urethane Features

SURFACEWORKS PRICING GUIDE


ORIGINAL LINES

Base Construction



The Newton Lectern height adjustable 2.75" D column is constructed of powder coated steel, and is bolted into the base of the lectern. The base of the lectern is constructed of powder coated steel, and measures 25"W x 15"D

Casters and Glides



Newton Lecterns feature integrated 2" diameter casters on the on the front and low-profile 1.4" diameter glides on the rear of the base. Casters and glides are black.

In-Surface Urethane Features



Newton Lecterns offer two in-surface urethane features. The 10.75"W x 3.25"D two-tiered pen tray provides storage for writing utensils and incorporates an angled slot that supports tablets and phones in an upright, viewable position. The 3" diameter cupholder can accomodate most waterbottles and tumblers. Urethane accessories are are sealed to the surface for a spill-proof top.

NEWTON LECTERN


SPECIFICATIONS

Book Tray, PET Shroud, Bag Hook Accessory

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Book Tray



Newton Lecterns feature an undermounted book tray for additional storage. The booktray measures 16"W x 7.8"D x 3"H and is placed to not interfere with pen tray, cupholder, or height adjustable lever. Constructed of 14GA Powder Coated Steel. Available in Black.


PET Shroud



Newton Lecterns feature a 6" Tall PET Shroud. Made from 100% recycled PET, the shroud attaches to the tabletop with discreet undermounted brackets. PET is dark grey in color. Shrouds are available for both Soft Rectangle and Rectangle Shapes.


Mounting brackets are constructed of powder coated steel. Brackets are black.

Bag Hook Accessory



Newton Lecterns offer a clamp-on bag hook that fits at the top the 2.75" diameter lower column of the height adjustable base. The bag hook supports up to 20 pounds. Bag hooks are black.

Featured Power: Thesis




The featured power accessory is the mobile Thesis Power unit allowing for cordless power. The unit measures 7" W x 2.4" H x 5.3" D and can be mounted below the worksurface using the metal bracket accessory.


With up to 216Wh of power and multiple USB-A and USB-C ports, it supports charging for a range of devices, including laptops. Multiple units can stack to recharge simultaneously. A hidden compartment allows for anti-theft tracking devices to be discretely installed. Available in Black, White, and Folkstone as standard.

Top & Edge Construction


Edge Model BP2: Flat Profile Baltic Birch Plywood



Edge Models AB, EB: Flat Profile Edgeband



Edge Model MA7: Medium Eased Profile Urethane



Edge Models BP2: constructed with high-pressure laminate, birch plywood core with a coated reveal and backed with phenolic to form a sealed outside surface. Actual table dimensions for BP2 may be slightly less than nominal

Edge Models AB, EB: constructed with high-pressure laminate, particleboard core, edged with edgeband, backed with phenolic to form a sealed outside surface.

Edge Model MA7: constructed with high-pressure laminate, particle board core with a medium eased urethane profile and backed with phenolic to form a sealed outside surface.

Newton Lectern Standard Edge Models		
Edge Material	Edge Model	Description
Baltic Birch Plywood	BP2	Plywood Flat Profile w/Laminate overlay
Edgeband	AB	2mm ABS or Polypropylene, Flat Profile
	EB	2mm or 3mm ABS, PVC or Polypropylene, Flat Profile
Urethane	MA7	Medium Eased Profile, PURTech Urethane Edge

Finish Selection



There are up to **five Newton Lectern components that require finish selections**—top surface, top edge, in-surface urethane, base column, and base plate (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Lectern Finish Selection						
Finish Type	HPL / Fenix* / Forbo Linoleum*	In-Surface Urethane	Metal Powdercoat	Edge Models		
				BP2	AB, EB	MA7
Top Surface Color:	•					
Base Column Color:			•			
Base Plate Color:			•			
Plywood Edge Finish:				W791 Baltic Birch		
Edgeband Color:					•	
Urethane Color:		•				•

**Quote Required for Fenix and Forbo*

Shipping & Assembly

Newton Lecterns are shipped knocked down. Table tops are pre-drilled for easy assembly.

Model Number

Example: NWELCR.1832

Colors & Finishes

Click here to review all currently available product finishes.

Top Edge Treatment

Standard Edge Treatment see pricing pages
Other Edge Treatment quote required

Top Edge Finish

Standard Edge Color std
Non-Standard Edge Color quote required

Top Surface Finish


Group 1 Laminate std
Group 2 Laminate std
FENIX® Super Matte Laminate quote required
Forbo Funture Linoleum quote required
Other Laminate/Material quote required

Base Finish

P048 Anchor Gray std
P300 Black std
P348 Designer White std
P354 HM Medium Tone std
P378 Sand std
P387 HM Innertone Light std
P406 Black Wrinkle std
P431 Metallic Silver std
P466 Champagne Metallic std
P690 Aegean std
P691 Red Rock std
P692 Toasted Ivory std
P693 Sangria std
P694 Parsley std
P695 Fern Green std
P696 Glacier Blue std
Other Base Finish quote required

In-Surface Urethane

Newton LECTERNS are available with an in-surface urethane cupholder and pencil/device tray.



Pricing
NCH Cupholder. + \$115
NPT Pencil Tray. + \$115

PET Shroud

Newton LECTERNS are available with a PET shroud that attaches to the lectern top.




Pricing
NPS PET Shroud. + \$625

Featured Power: Thesis Cordless

The Thesis power unit is a mobile battery pack configured with one 100W USB-C, two 30W USB-C, and one 10W USB-A.

Thesis power is an accessory to be ordered as a separate line item and field installed. An accessory mounting bracket allows for undermounting on most worksurfaces.




Pricing
PTH.0.G1 Thesis Power Unit + \$3080
AXW.THB.0648 Undermount Bracket + \$105

Power: MiniTap

The Minitap undermount power unit is configured with 2 power or 1 power & 1 USB A+C, with a 10' cord.

MiniTap Power is an accessory to be ordered as a separate line item and field installed.



Pricing
PMT.1C.B.300 Minitap, 1 TR power, 1 USB A+C \$403
PMT.1C.B.300 Minitap, 1 power, 1 USB A+C . . . \$401
PMT.2.B.300 Minitap, 2 power \$191
Other Power. quote required

Lectern Bag Hook

Clamp-on bag hook that fits at the top the 2.75" diameter lower column of the height adjustable base. The bag hook supports up to 20 pounds. Bag hooks are black.


Lectern Bag Hook is an accessory to be ordered as a separate line item and field installed.



Pricing
AXA.NBH.300 Lectern Bag Hook + \$250

Book Tray Option

Teacher LECTERNS are available with undermount book trays. Book trays are black.



Pricing
NBT Book Tray + \$95

NEWTON TEACHER TABLE

PRICING

Height Adjustable 27" – 44"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES


Rectangle 			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2
			A	B	C
	DIMENSIONS	MODEL NUMBER	A	B	C
	18D x 32W x 27-44HR	NWELCR.1832	\$1,624	\$1,955	\$2,030

Soft Rectangle 			A	B	C
	DIMENSIONS	MODEL NUMBER	A	B	C
	18D x 32W x 27-44HR	NWELCJ.1832	\$1,689	\$1,845	\$2,042



Standards	Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified									
Shapes & Sizes Rectangle Smallest 30"D × 60"W Largest 30"D × 96"W Soft Rectangle Smallest 30"D × 60"W Largest 30"D × 96"W	Newton Collaborative Table size availability is as per chart below. <table><tr><th colspan="3">Newton Collaborative Table Sizes</th></tr><tr><th>Shape</th><th>Depth</th><th>Width</th></tr><tr><td>Rectangle, Sot Rectangle</td><td>30"</td><td>60", 72", 84", 96"</td></tr></table>	Newton Collaborative Table Sizes			Shape	Depth	Width	Rectangle, Sot Rectangle	30"	60", 72", 84", 96"
Newton Collaborative Table Sizes										
Shape	Depth	Width								
Rectangle, Sot Rectangle	30"	60", 72", 84", 96"								
Height Standing Height 42" 12" Counter Height 36" 12"	Newton Collaborative Tables are available in 36" Counter Height and 42" standing height. For collaborative tables with a the footerbar stands 12" off the ground. Seated height is available in the Newton Student Table category.									
Base Construction 	Newton Collaborative Tables feature 2.75" diameter columns constructed of powder-coated steel. Each column is bolted to a 4" wide foot also made of powder-coated steel. The foot span is 29" . Legs attach to the tabletop with a powder coated steel mounting plate.									


Removable Footer Bar



Newton Collaborative Tables are available with al hoop-style footer bar. The T-base column slides into the footer bar support weldment and bolts through the bottom of the weldment into the T-Leg foot to create the assembly. Constructed of powder-coated steel.

Footer bar measures 15.5" D, is 12.5" shorter than the overall tabletop length, and is positioned 12" above the floor.


Casters & Glides




Newton Collaborative Tables are offered in either 1.4" adjustable Glides or 2" locking casters. Glides have 0.25" of height adjustability. Glides and casters are black.

Top & Edge Construction


Edge Model BP2: Flat Profile Baltic Birch Plywood



Edge Models AB, EB: Flat Profile Edgeband



Edge Model MA7: Medium Eased Profile Urethane




Edge Models BP2: constructed with high-pressure laminate, birch plywood core with a coated reveal and backed with phenolic to form a sealed outside surface. Actual table dimensions for BP2 may be slightly less than nominal

Edge Models AB, EB: constructed with high-pressure laminate, particleboard core, edged with edgeband, backed with phenolic to form a sealed outside surface.

Edge Model MA7: constructed with high-pressure laminate, particle board core with a medium eased urethane profile and backed with phenolic to form a sealed outside surface.


Newton Collaborative Table Standard Edge Models		
Edge Material	Edge Model	Description
Baltic Birch Plywood	BP2	Plywood Flat Profile w/Laminate overlay
Edgeband	AB	2mm ABS or Polypropylene, Flat Profile
	EB	2mm or 3mm ABS, PVC or Polypropylene, Flat Profile
Urethane	MA7	Medium Eased Profile, PURTech Urethane Edge

Power: Mini-Tap®




The recommended power accessory is the Mini-Tap® Power unit. Sized at 3"W × 1.5"H × 3.25"D, the unit is field-mounted under the Newton Collaborative Table. Configured with one power and one USB A+C charging, and a 120" cord with a straight plug. Available in black.

Wire Management



Newton Collaborative tables are available with mouseholes for cable and wire management. Mouseholes are available in one leg.

Featured Power: Thesis



The featured power accessory is the mobile Thesis Power unit allowing for cordless power. The unit measures 7" W × 2.4" H × 5.3" D and can be mounted below the worksurface using the metal bracket accessory.

With up to 216Wh of power and multiple USB-A and USB-C ports, it supports charging for a range of devices, including laptops. Multiple units can stack to recharge simultaneously. A hidden compartment allows for anti-theft tracking devices to be discretely installed. Available in Black, White, and Folkstone as standard.

NEWTON COLLABORATIVE TABLES

SPECIFICATIONS

Bag Hooks, Finish Selection, Shipping & Assembly

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Bag Hooks Option



Newton Collaborative Tables are available with Bag Hooks. Bag Hooks are made with 14GA bent steel and are strong enough to hold up to 100 pounds of weight.


When ordered as an **option** of the Newton Collaborative Table, Bag Hooks will be **powder-coated to match the base column**.

When ordered as a **separate accessory**, Bag Hooks are available in kits of 4, in P300 Black only (see Accessories section).

For placement flexibility and ease of field installation, Newton Student Tables are **pre-drilled for bag hooks** as per chart below.

Bag Hook Pre-Drill Locations			
Table Width	Short Side Quantity	Long Side Quantity	Placement
60" - 96"	2	1	Centered on Edge

Finish Selection



There are up to **five Newton Collaborative Table components that require finish selections**—top surface, top edge, footer bar, base foot, and base column (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Collaborative Table Finish Selection					
Finish Type	HPL / Fenix* / Forbo Linoleum*	Metal Powdercoat	Edge Models		
			BP2	AB, EB	MA7
Top Surface Color:	•				
Base Column Color:		•			
Base Foot Color:		•			
Footer Bar Color:		•			
Plywood Edge Finish:			W791 Baltic Birch		
Edgeband Color:				•	
Urethane Color:					•

*Quote Required for Fenix and Forbo

Shipping & Assembly

Newton Collaborative Tables are shipped knocked down. Table tops are pre-drilled for easy assembly.

Model Number

Example: NWCPDJ.3060

Colors & Finishes

Click here to review all currently available product finishes.

Top Edge Treatment

Standard Edge Treatment see pricing pages
Other Edge Treatment quote required

Top Edge Finish

Standard Edge Color std
Non-Standard Edge Color quote required

Top Surface Finish

Group 1 Laminate std
Group 2 Laminate std
FENIX® Super Matte Laminate quote required
Forbo Funtire Linoleum quote required
Other Laminate/Material quote required

Base Finish

P048 Anchor Gray std
P300 Black std
P348 Designer White std
P354 HM Medium Tone std
P378 Sand std
P387 HM Innertone Light std
P406 Black Wrinkle std
P431 Metallic Silver std
P466 Champagne Metallic std
P690 Aegean std
P691 Red Rock std
P692 Toasted Ivory std
P693 Sangria std
P694 Parsley std
P695 Fern Green std
P696 Glacier Blue std
Other Base Finish quote required

Base Foot Option

Collaborative tables are available in locking casters or glides.




Pricing
G Glides n/c
C Locking Casters + \$135

Power: MiniTap

The Minitap undermount power unit is configured with 2 power or 1 power & 1 USB A+C, with a 10' cord.

MiniTap Power is an accessory to be ordered as a separate line item and field installed.



Pricing
PMT.1C.B.300 Minitap, 1 TR power, 1 USB+A+C \$403
PMT.1C.B.300 Minitap, 1 power, 1 USB+A+C . . . \$401
PMT.2.B.300 Minitap, 2 power \$191
Other Power quote required

T-Leg Wire Management Option

Cables and wires are routed through optional mouseholes at the top and bottom of the collaborative table T-leg.




Pricing
MH1 Collaborative Table Leg with mouseholes . n/c

Featured Wire Management: WM3

WM3 Rectangular Wire Raceway is 2" x 1.3" extruded plastic, mounts under the table top with double-sided foam tape and features an invisible hinge for easy access. WM3 comes in 24" and 48" lengths in 300 Black, 349 Dove Gray, and 699 White.

WM3 Rectangular Wire Raceway is an accessory to be ordered as a separate line item and field installed.



Pricing
AXW.WM3.24.300 WM3, 24", 300 Black \$63
AXW.WM3.24.349 WM3, 24", 349 Dove Gray . . . \$63
AXW.WM3.24.699 WM3, 24", 699 White \$63
AXW.WM3.48.300 WM3, 48", 300 Black \$114
AXW.WM3.48.349 WM3, 48", 349 Dove Gray . . . \$114
AXW.WM3.48.699 WM3, 48", 699 White \$114
Other Wire Management see accessories section

Bag Hooks Option

Newton Collaborative tables are available with bag hooks. Bag Hooks can support up to 100lbs.



Pricing
BH1 1 Bag Hook + \$40
BH2 2 Bag Hook + \$80
BH3 3 Bag Hook + \$120

NEWTON COLLABORATIVE TABLE

PRICING

Counter Height - 36"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2

Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	30D x 60W x 36H	NWCCDR.3060	\$1,322	\$1,607	\$1,924
	30D x 72W x 36H	NWCCDR.3072	\$1,383	\$1,693	\$1,984
	30D x 84W x 36H	NWCCDR.3084	\$1,621	n/a	\$2,160
	30D x 96W x 36H	NWCCDR.3096	\$1,643	n/a	\$2,201

Soft Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	30D x 60W x 36H	NWCCDJ.3060	\$1,387	\$1,619	\$1,936
	30D x 72W x 36H	NWCCDJ.3072	\$1,447	\$1,705	\$1,996
	30D x 84W x 36H	NWCCDJ.3084	\$1,686	n/a	\$2,172
	30D x 96W x 36H	NWCCDJ.3096	\$1,708	\$2,091	\$2,213

NEWTON COLLABORATIVE TABLE

PRICING

Counter Height w/ Footer - 36"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2

Rectangle



DIMENSIONS	MODEL NUMBER	A	B	C
30D x 60W x 36H	NWCCR.3060	\$2,620	\$2,905	\$3,222
30D x 72W x 36H	NWCCR.3072	\$2,739	\$3,049	\$3,340
30D x 84W x 36H	NWCCR.3084	\$3,150	n/a	\$3,689
30D x 96W x 36H	NWCCR.3096	\$3,172	n/a	\$3,730

Soft Rectangle



DIMENSIONS	MODEL NUMBER	A	B	C
30D x 60W x 36H	NWCCRJ.3060	\$2,685	\$2,917	\$3,234
30D x 72W x 36H	NWCCRJ.3072	\$2,803	\$3,061	\$3,352
30D x 84W x 36H	NWCCRJ.3084	\$3,215	n/a	\$3,701
30D x 96W x 36H	NWCCRJ.3096	\$3,237	\$3,620	\$3,742

NEWTON COLLABORATIVE TABLE

PRICING

Standing Height - 42"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2
			A	B	C
Rectangle 	DIMENSIONS	MODEL NUMBER			
	30D x 60W x 42H	NWCPDR.3060	\$1,343	\$1,628	\$1,945
	30D x 72W x 42H	NWCPDR.3072	\$1,404	\$1,714	\$2,005
	30D x 84W x 42H	NWCPDR.3084	\$1,643	n/a	\$2,182
	30D x 96W x 42H	NWCPDR.3096	\$1,664	n/a	\$2,222

Soft Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	30D x 60W x 42H	NWCPDJ.3060	\$1,408	\$1,640	\$1,957
	30D x 72W x 42H	NWCPDJ.3072	\$1,468	\$1,726	\$2,017
	30D x 84W x 42H	NWCPDJ.3084	\$1,708	n/a	\$2,194
	30D x 96W x 42H	NWCPDJ.3096	\$1,729	\$2,112	\$2,234

NEWTON COLLABORATIVE TABLE

PRICING

Standing Height w/ Footer - 42"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			A EDGE BAND	B URETHANE EDGE	C BAL TIC BIRCH PLYWOOD
			 AB  EB	 MA7	 BP2
Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	30D x 60W x 42H	NWCPRR.3060	\$2,641	\$2,926	\$3,243
	30D x 72W x 42H	NWCPRR.3072	\$2,760	\$3,070	\$3,361
	30D x 84W x 42H	NWCPRR.3084	\$3,171	n/a	\$3,710
	30D x 96W x 42H	NWCPRR.3096	\$3,193	n/a	\$3,751

Soft Rectangle 	DIMENSIONS	MODEL NUMBER	A	B	C
	30D x 60W x 42H	NWCPRJ.3060	\$2,706	\$2,938	\$3,255
	30D x 72W x 42H	NWCPRJ.3072	\$2,824	\$3,082	\$3,373
	30D x 84W x 42H	NWCPRJ.3084	\$3,236	n/a	\$3,722
	30D x 96W x 42H	NWCPRJ.3096	\$3,258	\$3,641	\$3,763




Standards

Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified

Shapes & Sizes


Square



24" x 24"




30" x 30"




36" x 36"


Soft Square



24" x 24"




30" x 30"




36" x 36"


Round



24" x 24"



30" x 30"



36" x 36"

Newton Accent Tables size availability is as per chart below:

Newton Accent Table Sizes		
Top Shape	Height	Size
Square, Soft Square*	29" Seated Height	24" x 24" 30" x 30" 36" x 36"
Round	29" Seated Height	24"D, 30"D 36"D
Square, Soft Square*	42" Standing Height	24" x 24" 30" x 30" 36" x 36"
Round	42" Standing Height	24"D, 30"D 36"D
Square, Soft Square*	Height Adjustable	24" x 24" 30" x 30" 36" x 36"
Round	Height Adjustable	30"D 36"D

*Soft Square shapes are not available in MA7 Urethane Edge

Heights

Newton Accent Tables are available in three heights. 29" fixed seated height, 42" fixed standing height, and height adjustable from 27" to 44".



NEWTON ACCENT TABLE

SPECIFICATIONS

Heights, Base Construction, Glides

Height Adjustability




Newton Accent Tables with Height Adjustable Base can be adjusted ranging from 27" minimum height to 44" maximum. Newton Accent Tables feature a constant force spring mechanism that includes a safety break with integrated locking that enables smooth and safe adjustment of tabletop height.

Newton Accent Tables feature an undermounted adjustment lever to control the height of the table.

Base Construction

24"x 24" Accent Table
(Smallest)


36"x 36" Accent Table
(Largest)



Newton Accent Table bases are built with a powder coated steel column and powder coated steel feet. The column bolts into the foot assembly to complete the base, with column diameter, foot width, and foot span varying by table size. See chart below.

Newton Accent Table Base Sizes				
Top Depth	Top Shape	Foot Span	Foot Width	Column Width
24"	Round	23"	3.25"	2"
24"	Square, Soft Square	25"	4"	2.75"
30"	Round			
30"	Square, Soft Square	29"	4"	2.75"
36"	Square, Soft Square, Round			


Glides




Newton Accent Tables are offered in 1.4" adjustable Glides. Glides have 0.25" of height adjustability. Glides are black.

Top & Edge Construction


Edge Models AB, EB: Flat Profile Edgeband




Edge Model BP4: Knife Profile Baltic Birch Plywood




Edge Model MA7: Medium Eased Profile Urethane



Edge Model PK4: Knife Profile Edgeband



Edge Model BP2: Flat Profile Baltic Birch Plywood



Edge Models BP2 & BP4: constructed with high-pressure laminate, birch plywood core with a coated reveal and backed with phenolic to form a sealed outside surface. Actual table dimensions for BP2 and BP4 may be slightly less than nominal

Edge Models AB, EB: constructed with high-pressure laminate, particleboard core, edged with edgeband, backed with phenolic to form a sealed outside surface.

Edge Model PK4: constructed with high-pressure laminate, MDF core with a coated knife reveal, edged with edgeband, and backed with phenolic to form a sealed outside surface

Edge Model MA7: constructed with high-pressure laminate, particle board core with a medium eased urethane profile and backed with phenolic to form a sealed outside surface.

Newton Student Table Standard Edge Models		
Edge Material	Edge Model	Description
Baltic Birch Plywood	BP2	Plywood Flat Profile w/Laminate overlay
	BP4	Plywood Knife Profile w/Laminate overlay
Edgeband	AB	2mm ABS or Polypropylene, Flat Profile
	EB	2mm or 3mm ABS, PVC or Polypropylene, Flat Profile
	PK4	2mm or 3mm ABS, PVC or Polypropylene, Knife Profile & MDF reveal
Urethane	MA7	Medium Eased Profile, PURTech Urethane Edge

Power

Smooth Pepper
120V AC Power



Smooth Salt
60W USB-A+C Charging



Newton Accent Tables can be equipped with optional 2" round flush-mounted power units **placed at the center of the table.**

Smooth Salt offers USB-A+C ports for charging mobile devices and small laptops and features a 120" cord with 60W wall wart power adapter.

Smooth Pepper provides 120V AC power for standard outlet needs and comes with a 120" cord.

Both Smooth Salt and Smooth Pepper are available in 300 Black, 699 White, and 004 Folkstone.

Tables with Height Adjustable Bases and Tables with 2" column diameter cannot be outfitted with Salt or Pepper

NEWTON ACCENT TABLE

SPECIFICATIONS

Wire Management, Finish Selection, Shipping and Assembly

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES


Wire Management



When power is selected, Tabletops come pre-drilled with a 1.75" hole accommodating field installation of Smooth Salt or Smooth Pepper power units. Wiring is routed through the base column and exits through a mousehole in the bottom of the 2.75" column.*

**Tables with Height Adjustable Bases and Tables with 2" column diameter cannot be outfitted with Salt or Pepper*

Finish Selection



There are four **Newton Accent Table components that require finish selections**—top surface, top edge, base foot, and base column (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Accent Table Finish Selection					
Finish Type	HPL / Fenix* / Forbo Linoleum*	Metal Powdercoat	Edge Models		
			BP2, BP4	AB, EB, PK4	MA7†
Top Surface Color:	•				
Base Column Color:		•			
Base Foot Color:		•			
Plywood Edge Finish:			W791 Baltic Birch		
Edgeband Color:				•	
Urethane Color:					•

**Quote Required for Fenix and Forbo*

†MA7 Urethane edge not available on Soft Square Tables

Shipping & Assembly

Newton Accent Tables are shipped knocked down. Table tops are pre-drilled for easy assembly.

Model Number

Example: NWAFFHS.2424

Colors & Finishes

[Click here](#) to review all currently available product finishes.

Top Edge Treatment

Standard Edge Treatmentsee pricing pages

Other Edge Treatment quote required

Top Edge Finish

Standard Edge Color std

Non-Standard Edge Color quote required

Top Surface Finish

Group 1 Laminate std

Group 2 Laminate std

FENIX® Super Matte Laminate quote required

Forbo Funiture Linoleum quote required

Other Laminate/Material quote required

Base & Pull Finish

P048 Anchor Gray std

P300 Black std

P348 Designer White std

P354 HM Medium Tone std

P378 Sand std

P387 HM Innertone Light std

P406 Black Wrinkle std

P431 Metallic Silver std

P466 Champagne Metallic std

P690 Aegean std

P691 Red Rock std

P692 Toasted Ivory std

P693 Sangria std

P694 Parsley std

P695 Fern Green std

P696 Glacier Blue std

Other Base Finish quote required

Power Option: Smooth Salt & Pepper

Smooth Salt & Pepper Power Units are both 2" dia round, placed in the center of the table top. Smooth Salt is equipped with USB A+C ports and a 60W wall wart power adapter. Smooth Pepper comes with a single power simplex. Both feature a 120" cord and are available in 300 Black, 699 White and 004 Folkstone.



Pricing

JPS Smooth Salt Round, USBA+C + \$539
JPP Smooth Pepper Round, 1 Power + \$88
Other Power/Data quote required

Mouseholes

When power is selected, a mousehole is added to the bottom of the 2.75" diameter base column of fixed height accent tables. Cables and wires are routed through the top of the column and out the bottom mousehole.



NEWTON ACCENT TABLE

PRICING

Seated Height - 29"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			1 A EDGE BAND	6 B KNIFE EDGEBAND	26 C URETHANE EDGE	23 D BALTIC BIRCH PLYWOOD
			 AB  EB	 PK4	 MA7	 BP2  BP4
Round 	DIMENSIONS	MODEL NUMBER	A	B	C	D
	24DIA x 29H	NWAFSD.24	\$809	\$1,047	\$946	\$1,096
	30DIA x 29H	NWAFSD.30	\$962	\$1,226	\$1,121	\$1,316
	36DIA x 29H	NWAFSD.36	\$1,107	\$1,420	\$1,311	\$1,474

Soft Square 	DIMENSIONS	MODEL NUMBER	A	B	C	D
	24D x 24W x 29H	NWAFSQ.2424	\$922	\$1,173	n/a	\$1,241
	30D x 30W x 29H	NWAFSQ.3030	\$1,007	\$1,287	n/a	\$1,382
	36D x 36W x 29H	NWAFSQ.3636	\$1,121	\$1,453	n/a	\$1,513

Square 	DIMENSIONS	MODEL NUMBER	A	B	C	D
	24D x 24W x 29H	NWAFSS.2424	\$858	\$1,058	\$1,056	\$1,229
	30D x 30W x 29H	NWAFSS.3030	\$942	\$1,172	\$1,164	\$1,370
	36D x 36W x 29H	NWAFSS.3636	\$1,057	\$1,338	\$1,325	\$1,501

NEWTON ACCENT TABLE

PRICING

Standing Height - 42"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

		1 A EDGE BAND	6 B KNIFE EDGEBAND	26 C URETHANE EDGE	23 D BALTIC BIRCH PLYWOOD
		 AB	 PK4	 MA7	 BP2
		 EB			 BP4

Round



DIMENSIONS	MODEL NUMBER	A	B	C	D
24DIA x 42H	NWAFDD.24	\$825	\$1,063	\$962	\$1,112
30DIA x 42H	NWAFDD.30	\$992	\$1,256	\$1,151	\$1,346
36DIA x 42H	NWAFDD.36	\$1,137	\$1,450	\$1,341	\$1,504

Soft Square



DIMENSIONS	MODEL NUMBER	A	B	C	D
24D x 24W x 42H	NWAFDQ.2424	\$952	\$1,203	n/a	\$1,271
30D x 30W x 42H	NWAFDQ.3030	\$1,037	\$1,317	n/a	\$1,412
36D x 36W x 42H	NWAFDQ.3636	\$1,151	\$1,483	n/a	\$1,543

Square



DIMENSIONS	MODEL NUMBER	A	B	C	D
24D x 24W x 42H	NWAFDS.2424	\$888	\$1,088	\$1,086	\$1,259
30D x 30W x 42H	NWAFDS.3030	\$972	\$1,202	\$1,194	\$1,400
36D x 36W x 42H	NWAFDS.3636	\$1,087	\$1,368	\$1,355	\$1,531

NEWTON ACCENT TABLE

PRICING

Height Adjustable 27" – 44"

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

			1 A EDGE BAND	6 B KNIFE EDGEBAND	26 C URETHANE EDGE	23 D BAL TIC BIRCH PLYWOOD
			AB EB	PK4	MA7	BP2 BP4
Round 	DIMENSIONS	MODEL NUMBER	A	B	C	D
	30DIA x 27-44HR	NWAFHD.30	\$1,602	\$1,866	\$1,761	\$1,956
	36DIA x 27-44HR	NWAFHD.36	\$1,746	\$2,059	\$1,950	\$2,113

Soft Square

	DIMENSIONS	MODEL NUMBER	A	B	C	D
	24D x 24W x 27-44HR	NWAFHQ.2424	\$1,562	\$1,813	n/a	\$1,881
	30D x 30W x 27-44HR	NWAFHQ.3030	\$1,646	\$1,926	n/a	\$2,021
	36D x 36W x 27-44HR	NWAFHQ.3636	\$1,760	\$2,092	n/a	\$2,152

Square

	DIMENSIONS	MODEL NUMBER	A	B	C	D
	24D x 24W x 27-44HR	NWAFHS.2424	\$1,498	\$1,698	\$1,696	\$1,869
	30D x 30W x 27-44HR	NWAFHS.3030	\$1,581	\$1,811	\$1,803	\$2,009
	36D x 36W x 27-44HR	NWAFHS.3636	\$1,696	\$1,977	\$1,964	\$2,140




Standards	Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified
-----------	---

Statement of Line - Credenzas


C3: Three Doors,
One Small Compartment
One Large Compartment
17"D x 36"W x 19"H




C4: Four Doors,
Two Large Compartments
17"D x 48"W x 19"H



C5: Five Doors,
One Small Compartment
Two Large Compartments
17"D x 60"W x 19"H



C6: Six Doors,
Three Large Compartments
17"D x 72"W x 19"H



Newton Credenzas are available in 19" overall heights and 17" depths.
Small Internal compartments measures aproximately 15"D x 10.5"W x 13.25"H.
Large Internal compartments measures 15"D x 22.75"W x 12.5"H.
Each compartment has one pin-height adjustable shelf.

Statement of Line - Console

Three Doors,
Two Compartments
17"D x 36"W x 36"H



Newton Consoles are available in 36" overall height, 36" width, and 17" depth.
The large compartment on the right is enclosed by two doors, and has two pin-height adjustable shelves. It measures aproximately 15"D x 22.5" x 30"H
The small compartment on the left is enclosed by a single door and has two pin-height adjustable shelves. It measures aproximately 15"D x 11.25"W x 30"H

Statement of Line - Tower Storage

Two Doors,
One Compartment
17"D x 24"W x 75"H




Newton Tower Storage is available in 75" overall height, 30" width, and 15.5" depth.
Tower Storage has one compartment which measures 15"D x 22.5"W x 70"H, and has four pin-height adjustable shelves, and one fixed shelf in the middle.

Legs & Glides



Newton Casegoods have 4.25" tall, 2" diameter powder coated steel legs with adjustable glides. Glides have 0.25" of height adjustability. Glides are black. Credenzas over 60"W will have a 5th leg positioned in the center of the unit.

Cabinet & Door Construction




The Newton Casegood cabinet cases are constructed with a 0.75" particle board double faced with thermally-fused melamine with 2mm or 3mm matching thick edgeband. High pressure laminate is optional with an upcharge.

Door and Drawer Fronts consist of 0.75" particleboard with high pressure laminate and matching thick edgeband as standard. Doors can be matched to case—if case is melamine the doors will also be melamine.

Grain direction is vertical for both cases and fronts, and vertically-adjacent fronts are grain matched.

Cabinet backs are finished for space delineation use in an open plan.

Adjustable Shelf Placement



Newton Casegoods are offered with adjustable shelves in each compartment, which can be positioned using pre-drilled holes. Each shelf is secured with shelf-locking peg hardware to prevent movement or sliding.

NEWTON STORAGE


SPECIFICATIONS

Door Pulls, Door Features, Wire Management, Locks

SURFACEWORKS PRICING GUIDE


ORIGINAL LINES

Door Pulls




Newton Storage feature 3" door pulls constructed of powder coated steel.

Door Features



Newton Storage Doors feature soft close hinges and rubber bumpers for sound reduction.

Wire Management



When selected, Newton Storage includes a grommet in the far-left compartment, positioned at the bottom of the back wall. Cutouts along the lower back of the vertical dividers allow wires to pass between compartments.

Locks




Door Locks are optionally available with all Newton Storage.

For storage with multiple compartments, the far-left compartment gets a lock with 2 keys when option is selected. Other compartments do not have locks as standard. Placement is under pull, 3" from door edge. The lock is always on the left door.

Master keys and lock plug change tools are also available to order separately (see universal accessories section).

Finish Selection



There are up to **four Newton Casegood components that require finish selections**—case surface, door fronts, door pulls, and base legs. (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Casegoods Finish Selection			
Finish Type	Melamine	HPL / Fenix*	Metal Powdercoat
Case Surface:	•	• (upcharge for HPL)	
Door Fronts:		• (matched or unmatched)†	
Door Pulls			•
Base Legs			•

*Quote Required for Fenix
†If match is selected for a melamine case, door fronts will be melamine

Shipping & Assembly

Newton Casegoods are pre-drilled for easy leg and pull assembly.

Model Number

Example: NWSCDC3

Colors & Finishes

Click here to review all currently available product finishes.

Case Finish

Melamine	std
Group 1 Laminate*	see upcharge column
FENIX® Super Matte Laminate	quote required
Other Laminate/Material	quote required
*must have matching edgeband available	

Base & Pull Finish

P048	Anchor Gray	std
P300	Black	std
P348	Designer White	std
P354	HM Medium Tone	std
P378	Sand	std
P387	HM Innertone Light	std
P406	Black Wrinkle	std
P431	Metallic Silver	std
P466	Champagne Metallic	std
P690	Aegean	std
P691	Red Rock	std
P692	Toasted Ivory	std
P693	Sangria	std
P694	Parsley	std
P695	Fern Green	std
P696	Glacier Blue	std
Other Base Finish		quote required

Wire Management Option

When selected, Newton Storage includes a grommet in the left-most compartment, positioned at the bottom of the back wall. Cutouts along the lower back of the vertical dividers allow wires to pass between compartments.




Pricing

GN2	Grommet	+ \$25
-----	---------	--------

Keyed Lock Option

Door Locks are optionally available with all Newton Storage. For storage with multiple compartments, the left-most compartment gets a lock with 2 keys when option is selected.




Pricing

LKA	with locks, keyed alike	+ \$70
LKS	lock shells only	+ \$35

Lock Plug & Key Sets (sold separately)

To be used with cabinets with lock shells only, or if replacement sets are needed. Two keys are included with each lock plug. Select keyed alike (choose your key code), or keyed different (each set will be keyed different, starting with code 100TA).



Pricing

Keyed Different (starting with key code 100TA)

Keyed Alike (select key code)

AUD LKA 100TA	Keyed Alike, Code 100TA	\$35
AUD LKA 101TA	Keyed Alike, Code 101TA	\$35
AUD LKA 102TA	Keyed Alike, Code 102TA	\$35
AUD LKA 103TA	Keyed Alike, Code 103TA	\$35
AUD LKA 104TA	Keyed Alike, Code 104TA	\$35
AUD LKA 105TA	Keyed Alike, Code 105TA	\$35
AUD LKA 106TA	Keyed Alike, Code 106TA	\$35
AUD LKA 107TA	Keyed Alike, Code 107TA	\$35
AUD LKA 108TA	Keyed Alike, Code 108TA	\$35
AUD LKA 109TA	Keyed Alike, Code 109TA	\$35
AUD LKA 110TA	Keyed Alike, Code 110TA	\$35
AUD LKA 111TA	Keyed Alike, Code 111TA	\$35
AUD LKA 112TA	Keyed Alike, Code 112TA	\$35
AUD LKA 113TA	Keyed Alike, Code 113TA	\$35
AUD LKA 114TA	Keyed Alike, Code 114TA	\$35
AUD LKA 115TA	Keyed Alike, Code 115TA	\$35
AUD LKA 116TA	Keyed Alike, Code 116TA	\$35
AUD LKA 117TA	Keyed Alike, Code 117TA	\$35
AUD LKA 118TA	Keyed Alike, Code 118TA	\$35
AUD LKA 119TA	Keyed Alike, Code 119TA	\$35
AUD LKA 120TA	Keyed Alike, Code 120TA	\$35
AUD LKA 121TA	Keyed Alike, Code 121TA	\$35
AUD LKA 122TA	Keyed Alike, Code 122TA	\$35
AUD LKA 123TA	Keyed Alike, Code 123TA	\$35
AUD LKA 124TA	Keyed Alike, Code 124TA	\$35
AUD LKA 125TA	Keyed Alike, Code 125TA	\$35


Master Key & Lock Plug Change Tool

Master Key

Opens all locks, providing authorized access for maintenance, management or security personnel.

Lock Plug Change Tool

Used to remove and replace lock plugs easily when re-keying or servicing locks.



Pricing

AUD LK MSTR	Master Key	\$75
AUD LK LPCT	Lock Plug Change Tool	\$66



3 Door 	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	17D x 36W x 19H	NWSCDC3.173619	\$1,785	+\$100

4 Door 	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	17D x 48W x 19H	NWSCDC4.174819	\$1,908	+\$200

5 Door 	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	17D x 60W x 19H	NWSCDC5.176019	\$2,388	+\$200

6 Door 	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	17D x 72W x 19H	NWSCDC6.177219	\$2,611	+\$200



3 Door Console



DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
17D x 36W x 36H	NWSCNTC.173636	\$2,010	+\$200



2 Door with Shelves



DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
17D x 24W x 75H	NWSTWT1.172475	\$2,132	+\$300






NEWTON BENCHES

SPECIFICATIONS

Standards, Statement of Line, Legs & Glides

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Standards	Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified
Statement of Line - Benches B3: Three Cubbies 15.5"D × 36"W × 19"H  B4: Four Cubbies 15.5"D × 48"W × 19"H  B5: Five Cubbies 15.5"D × 60"W × 19"H  B6: Six Cubbies 15.5"D × 72"W × 19"H 	Newton Benches are available in 19" overall heights and 15.5" depths. Benches are offered with 1.5" thick cushions that match the depth and width of the bench. Cushions are one piece. Each cubby measures 15"D x 10.5"W x 12.5"H.
Legs & Glides 	Newton Benches have 4.25" tall, 2" diameter powder coated steel legs with adjustable glides. Glides have 0.5" of height adjustability. Glides are black. Benches 60"W and 72"W will have a 5th leg positioned in the center of the bench.

NEWTON BENCHES


SPECIFICATIONS

Case Construction, Bench Cushion, Finish Selection, Shipping & Assembly

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Case Construction




The Newton Casegood cabinet cases are constructed with a 0.75" particle board double faced with thermally-fused melamine with 2mm or 3mm matching thick edgeband. High pressure laminate is optional with an upcharge.

Grain direction is vertical, and vertically-adjacent fronts are grain matched.

Cabinet backs are finished for space delineation use in an open plan.


Bench Cushion



Newton Benches offer a 1.5" thick high-density foam cushion, encased in upholstery grade fabric. Cushion size matches the bench width and depth.

Heavy duty hook & loop self-stick strips to the underside provide secure attachment to the case.

Finish Selection



There are three **Newton bench components that require finish selections**—case surface, base legs, and cushion. (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Casegoods Finish Selection				
Finish Type	Melamine	HPL / Fenix*	Metal Powdercoat	Upholstery Fabric
Case Surface:	•	• (upcharge for HPL)		
Base Legs:			•	
Cushion:				• (Grade 1 std)

*Quote Required for Fenix

Shipping & Assembly

Newton benches are pre-drilled for easy leg assembly.

Model Number

Example: NWOBNB3

Colors & Finishes

[Click here](#) to review all currently available product finishes.

Case Finish

Melamine	std
Group 1 Laminate*	see upcharge column
FENIX® Super Matte Laminate	quote required
Other Laminate/Material	quote required
<i>*must have matching edgeband available</i>	

Base & Pull Finish

P048	Anchor Gray	std
P300	Black	std
P348	Designer White	std
P354	HM Medium Tone	std
P378	Sand	std
P387	HM Innertone Light	std
P406	Black Wrinkle	std
P431	Metallic Silver	std
P466	Champagne Metallic	std
P690	Aegean	std
P691	Red Rock	std
P692	Toasted Ivory	std
P693	Sangria	std
P694	Parsley	std
P695	Fern Green	std
P696	Glacier Blue	std
Other Base Finish		quote required

Cushion


Grade 1 Upholstery Fabric	std
COM*/Other Fabric	quote required


COM (customer's own material) Requirements


Upholstery grade, backed, 54" standard roll width.
 Fabric must in be continuous yardage on a roll.


COM Yardage


36W Bench	2.0 yards
48W Bench	2.0 yards
60W Bench	2.5 yards
72W Bench	4.0 yards



	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	15D x 36W x 19H	NWOBNB3.153619	\$1,690	+\$100

	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	15D x 48W x 19H	NWOBNB4.154819	\$1,876	+\$100

	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	15D x 60W x 19H	NWOBNB5.156019	\$2,366	+\$200

	DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
	15D x 72W x 19H	NWOBNB6.157219	\$2,562	+\$200






NEWTON LOCKERS

SPECIFICATIONS


Standards, Statement of Line, Legs & Glides, Cabinet & Door Construction

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Standards	Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified
Statement of Line - Lockers Ten Doors, Ten Compartments 17"D x 24"W x 75"H 	Newton Lockers are available in 75" overall height, 24" width, and 17" depth. Lockers have 10 compartments. Each compartment measures approximately 15"D x 11.25"W x 13.25"H
Legs & Glides 	Newton Lockers have 4.25" tall, 2" diameter 14GA powder coated steel legs with adjustable glides. Glides have 0.5" of height adjustability. Glides are black.
Cabinet & Door Construction 	The Newton Caseload cabinet cases are constructed with a 0.75" particle board double faced with thermally-fused melamine with 2mm or 3mm matching thick edgeband. High pressure laminate is optional with an upcharge. Door and Drawer Fronts consist of 0.75" particleboard with high pressure laminate and matching thick edgeband as standard. Doors can be matched to case—if case is melamine the doors will also be melamine. Grain direction is vertical for both cases and fronts, and vertically-adjacent fronts are grain matched. Locker backs are finished for space delineation use in an open plan.
Door Features Soft Close Hinges 	Newton Lockers feature soft close hinges and rubber bumpers for sound reduction.

Door Pull Placement



Newton Lockers have three standard locations on the doors for pull placement.

On the upper set of doors, pulls are placed on the bottom of the doors.

On the three center sets of doors, pulls are placed at the top of the doors.

On the lower set of doors, pulls are placed at the top of the doors.


Featured Locks



Newton Lockers are available with flush-mount 4 digit combination locks. Locks can be operated in two modes, permanently coded, and one-time-use code, allowing users to set their own code before locking the door. The lock is 1.6"W x 4.5"H with a small integrated pull.

Lock placement follows standard door pull placement (see above) on locker doors, but without staggered pattern.

Keyed Locks



Keyed Door Locks are optionally available with Newton Lockers.

Two compartments gets a lock with 2 keys when option is selected. Keys are keyed alike. Other compartments do not have locks as standard. Lock placement is the inside upper corner of the door, 2" from door edge.

Master keys and lock plug change tools are also available to order separately (see universal accessories section).

NEWTON LOCKERS

SPECIFICATIONS

Wire Management, Featured Finish, Finish Selection, Shipping & Assembly

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Wire Management



When selected, Newton Lockers include a grommet in the left compartment of the second row of doors, positioned at the bottom of the back panel. Cutouts along the lower back of the dividers allow wires to pass between compartments.

Lockers - Featured Finish



Newton Lockers offer up to three powder coat color selections for the door pulls and base legs.

As standard:

Four pulls receive Color Group Selection A


Three pulls receive Color Group Selection B

Three pulls and the base legs receive Color Group Selection C

For a monochromatic look, all color selections may be specified in the same finish.

Install patterns can be specified to field installers.

Finish Selection



There are up to **four Newton Locker components that require finish selections**—case surface, door fronts, door pulls, and base legs. (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Lockers Finish Selection			
Finish Type	Melamine	HPL / Fenix*	Metal Powdercoat
Case Surface:	•	• (upcharge for HPL)	
Door Fronts:		• (matched or unmatched) †	
Door Pulls			•
Base Legs			•

*Quote Required for Fenix

†If match is selected for a melamine case, door fronts will be melamine

Shipping & Assembly

Newton Lockers are pre-drilled for easy leg and pull assembly.

Model Number

Example: NWLWTW2

Colors & Finishes

[Click here](#) to review all currently available product finishes.

Case Finish

Melamine	std
Group 1 Laminate*	see upcharge column
FENIX® Super Matte Laminate	quote required
Other Laminate/Material	quote required
*must have matching edgeband available	

Finish Groups

Newton Lockers can have up to three base colors selected. Use finish groups to guide selections for base and pull colors.

Finish Group A

Four Door Pulls


Finish Group B

Three Door Pulls

Finish Group C

Three Door Pulls and Base Legs

For a monochromatic look, all color selections may be specified in the same finish.




Base & Pull Finish

P048	Anchor Gray	std
P300	Black	std
P348	Designer White	std
P354	HM Medium Tone	std
P378	Sand	std
P387	HM Innertone Light	std
P406	Black Wrinkle	std
P431	Metallic Silver	std
P466	Champagne Metallic	std
P690	Aegean	std
P691	Red Rock	std
P692	Toasted Ivory	std
P693	Sangria	std
P694	Parsley	std
P695	Fern Green	std
P696	Glacier Blue	std
Other Base Finish		quote required

Wire Management Options

When selected, Newton Lockers have a grommet in the left compartment of the second row of doors from the top positioned at the bottom of the back panel. Cutouts along the lower back of the dividers allow wires to pass between compartments.



Pricing

GN2	Grommet	+ \$25
-----	---------	--------

Keyed Lock Option

Keyed Door Locks are optionally available with Newton Lockers. Two doors of the second row from the top get a lock with 2 keys when option is selected. Keys are keyed alike.




Pricing

LKA	with locks, keyed alike	+ \$140
LKS	lock shells only	+ \$140

Coded Lock Option

Newton Lockers are optionally available with flush-mount 4 digit combination locks on all doors. Locks can be operated in two modes, permanently coded, and one-time-use code, allowing users to set their own code before locking the door.




Pricing

NLK	Mechanical locks on all doors	+ \$4,050
-----	-------------------------------	-----------

Lock Plug & Key Sets (sold separately)

To be used with cabinets with lock shells only, or if replacement sets are needed. Two keys are included with each lock plug. Select keyed alike (choose your key code), or keyed different (each set will be keyed different, starting with code 100TA).



Pricing

Keyed Different (starting with key code 100TA)

Keyed Alike (select key code)

AUD LKA 100TA	Keyed Alike, Code 100TA	\$35
AUD LKA 101TA	Keyed Alike, Code 101TA	\$35
AUD LKA 102TA	Keyed Alike, Code 102TA	\$35
AUD LKA 103TA	Keyed Alike, Code 103TA	\$35
AUD LKA 104TA	Keyed Alike, Code 104TA	\$35
AUD LKA 105TA	Keyed Alike, Code 105TA	\$35
AUD LKA 106TA	Keyed Alike, Code 106TA	\$35
AUD LKA 107TA	Keyed Alike, Code 107TA	\$35
AUD LKA 108TA	Keyed Alike, Code 108TA	\$35
AUD LKA 109TA	Keyed Alike, Code 109TA	\$35
AUD LKA 110TA	Keyed Alike, Code 110TA	\$35
AUD LKA 111TA	Keyed Alike, Code 111TA	\$35
AUD LKA 112TA	Keyed Alike, Code 112TA	\$35
AUD LKA 113TA	Keyed Alike, Code 113TA	\$35
AUD LKA 114TA	Keyed Alike, Code 114TA	\$35
AUD LKA 115TA	Keyed Alike, Code 115TA	\$35
AUD LKA 116TA	Keyed Alike, Code 116TA	\$35
AUD LKA 117TA	Keyed Alike, Code 117TA	\$35
AUD LKA 118TA	Keyed Alike, Code 118TA	\$35
AUD LKA 119TA	Keyed Alike, Code 119TA	\$35
AUD LKA 120TA	Keyed Alike, Code 120TA	\$35
AUD LKA 121TA	Keyed Alike, Code 121TA	\$35
AUD LKA 122TA	Keyed Alike, Code 122TA	\$35
AUD LKA 123TA	Keyed Alike, Code 123TA	\$35
AUD LKA 124TA	Keyed Alike, Code 124TA	\$35
AUD LKA 125TA	Keyed Alike, Code 125TA	\$35


Master Key & Lock Plug Change Tool

Master Key

Opens all locks, providing authorized access for maintenance, management or security personnel.

Lock Plug Change Tool

Used to remove and replace lock plugs easily when re-keying or servicing locks.



Pricing

AUD LK MSTR	Master Key	\$75
AUD LK LPCT	Lock Plug Change Tool	\$66



10 Door Locker



DIMENSIONS	MODEL NUMBER	LIST PRICE	LAMINATE CASE
17D x 24W x 75H	NWLTWT2.172475	\$3,747	+\$500




Standards	Meets or exceeds applicable ANSI/BIFMA durability and safety standards and is SCS Indoor Advantage Gold certified
-----------	---

Construction	Newton Connection Cart frame is constructed of powder coated extruded aluminum surrounding a writable laminate infill panel. The feet of the cart are 23" long and constructed powder coated steel.
--------------	---



Size	Newton Connection Cart is 74" H x 41" W with a writable working area of 70" H x 36" on both sides.
------	--



Casters	Newton Connection Cart is offered in 2" locking casters. Casters are black.
---------	---



NEWTON CONNECTION CART


SPECIFICATIONS

Tackable PET Panel, Finish Selection, Shipping

SURFACEWORKS PRICING GUIDE


ORIGINAL LINES

Tackable PET Panel



Newton Connection Carts are available with a tackable PET panel. The removable PET panel hangs from tabs on a powder-coated bracket that sits on top of the frame. PET is Dark Grey.

Finish Selection



There are three **Newton Connection Cart components that require finish selections**—Frame Color, Infill, and Base Foot Color. (see chart below).

[Click Here](#) to review all current colors and finishes.

Newton Connection Finish Selection		
Finish Type	White Writable Laminate	Metal Powdercoat
Frame & Base Color:*		●
Side 1 Infill:	●	
Side 2 Infill:	●	

**Frame & Base color is only available in Black, White, and Metallic Silver as standard.*

Shipping

Newton Connection Cart ships assembled with corner guards and shrink wrap.

Model Number

Example: NWXM BR

Colors & Finishes

[Click here](#) to review all currently available product finishes.

Frame & Base Finish


P300	Black	std
P348	Designer White	std
P431	Metallic Silver	std
P048	Anchor Gray	quote required
P354	HM Medium Tone	quote required
P378	Sand	quote required
P387	HM Innertone Light	quote required
P406	Black Wrinkle	quote required
P466	Champagne Metallic	quote required
P690	Aegean	quote required
P691	Red Rock	quote required
P692	Toasted Ivory	quote required
P693	Sangria	quote required
P694	Parsley	quote required
P695	Fern Green	quote required
P696	Glacier Blue	quote required
Other Base Finish		quote required

Laminate Infill (as per model specs)

P610	Laminate Markerboard	std
Other Laminate/Material		quote required

Featured Accessory - Tackable PET Panel

Newton Connection Carts are available with a tackable PET panel. The removable PET panel hangs from tabs on a bracket that sits on top of the frame. Mounting bracket and PET panel to be purchased separately as accessories.



Mounting Bracket Pricing

AXH.NXB.32	Mounting Bracket	\$180
------------	------------------	-------

PET Panel Pricing


AXA.TKS.3648	Tackable PET Panel	\$510
--------------	--------------------	-------



Rectangle



DIMENSIONS	MODEL NUMBER	LIST PRICE
24D x 42W x 74H	NWXMBR.2442	\$3,304

Flip-Top PET Modesty Panel 	PRODUCT DESCRIPTION	SIZE	MODEL NUMBER	LIST PRICE
	Modesty panel intended for Flip-Top T-Leg Student Tables, which swings freely for flat storage when table is in upright position. Modesty panels are constructed of 100% PET material. PET material is dark grey in color. Mounting bracket is black. Mounting bracket is to be field installed. Size selection aligns with rectangle-shaped Newton Student Tables; please seek assistance when ordering for table shapes other than rectangles.	48W x 8H	AXM.LFMH.848	\$400
		60W x 8H	AXM.LFMH.860	\$450
		72W x 8H	AXM.LFMH.872	\$500
		84W x 8H	AXM.LFMH.884	\$550

Other sizes are available; please request a quote.
Indicate which line items require PET Flip-Top Modesty Panels upon ordering.

Fixed PET Modesty Panel 	PRODUCT DESCRIPTION	SIZE	MODEL NUMBER	LIST PRICE
	Modesty panel intended for Fixed Base T-Leg Student Tables. Modesty panels are constructed of 100% PET material. PET material is dark grey in color. Mounting bracket is black. Mounting bracket is to be field installed. Size selection aligns with rectangle-shaped Newton Student Tables; please seek assistance when ordering for table shapes other than rectangles.	48W x 8H	AXM.LFM.848	\$248
		60W x 8H	AXM.LFM.860	\$261
		72W x 8H	AXM.LFM.872	\$312
		84W x 8H	AXM.LFM.884	\$410

Other sizes are available; please request a quote.
Indicate which line items require Fixed PET Modesty Panels upon ordering.

Bag Hooks (kit of 4) 	PRODUCT DESCRIPTION	PACKAGED QTY	COLOR	MODEL NUMBER	LIST PRICE
	Bag Hooks are 2"W x 2.4"L x 1.75"D, made with 14 gauge bent steel and are strong enough to hold up to 100 pounds of weight. Bag Hooks are available in four per package, shipped loose and field installed; screws included.*	4	300 Black	AXH.BGH.300	\$191

Lectern Bag Hook 	PRODUCT DESCRIPTION	PACKAGED QTY	COLOR	MODEL NUMBER	LIST PRICE
	Lectern Bag Hooks are designed to clamp onto the 2.75" diameter column of the Newton Lectern. Bag Hooks are 2"W x 2.4"L x 1.75"D, made with some type of plastic and are strong enough to hold up to 20 pounds of weight.	1	300 Black	AXA.NBH.300	\$250

NEWTON ACCESSORIES


PRICING

PET Panel Bracket, Tackable PET Panel, MiniTap Power Unit

SURFACEWORKS PRICING GUIDE

ORIGINAL LINES

Connection Cart PET Panel Bracket 	PRODUCT DESCRIPTION	COLOR	MODEL NUMBER	LIST PRICE
	Powder-coated bracket that sits on top of Connection Cart frame to mount tackable PET Panel.	300 Black	AXH.NXB.32	\$180
		699 White		
		004 Folkstone		

Tackable PET Panel 	PRODUCT DESCRIPTION	DIMENSIONS	COLOR	MODEL NUMBER	LIST PRICE
	100% PET Tackable Panel for Connection Cart. Mounts to Connection Cart bracket.	48"H x 36"W x .5"D	Dark Grey	AXA.TKS.3648	\$460

Mini-Tap Under-Mount Power Unit 	PRODUCT DESCRIPTION	CONFIGURATION	CONNECTIVITY	COLOR	MODEL NUMBER	LIST PRICE
	Mini-Tap, Under Mount Style: 2-Port Size: 3" x 4" Finish: Black Plastic	1 Power (Tamper Resistant) 1 USB A+C (charging)	15 amp 120" Cord Straight Plug	300 Black	PMT.0C.B.300	\$403
		1 Power 1 USB A+C (charging)			PMT.1C.B.300	\$401
		2 Power			PMT.2.B.300	\$191

Mini-Tap is shipped loose and field-installed.
Additional configurations are available; quote required.

Thesis Power Unit 	PRODUCT DESCRIPTION	CONFIGURATION	CONNECTIVITY	COLOR	MODEL NUMBER	LIST PRICE
	Thesis Power Unit, Cordless Battery Pack with charging Power Cord Size: 7"W x 2"H x 5"D Unit Finish: Black Plastic Bracket Finish: Black	2 USB-C 30W Charging Ports	Rechargeable 216Wh Battery 100W inline power supply	300 Black	PTH.0.G1.300	\$3080
		1 USB-C 100W Charging Port		699 White	PTH.0.G1.699	
		1 USB-A 10W Charging Port		004 Folkstone	PTH.0.G1.004	
		15W Induction Charging Pad				

Thesis is shipped loose and field-installed.
Additional colors are available; quote required.

Thesis Undermount Bracket



PRODUCT DESCRIPTION	COLOR	MODEL NUMBER	LIST PRICE
Undermount bracket that securely holds Thesis Power unit below a table or worksurface.	300 Black	AXW.THB.0648	\$105



SurfaceWorks Inc.
7821S. 10th Street | Oak Creek, WI 53154
www.surfaceworks.us

414.570.2677

